











6 CIRCUIT CONNECTOR SHOWN



CKT	A	B	C	D	E
2	7.6	2.5	14.8	17.4	15
3	10.1	5.0	17.3	19.9	17.5
4	12.6	7.5	19.8	22.4	20.0
5	15.1	10.0	22.3	24.9	22.5
6	17.6	12.5	24.8	27.4	25.0
7	20.1	15.0	27.3	29.9	27.5
8	22.6	17.5	29.8	32.4	30.0
9	25.1	20.0	32.3	34.9	32.5
10	27.6	22.5	34.8	37.4	35.0
11	30.1	25.0	37.3	39.9	37.5
12	32.6	27.5	39.8	42.4	40.0
13	35.1	30.0	42.3	44.9	42.5
14	37.6	32.5	44.8	47.4	45.0
15	40.1	35.0	47.3	49.9	47.5



SECTION Z-Z

SECTION Y-Y

RECOMMENDED PANEL OPENING

- NOTES:
- MATERIALS  
HOUSING: POLYAMIDE 6 (PA6)  
UL94-V2. COLOUR NATURAL  
TERMINAL: COPPER ALLOY  
PLATING: PRE PLATED HOT TIN DIP
  - PRODUCT CONFORMS TO SPECIFICATION PS-99020-0090.
  - MATES WITH RAST 2.5 APPLIMATE FEMALE CONNS.
  - SEE PACKAGING PK-93422-001
  - CONNECTOR DESIGNED FOR USE WITH PANEL 0.80MM TO 0.90MM THICKNESS.
  - TERMINATED HEIGHT. CIRCUIT 1 SHOWN IN TERMINATED POSITION ONLY FOR PURPOSE OF DIMENSIONING TERMINATED HEIGHT POSITION.
  - TERMINAL PRE-TERMINATED HEIGHT. N=NUMBER OF CIRCUITS.
  - SEE APPLICATION SPEC AS-99033-010.
  - CONNECTOR DESIGNED TO RAST 2.5 STANDARD.

LAST INSPECTION NUMBER: 2

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC: ADDED NEW P/N SHT2		<b>molex</b>	
DIMENSION UNITS	SCALE	EC NO: 616330			
mm	2:1	DRWN: AKABADI 2019/04/26		PANEL MOUNT 2.5MM PITCH 0.22-0.38MM <sup>2</sup> CABLE	
GENERAL TOLERANCES (UNLESS SPECIFIED)		CHK'D: BODEA 2019/04/26		PRODUCT CUSTOMER DRAWING	
ANGULAR TOL	± 0.5°	APPR: DRYAN 2019/05/06		DOCUMENT NUMBER	
4 PLACES	±	INITIAL REVISION:		934220001	
3 PLACES	±	DRWN: TJMURPHY 2016/03/30		DOC TYPE	
2 PLACES	± 0.05	APPR: BRUTTLE 2016/06/13		PSD	
1 PLACE	± 0.1	MATERIAL NUMBER		000	
0 PLACES	±	CUSTOMER		J	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	SHEET NUMBER
			A3-SIZE	93422	1 OF 3

2 Circuit			
MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93422-9001	93428-0201	NONE	

3 Circuit				
MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	TERMINAL VOID POSITION	CONFIGURATION (SEE NOTES)
93422-0002	93428-0301	NONE	NONE	
93422-0003	93428-0304	d	NONE	
93422-0004	93428-0301	NONE	2	
93422-0005	93428-0305	a c	NONE	
93422-0006	93428-0303	b d	NONE	


4 Circuit				
MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	TERMINAL VOID POSITION	CONFIGURATION (SEE NOTES)
93422-0501	93428-0401	NONE	NONE	
93422-0502	93428-0402	a c e	NONE	
93422-0503	93428-0403	b d e	NONE	
93422-0504	93428-0401	NONE	1 4	
93422-0505	93428-0404	b c	NONE	
93422-0506	93428-0405	a b d	NONE	

5 Circuit			
MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93422-1001	93428-0501	NONE	
93422-1002	93428-0502	a c d f	


6 Circuit			
MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93422-1501	93428-0601	NONE	
93422-1502	93428-0602	c e	

7 Circuit			
MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93422-2001	93428-0701	NONE	

8 Circuit				
MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	TERMINAL VOID POSITION	CONFIGURATION (SEE NOTES)
93422-2501	93428-0801	NONE	NONE	
93422-2502	93428-0801	NONE	5 7	



CODING IDENTIFICATION  
(6 CKT EXAMPLE WITH  
CODING KEYS G BLOCKED)  
VIEW IN MATING DIRECTION



NOTES:

- ⊕ DENOTES LOADED TERMINAL POSITION  
+ DENOTES VOIDED TERMINAL POSITION
- MOLEX HOUSING NUMBER FOR REFERENCE ONLY

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC: ADDED NEW P/N SHT2		<b>molex</b>	
DIMENSION UNITS <b>mm</b>	SCALE <b>4:1</b>	EC NO: 616330			
GENERAL TOLERANCES (UNLESS SPECIFIED)		DRWN: AKABADI 2019/04/26		WIRE TO WIRE HEADER ASSEMBLY PANEL MOUNT 2.5MM PITCH 0.22-0.38MM2 CABLE	
ANGULAR TOL ± 0.5°	4 PLACES ±	CHK'D: BODEA 2019/04/26		PRODUCT CUSTOMER DRAWING	
3 PLACES ±	2 PLACES ± 0.05	APPR: DRYAN 2019/05/06		DOCUMENT NUMBER	
1 PLACE ± 0.1	0 PLACES ±	INITIAL REVISION:		DOC TYPE   DOC PART   REVISION	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRWN: TJMURPHY 2016/03/30		934220001	
THIRD ANGLE PROJECTION		APPR: BRUTTLE 2016/06/13		PSD 000 J	
DRAWING		SERIES		MATERIAL NUMBER	
A1-SIZE		93422		CUSTOMER	
SEE CHARTS		GENERAL MARKET		SHEET NUMBER	
2 OF 3					

9 Circuit			
MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93422-3001	93428-0901	NONE	

13 Circuit			
MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93422-5001	93428-1301	NONE	
93422-5002	93428-1302	a b c d k l m n	

10 Circuit			
MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93422-3501	93428-1001	NONE	


14 Circuit			
MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93422-5501	93428-1401	NONE	

11 Circuit			
MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93422-4001	93428-1101	NONE	

15 Circuit			
MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93422-6001	93428-1501	NONE	

12 Circuit			
MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93422-4501	93428-1201	NONE	

LATCH 1 POSITION ACROSS CIRCUITS	LATCH 2 POSITION ACROSS CIRCUITS	CIRCUIT SIZE
4 & 5	11 & 12	15
4 & 5	10 & 11	14
3 & 4	10 & 11	13
3 & 4	9 & 10	12
3 & 4	8 & 9	11
3 & 4	7 & 8	10






FOR CIRCUIT SIZE 10 AND ABOVE  
2 LATCHES ARE PRESENT.  
SEE TABLE BELOW FOR  
POSITION OF LATCHES.

- NOTES:
- ⊕ DENOTES LOADED TERMINAL POSITION  
+ DENOTES VOIDED TERMINAL POSITION
  - MOLEX HOUSING NUMBER FOR REFERENCE ONLY

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
DIMENSION UNITS <b>mm</b>	SCALE <b>1:1</b>	CURRENT REV DESC: ADDED NEW P/N SHT2	
GENERAL TOLERANCES (UNLESS SPECIFIED)		 <b>WIRE TO WIRE HEADER ASSEMBLY</b> <b>PANEL MOUNT 2.5MM PITCH 0.22-0.38MM2 CABLE</b>	
ANGULAR TOL	± 0.5°		
4 PLACES	±		
3 PLACES	±		
2 PLACES	± 0.05		
1 PLACE	± 0.1	EC NO: 616330 DRWN: AKABADI 2019/04/26 CHK'D: BODEA 2019/04/26 APPR: DRYAN 2019/05/06	
0 PLACES	±	INITIAL REVISION: DRWN: TJMURPHY 2016/03/30 APPR: BRUTTLE 2016/06/13	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING
			<b>A1-SIZE</b>
		SERIES	<b>93422</b>
		MATERIAL NUMBER	<b>934220001</b>
		CUSTOMER	<b>GENERAL MARKET</b>
		DOCUMENT NUMBER	<b>934220001</b>
		DOC TYPE	<b>PSD</b>
		DOC PART	<b>000</b>
		REVISION	<b>J</b>
		SHEET NUMBER	<b>3 OF 3</b>






EM-93422-010





6 CIRCUIT CONNECTOR SHOWN

CIRCUIT 1  
NOTE 6


CKT	A	B	C	D	E
2	14.8	7.6	2.5	17.4	15.0
3	17.3	10.1	5.0	19.9	17.5
4	19.8	12.6	7.5	22.4	20.0
5	22.3	15.1	10.0	24.9	22.5
6	24.8	17.6	12.5	27.4	25.0
7	27.3	20.1	15.0	29.9	27.5
8	29.8	22.6	17.5	32.4	30.0
9	32.3	25.1	20.0	34.9	32.5
10	34.8	27.6	22.5	37.4	35.0
11	37.3	30.1	25.0	39.9	37.5
12	39.8	32.6	27.5	42.4	40.0
13	42.3	35.1	30.0	44.9	42.5
14	44.8	37.6	32.5	47.4	45.0
15	47.3	40.1	35.0	49.9	47.5
16	49.8	42.6	37.5	52.4	50.0
17	52.3	45.1	40.0	54.9	52.5
18	54.8	47.6	42.5	57.4	55.0
19	57.3	50.1	45	59.9	57.5



SECTION Y-Y



SECTION X-X



Recommended panel opening

NOTES:

- MATERIALS  
HOUSING: POLYAMIDE 66 (PA66)  
UL94-V0. COLOUR NATURAL  
TERMINAL: COPPER ALLOY  
PLATING: PRE PLATED HOT TIN DIP 4 - 74h
- PRODUCT CONFORMS TO SPECIFICATION PS-99020-0090.
- MATES WITH RAST 2.5 APPLIMATE FEMALE CONNS.
- SEE PACKAGING SPECIFICATION PK-93422-001.
- CONNECTOR DESIGNED FOR USE WITH PANEL 0.80MM TO 0.90MM THICKNESS.
- TERMINATED HEIGHT. CIRCUIT 1 SHOWN IN TERMINATED POSITION ONLY FOR PURPOSE OF DIMENSIONING TERMINATED HEIGHT POSITION.
- TERMINAL PRE-TERMINATED HEIGHT. N=NUMBER OF CIRCUITS.
- SEE APPLICATION SPEC AS-99033-010.
- CONNECTOR DESIGNED TO RAST 2.5 STANDARD.

LAST INSPECTION NUMBER: 2

<p>ORIGINAL RELEASE</p> <p>EC NO: IPG2015-0156</p> <p>DRW: MSHANAHAN 2014/08/25</p> <p>CHKD: CMONAHAN 2014/10/14</p> <p>APPR: MSHANAHAN 2014/11/06</p>	<p>QUALITY SYMBOLS</p> <p>▽ E=2</p>	<p>GENERAL TOLERANCES (UNLESS SPECIFIED)</p>		<p>DIMENSION STYLE</p> <p>MM ONLY</p>		<p>SCALE</p> <p>2:1</p>	<p>DESIGN UNITS</p> <p>METRIC</p>	<p>THIRD ANGLE PROJECTION</p>	
		<p>4 PLACES ± --- ± ---</p>	<p>3 PLACES ± --- ± ---</p>	<p>DRAWN BY</p> <p>MSHANAHAN</p>	<p>DATE</p> <p>2013/01/18</p>	<p>TITLE</p> <p>V0 PANEL MT HEADER ASSY</p>			
		<p>2 PLACES ± 0.05 ± ---</p>	<p>1 PLACE ± 0.10 ± ---</p>	<p>CHECKED BY</p> <p>CMONAHAN</p>	<p>DATE</p> <p>2014/10/14</p>	<p>0.22 TO 0.38 WIRE</p>			
		<p>0 PLACE ± --- ± ---</p>	<p>ANGULAR ± .5 °</p>	<p>APPROVED BY</p> <p>MSHANAHAN</p>	<p>DATE</p> <p>2014/11/06</p>	<p>2.5MM PITCH</p>			
<p>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</p>		<p>SEE FOLLOWING SHEETS</p>		<p>MATERIAL NO.</p>		<p>DOCUMENT NO.</p> <p>SD-93722-001</p>		<p>SHEET NO.</p> <p>1 OF 4</p>	
<p>THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</p>									

### 2-CIRCUIT

MOLEX PART NO.	MOLEX HSG. PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93722-0001	93728-0201	NONE	

### 3-CIRCUIT

MOLEX PART NO.	MOLEX HSG. PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93722-0002	93728-0301	NONE	

### 4-CIRCUIT


MOLEX PART NO.	MOLEX HSG. PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93722-0003	93728-0401	NONE	
93722-0013	93728-0402	a,c,e	
93722-0014	93728-0403	b,d,e	

### 5-CIRCUIT

MOLEX PART NO.	MOLEX HSG. PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93722-0004	93728-0501	NONE	
93722-0015	93728-0502	a,c,d,f	

NOTES:

- ⊕ DENOTES LOADED TERMINAL POSITION  
+ DENOTES VOIDED TERMINAL POSITION
- MOLEX HOUSING NUMBER FOR REFERENCE ONLY



CODING IDENTIFICATION  
(6 CKT EXAMPLE WITH  
CODING KEY G BLOCKED)  
VIEW IN MATING DIRECTION

SEE SHEET 1 EC NO: IPG2015-0156 DRWN:MSHANAHAN 2014/08/25 CHKD:CMONAHAN 2014/10/14 APPR:MSHANAHAN 2014/11/06	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 2:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
			mm	INCH	DRAWN BY MSHANAHAN	DATE 2013/01/18	TITLE VO PANEL MT HEADER ASSY 0.22 TO 0.38 WIRE 2.5MM PITCH <b>molex</b>	DOCUMENT NO. SD-93722-001	SHEET NO. 2 OF 4
		4 PLACES	± ---	± ---	CHECKED BY CMONAHAN	DATE 2014/10/14			
		3 PLACES	± ---	± ---	APPROVED BY MSHANAHAN	DATE 2014/11/06			
		2 PLACES	± 0.05	± ---	MATERIAL NO.				
1 PLACE	± 0.10	± ---	SEE CHARTS						
0 PLACE	± ---	± ---	ANGULAR ± .5 °		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SIZE A3					

### 6-CIRCUIT

MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93722-0005	93728-0601	NONE	

### 8-CIRCUIT

MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93722-0007	93728-0801	NONE	

### 7-CIRCUIT

MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93722-0006	93728-0701	NONE	

### 9-CIRCUIT

MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93722-0008	93728-0901	NONE	

NOTES:

- ⊕ DENOTES LOADED TERMINAL POSITION  
+ DENOTES VOIDED TERMINAL POSITION
- MOLEX HOUSING NUMBER FOR REFERENCE ONLY

SEE SHEET 1 EC NO: IPG2015-0156 DRWN:MSHANAHAN 2014/08/25 CHKD:CMONAHAN 2014/10/14 APPR:MSHANAHAN 2014/11/06	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE <b>MM ONLY</b>		SCALE <b>2:1</b>	DESIGN UNITS <b>METRIC</b>	THIRD ANGLE PROJECTION	
			mm	INCH	DRAWN BY MSHANAHAN	DATE 2013/01/18	TITLE <b>VO PANEL MT HEADER ASSY 0.22 TO 0.38 WIRE 2.5MM PITCH</b>			
		4 PLACES	± ---	± ---	CHECKED BY CMONAHAN	DATE 2014/10/14				
		3 PLACES	± ---	± ---	APPROVED BY MSHANAHAN	DATE 2014/11/06	<div style="text-align: center;"><b>molex</b></div> DOCUMENT NO. <b>SD-93722-001</b> SHEET NO. <b>3 OF 4</b>			
		2 PLACES	± 0.05	± ---	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS					
1 PLACE	± 0.10	± ---	ANGULAR ± .5 °		SIZE <b>A3</b>	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
0 PLACE	± ---	± ---								

### 10-CIRCUIT

MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93722-0009	93728-1001	NONE	

### 12-CIRCUIT


MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93722-0011	93728-1201	NONE	

### 11-CIRCUIT

MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93722-0010	93728-1101	NONE	

### 13-CIRCUIT

MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93722-0012	93728-1301	NONE	
93722-0016	93728-1302	a.b.c.d.k.l.m.n	



FOR CIRCUIT SIZE 10 AND ABOVE  
2 LATCHES ARE PRESENT.  
SEE TABLE BELOW FOR  
POSITION OF LATCHES

LATCH 1 POSITION	LATCH 2 POSITION	CIRCUIT SIZE
ACROSS CIRCUITS	ACROSS CIRCUITS	CIRCUIT SIZE
4 & 5	11 & 12	15
4 & 5	10 & 11	14
3 & 4	10 & 11	13
3 & 4	9 & 10	12
3 & 4	8 & 9	11
3 & 4	7 & 8	10

### 14-CIRCUIT

MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93722-0017	93728-1401	NONE	

### 15-CIRCUIT

MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93722-0018	93728-1501	NONE	

NOTES:

- + DENOTES LOADED TERMINAL POSITION  
⊕ DENOTES VOIDED TERMINAL POSITION

2. MOLEX HOUSING NUMBER FOR REFERENCE ONLY

SEE SHEET 1 EC NO: IPG2015-0156 DRWN:MSHANAHAN 2014/08/25 CHKD:CMONAHAN 2014/10/14 APPR:MSHANAHAN 2014/11/06	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE MM ONLY	SCALE 2:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
			mm INCH	DRAWN BY DATE	TITLE	VO PANEL MT HEADER ASSY 0.22 TO 0.38 WIRE 2.5MM PITCH <b>molex</b> SD-93722-001 SHEET NO. 4 OF 4		
			4 PLACES ± --- ± ---	MSHANAHAN 2013/01/18	CHECKED BY DATE			
			3 PLACES ± --- ± ---	CMONAHAN 2014/10/14	APPROVED BY DATE			
	2 PLACES ± 0.05 ± ---	MSHANAHAN 2014/11/06	MATERIAL NO.					
		1 PLACE ± 0.10 ± ---	ANGULAR ± .5 °	SEE CHARTS				
		0 PLACE ± --- ± ---	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			