

Screwdriver - SF-SL 1,0X5,5-150 - 1212552

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Screwdriver, bladed (lasered), size: 1.0 x 5.5 x 150 mm, 2-component grip, with non-slip grip

Your advantages

- The tools feature ergonomic two-component safety handles
- Large contact surface of blades inside screw head

Key Commercial Data

Packing unit	10 pc
GTIN	 4 046356 589871
GTIN	4046356589871

Technical data

Dimensions

Length (b)	248 mm
Width (a)	33 mm
Blade thickness	1 mm
Blade width	5.5 mm
Blade height	150 mm
Wrench size	0 mm

General

Type	Bladed
	straight
Material	alloyed tool steel
Test standard	DIN/ISO 2380-1

Standards and Regulations

Test standard	DIN/ISO 2380-1
---------------	----------------


Environmental Product Compliance

California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
---------------------------	---

Screwdriver - SF-SL 1,0X5,5-150 - 1212552

Drawings

Pictogram



Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details

Screwdriver - SF-SL 1,0X5,5-150 - 1212552

Approvals

EAC



RU C-
DE.AI30.B.01750

Phoenix Contact 2019 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>