


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
A2		ECR-15-009282	05AUG2015	KG DW

1. ASSEMBLY SHOWN FOR REFERENCE ONLY. SHIPPED LOOSE PIECE AS SHOWN ON PAGE 2.
2. ALL ASSEMBLY DIMENSIONS ARE FOR REFERENCE ONLY.
3. PANEL SHOULD BE BETWEEN 3.2mm AND 6.4mm (1/8 TO 1/4 INCH) THICKNESS.
4. THIS PRODUCT HAS NOT COMPLETED VALIDATION TESTING.
5. COMPLETE THE CONNECTOR ASSEMBLY BY ADDING EACH OF THE FOLLOWING PRO BEAM JR KITS:
 - A. EXPANDED BEAM INSERT ASSEMBLY KIT
 - B. CABLE ADAPTER KIT, SIZED TO THE CABLE JACKET DIAMETER
 - C. FERRULE KIT, ONE PER FIBER



3 RECOMMENDED TFOCA-II® PANEL CUT-OUT (DIMENSIONS: INCHES)

TFOCA-II® IS A REGISTERED TRADEMARK OF FIBER SYSTEMS INTERNATIONAL CORP.

BLACK Zn-Ni ALLOY	ALUMINUM	1918942-3
NONE	NICKEL ALUMINUM BRONZE	1918942-2
OLIVE DRAB ZINC	ALUMINUM	1918942-1
FINISH	HOUSING ALLOY	PART NUMBER

SUPERSEDED BY:
1918942-3

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN K. GLATFELTER 07NOV2006	STE TE Connectivity	
DIMENSIONS: mm		CHK D. WERTMAN		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD D. WERTMAN	NAME CONNECTOR SHELL KIT, D-HOLE BULKHEAD SEALED TFOCA-II REPL, PRO BEAM JR.	
0 PLC ±		PRODUCT SPEC	SIZE CAGE CODE DRAWING NO RESTRICTED TO	
1 PLC ±		APPLICATION SPEC	A200779 C-1918942	
2 PLC ±		WEIGHT	SCALE 2:1 SHEET 1 OF 2 REV A2	
3 PLC ±				
4 PLC ±				
ANGLES ±				
FINISH AS LISTED				

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
-		SEE SHEET 1	-	-

1. SHIPPED LOOSE PIECE AS SHOWN.

FRONT HOUSING
 -1 & -3: MAT'L: ALUMINUM ALLOY
 FINISH: HARD ANODIZE W/PTFE
 -2: MAT'L: NiAlBrz
 FINISH: NONE

O-RING, 16x1
 (INSTALLED)
 MAT'L: NITRILE

FRONT SEAL
 (INSTALLED)
 MAT'L: FLUOROSILICONE

PANEL NUT
 (INSTALLED)
 -1: MAT'L: ALUMINUM ALLOY
 FINISH: GREEN CHROMATE
 CONVERSION ZINC/NICKEL
 -2: MAT'L: NiAlBrz
 FINISH: NONE
 -3: MAT'L: ALUMINUM ALLOY
 FINISH: BLACK Zn-Ni

PROTECTIVE CAP
 MAT'L: THERMOPLASTIC

COLLET NUT
 -1: MAT'L: ALUMINUM ALLOY
 FINISH: GREEN CHROMATE
 CONVERSION ZINC/NICKEL
 -2: MAT'L: NiAlBrz
 FINISH: NONE
 -3: MAT'L: ALUMINUM ALLOY
 FINISH: BLACK Zn-Ni

TETHER
 MAT'L: PLASTICOATED
 STEEL WIRE

JAM NUT
 -1: MAT'L: ALUMINUM ALLOY
 FINISH: GREEN CHROMATE
 CONVERSION ZINC/NICKEL
 -2: MAT'L: NiAlBrz
 FINISH: NONE
 -3: MAT'L: ALUMINUM ALLOY
 FINISH: BLACK Zn-Ni

COLLET SLEEVE
 -1 & -3: MAT'L: NICKEL SILVER ALLOY
 FINISH: NONE
 -2: MAT'L: NiAlBrz
 FINISH: NONE


WAVE SPRING
 MAT'L: STAINLESS STEEL

D-HOLE HOUSING
 -1: MAT'L: ALUMINUM ALLOY
 FINISH: GREEN CHROMATE
 CONVERSION ZINC/NICKEL
 -2: MAT'L: NiAlBrz
 FINISH: NONE
 -3: MAT'L: ALUMINUM ALLOY
 FINISH: BLACK Zn-Ni

O-RING, 19x1
 (INSTALLED)
 MAT'L: LOW-TEMP NITRILE

O-RING, 20.35x1.78
 (INSTALLED)
 MAT'L: FLUOROSILICONE

O-RING, 30x2
 (INSTALLED)
 MAT'L: FLUOROSILICONE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN K. GLATFELTER 07NOV2006	 TE Connectivity	
DIMENSIONS: mm		CHK D. WERTMAN		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD D. WERTMAN	PRODUCT SPEC	RESTRICTED TO
0 PLC ±		APPLICATION SPEC	SIZE	
1 PLC ±		WEIGHT	CAGE CODE	
2 PLC ±		Customer Drawing	DRAWING NO	
3 PLC ±			A200779	
4 PLC ±			C-1918942	
ANGLES ±		SCALE	1:1	
FINISH		SHEET	2	
MATERIAL AS LISTED	AS LISTED	REV	A2	