

Electronic housing - DCS 7 M C O BP C 7035 - 2203184

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Display housing, 7", light gray, central window, front level, for battery pack consisting of two half shells, with screws and battery pack contacts

Your advantages

- ✔ Item belongs to the DCS product range
- ✔ Display housings for mobile and stationary operator panels
- ✔ Integration of TFT display and membrane keypads
- ✔ Degree of protection: up to IP54
- ✔ Temperature range: -20°C to +50°C
- ✔ Shock-resistant ABS plastic
- ✔ Flammability rating UL 94-V0



Key Commercial Data

Packing unit	2 pc
GTIN	 4 055626 378381
GTIN	4055626378381

Technical data

Item properties

Type	DCS 7 M C O BP C 7035
Order No.	2203184
Housing type	Display housing
Battery compartment	for APP battery housing
Wall fastening	yes
Ventilation openings present	no

Measurements

Width [w]	224 mm
Height [h]	157 mm

Electronic housing - DCS 7 M C O BP C 7035 - 2203184

Technical data

Measurements

Depth [d]	40 mm
Diagonal	7 in. (Window for display)
Dimensions	154.4 mm x 93.4 mm (Window for display, center position)

Material specifications

Flammability rating according to UL 94	V0
Housing material	ABS

Packaging information

Pieces per package	2
Denomination packing units	Pcs.


Standards and regulations

Flammability rating according to UL 94	V0
--	----

Drawings

Electronic housing - DCS 7 M C O BP C 7035 - 2203184

Dimensional drawing



Phoenix Contact 2019 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>