

## Specification Sheet

Part Number: 133-03188



Triple pipe clip secures three routings together while keeping them separated, to prevent chafing or heat transfer

Inverted retaining legs and narrow opening prevent inadvertent disengagement of pipe

Controlled flex and angled entry promote easy pipe installation

<b>Article Number</b>	133-03188
<b>Type</b>	PC5X3
<b>Color</b>	Black (BK)
<b>Quantity Per</b>	carton
<b>Product Description</b>	This clip features a modular design that can be used individually or lined together to secure multiple pipes or hoses.
<b>Short Description</b>	Tube and Pipe Clip, 3x4.7-5.1mm Diameter, PA66HIRHSUV, Black, 4000/ctn
<b>Global Part Name</b>	PC5X3-PA66HIRHSUV-BK

<b>Minimum Tensile Strength (Imperial)</b>	20.0
<b>Minimum Tensile Strength (Metric)</b>	90
<b>Length L (Imperial)</b>	1.03
<b>Length L (Metric)</b>	25.2
<b>Width W (Imperial)</b>	0.4
<b>Width W (Metric)</b>	10.16
<b>Height H (Imperial)</b>	0.38
<b>Height H (Metric)</b>	9.3
<b>Nominal Diameter (Metric)</b>	4.7
<b>Material</b>	Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)
<b>Material Shortcut</b>	PA66HIRHSUV
<b>Flammability</b>	UL 94 HB
<b>Operating Temperature</b>	-40°F to +230°F (-40°C to +110°C)
<b>ROHS Compliant</b>	Yes

**Package Quantity (Imperial)** 4000

**Package Quantity (Metric)** 4000

**Customs Number** 3926909988