

## Screwdriver - SF-SL 0,5X3,0-80 - 1212548

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Screwdriver, slot-headed, size: 0.5 x 3.0 x 80 mm, 2-component grip, with non-slip grip

### Your advantages

- The tools feature ergonomic two-component safety handles
- Large contact surface of blades inside screw head

### Key Commercial Data

Packing unit	10 pc
GTIN	 4 046356 589833
GTIN	4046356589833

### Technical data

#### Dimensions

Length (b)	161 mm
Width (a)	26 mm
Blade thickness	0.5 mm
Blade width	3 mm
Blade height	80 mm
Wrench size	0 mm

#### General

Type	Bladed
	straight
Material	alloyed tool steel
Test standard	DIN/ISO 2380-1

#### Standards and Regulations

Test standard	DIN/ISO 2380-1
---------------	----------------


#### Environmental Product Compliance

California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
---------------------------	---

# Screwdriver - SF-SL 0,5X3,0-80 - 1212548

## Drawings

Pictogram



## Approvals

Approvals

---

Approvals

EAC

---

Ex Approvals

---

Approval details

## Screwdriver - SF-SL 0,5X3,0-80 - 1212548

### Approvals

EAC



RU C-  
DE.AI30.B.01750

Phoenix Contact 2019 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>