


ITEM	PART#	DESCRIPTION	QTY	UOM
A,B	5024390400	2.0 W/B Single Plug Hsg 4Ckt	2	PC
C	5024380000	2.0 W/B Single Plug Term W/Pit Chain	8	PC
D	--	WHITE PART ID LABEL	1	PC

FROM	TO	DESCRIPTION	COLOUR
A1	B1	1X22AWG DISC SR-PVC BK UL10002	BLACK
A2	B2	1X22AWG DISC SR-PVC BK UL10002	BLACK
A3	B3	1X22AWG DISC SR-PVC BK UL10002	BLACK
A4	B4	1X22AWG DISC SR-PVC BK UL10002	BLACK



PART NUMBER	TITLE	L1	L2(REF)
2219581040	Clik-Mate 2.0 R-R 4ckt 50mm disc Sn	50±5	15
2219581041	Clik-Mate 2.0 R-R 4ckt 100mm disc Sn	100±5	15
2219581042	Clik-Mate 2.0 R-R 4ckt 150mm disc Sn	150±5	15
2219581043	Clik-Mate 2.0 R-R 4ckt 300mm disc Sn	300±5	15
2219581044	Clik-Mate 2.0 R-R 4ckt 600mm disc Sn	600±5	15

MOLEX P/N
MOLEX
BATCH WK/YR

DETAIL A

NOTES

- CABLE ASSEMBLY TO BE TESTED 100% FOR CONTINUITY AND POLARITY.
- CONNECTOR VIEW SHOWN IS FROM MATING SIDE.
- LABEL TEXT MUST BE 2 MM MAX. IN HEIGHT WITH ARIAL FONT.
- LABEL MUST BE WRAPPED IN FLAG TYPE ON A SINGLE CABLE.

REVISION			
DATE	REV	DESCRIPTION	CHANGER
2022/02/12	A	INITIAL RELEASE	THANUB

DOCUMENT STATUS	P1	RELEASE DATE	2022/12/23	12:42:16
-----------------	----	--------------	------------	----------

FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		
$\nabla_A = 0$	DIMENSION UNITS	SCALE	CURRENT REV DESC:
$\nabla_E = 0$	mm	NTS	EC NO: 732309 DRWN: THANUB CHK'D: SKUMAR07 APPR: SKUMAR07 INITIAL REVISION: DRWN: THANUB APPR: SKUMAR07
$\nabla_P = 0$	GENERAL TOLERANCES (UNLESS SPECIFIED)		
DIVISIONAL SYMBOLS	ANGULAR TOL	± °	
	4 PLACES	±	
	3 PLACES	±	
	2 PLACES	±	
	1 PLACE	±	
	0 PLACES	±	
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING
			SERIES
			MATERIAL NUMBER
			CUSTOMER
			SHEET NUMBER

molex		
SEE TABLE		
PRODUCT CUSTOMER DRAWING		
DOCUMENT NUMBER	DOC TYPE	DOC PART
2219581040	PSD	000
REVISION	A	

A4-SIZE	221958	SEE TABLE	GENERAL MARKET	1 OF 1
---------	--------	-----------	----------------	--------