

Part Number: 151-01106



Article Number

151-01106

Type

SAM500B

Color

Black (BK)

Features & Benefits

- Positions bundles off cross members and frame rails to prevent abrasion and chafing.
- Metal insert bushing accommodates high torque installation.
- Made with high impact, heat stabilized, and UV material ideal for trucking and heavy equipment environments.

Quantity Per

carton

Product Description

HellermannTyton's axial oval mount stands off bundles from frame rails and cross members to prevent them from rubbing and chafing. The axial oval mount accommodates cable ties up to 0.5" wide. The hole on the mount was designed to fit a 5/16" bolt.

Short Description

High Torque Axial Mount, Bolt Hole Dia. 0.510", PA66HIRHSUV, Black, 500/pkg

Global Part Name

SAM500B-PA66HIRHSUV-BK

Length L (Imperial)	1.18
Length L (Metric)	29.9
Fixation Method	Screw Mounting and Rivet
Width W (Imperial)	1.0
Width W (Metric)	25.0
Bundle Diameter Max (Imperial)	2.0
Bundle Diameter Max (Metric)	50.8
Height H (Imperial)	1.77
Height H (Metric)	44.9
Mounting Hole Diameter D (Imperial)	0.510
Mounting Hole Diameter D (Metric)	12.95 mm
Mounting Hole Diameter D Min (Imperial)	0.510
Mounting Hole Diameter D Max (Imperial)	0.510
Mounting Hole Diameter D Max (Metric)	12.95
Material	Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)
Material Shortcut	PA66HIRHSUV

Flammability

UL 94 HB

Operating Temperature Metric

-40°F to +230°F (-40°C to +110°C)

Package Quantity(Imperial)

500

Package Quantity (Metric)

500

Customs Number

3926909987

Weight (Metric)

0.0198

Weight (Imperial)

0.0437