


Data sheet | Item number: 706-3033/102-200

System cable; for Schneider Modicon TM3; 8 digital inputs for higher voltages; Length: 2 m; Conductor cross-section: 0.34 mm²



www.wago.com/706-3033/102-200



Color coding acc. to DIN VDE 47100		WAGO 231 series		PLC connector	
		Pin number	Wiring	Pin number	Signal
White		1	0.0	1	IN0
Brown		2	0.1	2	IN1
Green		3	0.2	3	IN2
Yellow		4	0.3	4	IN3
Grey		5	0.4	7	IN4
Pink		6	0.5	8	IN5
Blue		7	0.6	9	IN6
Red		8	0.7	10	IN7
Black		9	L	nc	nc
Violet		10	N	5-11	com0
Grey-Pink		11	nc	nc	nc
Red-Blue		12	nc	nc	nc

Data Notes

Note

If less than 3 channels are used simultaneously, the maximum current per conductor is 2 A and up to 5 A (30°C ambient temperature) or 3.5 A (50°C ambient temperature) at pins N/L. If more than 3 channels are used simultaneously, the maximum current per conductor is 0.75 A and up to 5 A (30°C ambient temperature) or 3.5 A (50°C ambient temperature) at pins N/L.

Electrical data

Inputs/outputs	8 digital inputs; for higher voltages
Operating voltage	≤ AC/DC 250 V
Current per wire (max.)	0.75 A

Compatibility

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Schneider

Schneider Modicon TM3

TM3 DI8A

Connection data

Cable type

LiYY

Color code

per DIN VDE 47100

Connection 1

Connector

WAGO 231 Series

Pole number 1

12

Connection type 1

System

Wire cross-section

0.34 mm²

Connection 2

Connector 2

TM3 DI8A

Pole number 2

11

Connection type 2

System

Physical data

Cable length

2 m

Material Data

Weight

225 g

Environmental requirements

Ambient temperature (operation)

-20 ... +50 °C

Commercial data

ETIM 8.0

EC000237

ETIM 7.0

EC000237

PU (SPU)

1 pcs

Packaging type

bag

Country of origin

FR

GTIN

4055143627955

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



Customs tariff number

85444290900

Environmental Product Compliance

RoHS Compliance Status

Compliant, No Exemption

Downloads

Documentation

System Description

WAGO System Wiring, Selection Guide

pdf

Download

This guide will help you select the appropriate interface modules and system cables for the controller you are using.

545.9 kB

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 706-3033/102-200

URL

Download

System cable; for Schneider Modicon TM3; 8 digital inputs for higher voltages; Length: 2 m; Conductor cross-section: 0.34 mm²

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.