

**NOTES:**

1. MATERIAL:  
HOUSING: HIGH TEMP. THERMOPLASTIC UL94V-0,  
COLOR: BLACK  
TERMINAL: COPPER ALLOY
2. PLATING TYPE:
  - (1) : GOLD FLASH OVER  
50 MICRO INCHES MIN. NICKEL OVERALL.
  - (2) : 1 MICRO INCHES MIN. GOLD PLATE ON CONTACT AND  
75 MICRO INCHES MIN. TIN ON SOLDERTAIL OVER  
50 MICRO INCHES MIN. NICKEL OVERALL.
  - (3) : 10 MICRO INCHES MIN. GOLD PLATE ON CONTACT AND  
75 MICRO INCHES MIN. TIN ON SOLDERTAIL OVER  
50 MICRO INCHES MIN. NICKEL OVERALL.
  - (4) : 15 MICRO INCHES MIN. GOLD PLATE ON CONTACT AND  
75 MICRO INCHES MIN. TIN ON SOLDERTAIL OVER  
50 MICRO INCHES MIN. NICKEL OVERALL.
  - (5) : 30 MICRO INCHES MIN. GOLD PLATE ON CONTACT AND  
75 MICRO INCHES MIN. TIN ON SOLDERTAIL OVER  
50 MICRO INCHES MIN. NICKEL OVERALL.
  - (6) : 100 MICRO INCHES MIN. TIN IN SELECTED AREA OVER  
50 MICRO INCHES MIN. NICKEL OVERALL.
3. PRODUCT SPECIFICATION: PS-87920-019
4. PACKAGING SPECIFICATION: PK-89990-489 (TRAY)  
PK-89990-516 (TUBE)
5. PIN PUSHOUT FORCE: 1KG MIN IN EITHER DIRECTION
6. THE ABOVE 6 CKT IS FOR ILLUSTRATION PURPOSE ONLY.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT				<b>molex</b>	
mm		NTS							
GENERAL TOLERANCES (UNLESS SPECIFIED)									
		MM		INCH					
4 PLACES		±		±		EC NO: 679909			
3 PLACES		±		±		DRWN: AKUMAR19 2021/06/28			
2 PLACES		± 0.2		±		CHK'D: MRAMAKRISHNA 2021/10/11			
1 PLACE		±		±		APPR: MRAMAKRISHNA 2021/10/11			
0 PLACES		±		±		INITIAL REVISION:			
ANGULAR TOL		± 3.0°				DRWN: YLQIAO 2005/01/24		DOCUMENT NUMBER	
						APPR: SLOW 2005/02/01		SD-87897-010	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER	
				A3-SIZE		87897		SEE TABLE	
						CUSTOMER		SHEET NUMBER	
						GENERAL MARKET		1 OF 15	

PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-0101	-----	N/A $\triangle$ (A4)	-----	-----	-----	1	-----	1	2.54	----	5.84	2.29	1.52
87897-0102	-----	N/A $\triangle$ (A4)	-----	-----	-----	1	-----	2	2.54	----	5.84	2.29	1.52
87897-0103	-----	N/A $\triangle$ (A4)	-----	-----	-----	1	-----	3	2.54	----	5.84	2.29	1.52
87897-0104	-----	N/A $\triangle$ (A4)	-----	-----	-----	1	-----	4	2.54	----	5.84	2.29	1.52
87897-0105	-----	N/A $\triangle$ (A4)	-----	-----	-----	1	-----	5	2.54	----	5.84	2.29	1.52
87897-0106	-----	N/A $\triangle$ (A4)	-----	-----	-----	1	-----	6	2.54	----	5.84	2.29	1.52
87897-0201	-----	N/A $\triangle$ (A4)	-----	-----	-----	2	-----	1	5.08	2.54	5.84	2.29	1.52
87897-0202	-----	N/A $\triangle$ (A4)	-----	-----	-----	2	-----	2	5.08	2.54	5.84	2.29	1.52
87897-0203	-----	N/A $\triangle$ (A4)	-----	-----	-----	2	-----	3	5.08	2.54	5.84	2.29	1.52
87897-0204	-----	N/A $\triangle$ (A4)	-----	-----	-----	2	-----	4	5.08	2.54	5.84	2.29	1.52
87897-0205	-----	N/A $\triangle$ (A4)	-----	-----	-----	2	-----	5	5.08	2.54	5.84	2.29	1.52
87897-0206	-----	N/A $\triangle$ (A4)	-----	-----	-----	2	-----	6	5.08	2.54	5.84	2.29	1.52
87897-0301	-----	87897-0321	-----	-----	-----	3	-----	1	7.62	5.08	5.84	2.29	1.52
87897-0302	-----	87897-0322	-----	-----	-----	3	-----	2	7.62	5.08	5.84	2.29	1.52
87897-0303	-----	87897-0323	-----	-----	-----	3	-----	3	7.62	5.08	5.84	2.29	1.52
87897-0304	-----	87897-0324	-----	-----	-----	3	-----	4	7.62	5.08	5.84	2.29	1.52
87897-0305	-----	87897-0325	-----	-----	-----	3	-----	5	7.62	5.08	5.84	2.29	1.52
87897-0306	-----	87897-0326	-----	-----	-----	3	-----	6	7.62	5.08	5.84	2.29	1.52
(A5) -----	-----	87897-0329	-----	-----	-----	3	-----	6	7.62	5.08	5.84	2.29	1.52



(A4)  $\triangle$  TUBE OPTION IS NOT RECOMMENDED FOR CKT 1 AND 2

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT						<b>molex</b>	
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909		DRWN: AKUMAR19		2021/06/28		SALES DRAWING	
				CHK'D: MRAMAKRISHNA		APPR: MRAMAKRISHNA		2021/10/11		SINGLE ROW SINGLE WAFER 2.54MM PITCH, R/A	
				INITIAL REVISION:		DRWN: YLQIAO		2005/01/24		PRODUCT CUSTOMER DRAWING	
				ANGULAR TOL $\pm$ 3.0°		APPR: SLOW		2005/02/01		DOCUMENT NUMBER	
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES	
						A3-SIZE		87897		MATERIAL NUMBER	
										CUSTOMER	
										SEE TABLE	
										GENERAL MARKET	
										SHEET NUMBER	
										2 OF 15	

F  
E  
D  
C  
B  
A

F  
E  
D  
C  
B  
A

PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-0401	-----	87897-0421	-----	-----	-----	4	-----	1	10.16	7.62	5.84	2.29	1.52
87897-0402	-----	87897-0422	-----	-----	-----	4	-----	2	10.16	7.62	5.84	2.29	1.52
87897-0403	-----	87897-0423	-----	-----	-----	4	-----	3	10.16	7.62	5.84	2.29	1.52
87897-0404	-----	87897-0424	-----	-----	-----	4	-----	4	10.16	7.62	5.84	2.29	1.52
87897-0405	-----	87897-0425	-----	-----	-----	4	-----	5	10.16	7.62	5.84	2.29	1.52
87897-0406	-----	87897-0426	-----	-----	-----	4	-----	6	10.16	7.62	5.84	2.29	1.52
(A5) -----	-----	87897-0430	-----	-----	-----	4	-----	6	10.16	7.62	5.84	2.29	1.52
87897-0501	-----	87897-0521	-----	-----	-----	5	-----	1	12.70	10.16	5.84	2.29	1.52
87897-0502	-----	87897-0522	-----	-----	-----	5	-----	2	12.70	10.16	5.84	2.29	1.52
87897-0503	-----	87897-0523	-----	-----	-----	5	-----	3	12.70	10.16	5.84	2.29	1.52
87897-0504	-----	87897-0524	-----	-----	-----	5	-----	4	12.70	10.16	5.84	2.29	1.52
87897-0505	-----	87897-0525	-----	-----	-----	5	-----	5	12.70	10.16	5.84	2.29	1.52
87897-0506	-----	87897-0526	-----	-----	-----	5	-----	6	12.70	10.16	5.84	2.29	1.52
(A5) -----	-----	87897-0527	-----	-----	-----	5	-----	6	12.70	10.16	5.84	2.29	1.52
87897-0601	-----	87897-0621	-----	-----	-----	6	-----	1	15.24	12.70	5.84	2.29	1.52
87897-0602	-----	87897-0622	-----	-----	-----	6	-----	2	15.24	12.70	5.84	2.29	1.52
87897-0603	-----	87897-0623	-----	-----	-----	6	-----	3	15.24	12.70	5.84	2.29	1.52
87897-0604	-----	87897-0624	-----	-----	-----	6	-----	4	15.24	12.70	5.84	2.29	1.52
87897-0605	-----	87897-0625	-----	-----	-----	6	-----	5	15.24	12.70	5.84	2.29	1.52
87897-0606	-----	87897-0626	-----	-----	-----	6	-----	6	15.24	12.70	5.84	2.29	1.52
(A5) 87897-0608	-----	-----	-----	-----	-----	6	-----	6	15.24	12.70	5.84	2.29	1.52



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT							
mm		NTS		GENERAL TOLERANCES (UNLESS SPECIFIED)							
				MM		INCH		SALES DRAWING SINGLE ROW SINGLE WAFER 2.54MM PITCH, R/A			
4 PLACES		±		±		±		PRODUCT CUSTOMER DRAWING			
3 PLACES		±		±		±		DOCUMENT NUMBER			
2 PLACES		± 0.2		±		±		SD-87897-010			
1 PLACE		±		±		±		DOC TYPE		DOC PART	
0 PLACES		±		±		±		PSD		001	
ANGULAR TOL		± 3.0°		±		±		REVISION		A5	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER	
						A3-SIZE		87897		SEE TABLE	
								CUSTOMER		GENERAL MARKET	
										SHEET NUMBER	
										3 OF 15	



F  
E  
D  
C  
B  
A

F  
E  
D  
C  
B  
A

PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-1001	-----	87897-1021	-----	-----	-----	10	-----	1	25.40	22.86	5.84	2.29	1.52
87897-1002	-----	87897-1022	-----	-----	-----	10	-----	2	25.40	22.86	5.84	2.29	1.52
87897-1003	-----	87897-1023	-----	-----	-----	10	-----	3	25.40	22.86	5.84	2.29	1.52
87897-1004	-----	87897-1024	-----	-----	-----	10	-----	4	25.40	22.86	5.84	2.29	1.52
87897-1005	-----	87897-1025	-----	-----	-----	10	-----	5	25.40	22.86	5.84	2.29	1.52
87897-1006	-----	87897-1026	-----	-----	-----	10	-----	6	25.40	22.86	5.84	2.29	1.52
87897-1101	-----	87897-1121	-----	-----	-----	11	-----	1	27.94	25.40	5.84	2.29	1.52
87897-1102	-----	87897-1122	-----	-----	-----	11	-----	2	27.94	25.40	5.84	2.29	1.52
87897-1103	-----	87897-1123	-----	-----	-----	11	-----	3	27.94	25.40	5.84	2.29	1.52
87897-1104	-----	87897-1124	-----	-----	-----	11	-----	4	27.94	25.40	5.84	2.29	1.52
87897-1105	-----	87897-1125	-----	-----	-----	11	-----	5	27.94	25.40	5.84	2.29	1.52
87897-1106	-----	87897-1126	-----	-----	-----	11	-----	6	27.94	25.40	5.84	2.29	1.52
87897-1101	-----	87897-1221	-----	-----	-----	12	-----	1	30.48	27.94	5.84	2.29	1.52
87897-1102	-----	87897-1222	-----	-----	-----	12	-----	2	30.48	27.94	5.84	2.29	1.52
87897-1103	-----	87897-1223	-----	-----	-----	12	-----	3	30.48	27.94	5.84	2.29	1.52
87897-1104	-----	87897-1224	-----	-----	-----	12	-----	4	30.48	27.94	5.84	2.29	1.52
87897-1105	-----	87897-1225	-----	-----	-----	12	-----	5	30.48	27.94	5.84	2.29	1.52
87897-1106	-----	87897-1226	-----	-----	-----	12	-----	6	30.48	27.94	5.84	2.29	1.52



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT					
mm		NTS							
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909		DRWN: AKUMAR19		2021/06/28	
				CHK'D: MRAMAKRISHNA		2021/10/11		2021/10/11	
				APPR: MRAMAKRISHNA		2021/10/11		2021/10/11	
				INITIAL REVISION:		DRWN: YLQIAO		2005/01/24	
				APPR: SCLW		2005/02/01		2005/02/01	
ANGULAR TOL ± 3.0°				THIRD ANGLE PROJECTION		DRAWING		SERIES	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						A3-SIZE		87897	
DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION			
SD-87897-010		PSD		001		A5			
MATERIAL NUMBER		CUSTOMER		SHEET NUMBER					
SEE TABLE		GENERAL MARKET		5 OF 15					

FORMAT: Mol-lega-master-ib-prod-A3  
REVISION: E  
DATE: 2020/01/14

F  
E  
D  
C  
B  
A

F  
E  
D  
C  
B  
A



PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-1301	-----	87897-1321	-----	-----	-----	13	-----	1	33.02	30.48	5.84	2.29	1.52
87897-1302	-----	87897-1322	-----	-----	-----	13	-----	2	33.02	30.48	5.84	2.29	1.52
87897-1303	-----	87897-1323	-----	-----	-----	13	-----	3	33.02	30.48	5.84	2.29	1.52
87897-1304	-----	87897-1324	-----	-----	-----	13	-----	4	33.02	30.48	5.84	2.29	1.52
87897-1305	-----	87897-1325	-----	-----	-----	13	-----	5	33.02	30.48	5.84	2.29	1.52
87897-1306	-----	87897-1326	-----	-----	-----	13	-----	6	33.02	30.48	5.84	2.29	1.52
87897-1401	-----	87897-1421	-----	-----	-----	14	-----	1	35.56	33.02	5.84	2.29	1.52
87897-1402	-----	87897-1422	-----	-----	-----	14	-----	2	35.56	33.02	5.84	2.29	1.52
87897-1403	-----	87897-1423	-----	-----	-----	14	-----	3	35.56	33.02	5.84	2.29	1.52
87897-1404	-----	87897-1424	-----	-----	-----	14	-----	4	35.56	33.02	5.84	2.29	1.52
87897-1405	-----	87897-1425	-----	-----	-----	14	-----	5	35.56	33.02	5.84	2.29	1.52
87897-1406	-----	87897-1426	-----	-----	-----	14	-----	6	35.56	33.02	5.84	2.29	1.52
87897-1501	-----	87897-1521	-----	-----	-----	15	-----	1	38.10	35.56	5.84	2.29	1.52
87897-1502	-----	87897-1522	-----	-----	-----	15	-----	2	38.10	35.56	5.84	2.29	1.52
87897-1503	-----	87897-1523	-----	-----	-----	15	-----	3	38.10	35.56	5.84	2.29	1.52
87897-1504	-----	87897-1524	-----	-----	-----	15	-----	4	38.10	35.56	5.84	2.29	1.52
87897-1505	-----	87897-1525	-----	-----	-----	15	-----	5	38.10	35.56	5.84	2.29	1.52
87897-1506	-----	87897-1526	-----	-----	-----	15	-----	6	38.10	35.56	5.84	2.29	1.52

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT									
mm		NTS		 <p>SALES DRAWING SINGLE ROW SINGLE WAFER 2.54MM PITCH, R/A</p>									
GENERAL TOLERANCES (UNLESS SPECIFIED)													
		MM		INCH		EC NO: 679909 DRWN: AKUMAR19 2021/06/28 CHK'D: MRAMAKRISHNA 2021/10/11 APPR: MRAMAKRISHNA 2021/10/11 INITIAL REVISION: DRWN: YLQIAO 2005/01/24 APPR: SCLOW 2005/02/01							
4 PLACES		±		±									
3 PLACES		±		±									
2 PLACES		± 0.2		±									
1 PLACE		±		±									
0 PLACES		±		±		DOCUMENT NUMBER <b>SD-87897-010</b>		DOC TYPE PSD		DOC PART 001		REVISION A5	
ANGULAR TOL ± 3.0°				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						A3-SIZE		87897		SEE TABLE		GENERAL MARKET	
												SHEET NUMBER 6 OF 15	

F  
E  
D  
C  
B  
A

F  
E  
D  
C  
B  
A

PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-1601	-----	87897-1621	-----	-----	-----	16	-----	1	40.64	38.10	5.84	2.29	1.52
87897-1602	-----	87897-1622	-----	-----	-----	16	-----	2	40.64	38.10	5.84	2.29	1.52
87897-1603	-----	87897-1623	-----	-----	-----	16	-----	3	40.64	38.10	5.84	2.29	1.52
87897-1604	-----	87897-1624	-----	-----	-----	16	-----	4	40.64	38.10	5.84	2.29	1.52
87897-1605	-----	87897-1625	-----	-----	-----	16	-----	5	40.64	38.10	5.84	2.29	1.52
87897-1606	-----	87897-1626	-----	-----	-----	16	-----	6	40.64	38.10	5.84	2.29	1.52
87897-1701	-----	87897-1721	-----	-----	-----	17	-----	1	43.18	40.64	5.84	2.29	1.52
87897-1702	-----	87897-1722	-----	-----	-----	17	-----	2	43.18	40.64	5.84	2.29	1.52
87897-1703	-----	87897-1723	-----	-----	-----	17	-----	3	43.18	40.64	5.84	2.29	1.52
87897-1704	-----	87897-1724	-----	-----	-----	17	-----	4	43.18	40.64	5.84	2.29	1.52
87897-1705	-----	87897-1725	-----	-----	-----	17	-----	5	43.18	40.64	5.84	2.29	1.52
87897-1706	-----	87897-1726	-----	-----	-----	17	-----	6	43.18	40.64	5.84	2.29	1.52
87897-1801	-----	87897-1821	-----	-----	-----	18	-----	1	45.72	43.18	5.84	2.29	1.52
87897-1802	-----	87897-1822	-----	-----	-----	18	-----	2	45.72	43.18	5.84	2.29	1.52
87897-1803	-----	87897-1823	-----	-----	-----	18	-----	3	45.72	43.18	5.84	2.29	1.52
87897-1804	-----	87897-1824	-----	-----	-----	18	-----	4	45.72	43.18	5.84	2.29	1.52
87897-1805	-----	87897-1825	-----	-----	-----	18	-----	5	45.72	43.18	5.84	2.29	1.52
87897-1806	-----	87897-1826	-----	-----	-----	18	-----	6	45.72	43.18	5.84	2.29	1.52

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT							
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909		DRWN: AKUMAR19		2021/06/28		SALES DRAWING	
				CHK'D: MRAMAKRISHNA		2021/10/11		2021/10/11		SINGLE ROW SINGLE WAFER 2.54MM PITCH, R/A	
				APPR: MRAMAKRISHNA		2021/10/11		2021/10/11		PRODUCT CUSTOMER DRAWING	
				INITIAL REVISION:		DRWN: YLQIAO		2005/01/24		DOCUMENT NUMBER	
				APPR: SLOW		2005/02/01		2005/02/01		SD-87897-010	
				ANGULAR TOL ± 3.0°		THIRD ANGLE PROJECTION		DRAWING		DOC TYPE	
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SERIES		DOC PART	
						A3-SIZE		87897		REVISION	
						MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						SEE TABLE		GENERAL MARKET		7 OF 15	

F  
E  
D  
C  
B  
A

F  
E  
D  
C  
B  
A

PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-1901	-----	87897-1921	-----	-----	-----	19	-----	1	48.26	45.72	5.84	2.29	1.52
87897-1902	-----	87897-1922	-----	-----	-----	19	-----	2	48.26	45.72	5.84	2.29	1.52
87897-1903	-----	87897-1923	-----	-----	-----	19	-----	3	48.26	45.72	5.84	2.29	1.52
87897-1904	-----	87897-1924	-----	-----	-----	19	-----	4	48.26	45.72	5.84	2.29	1.52
87897-1905	-----	87897-1925	-----	-----	-----	19	-----	5	48.26	45.72	5.84	2.29	1.52
87897-1906	-----	87897-1926	-----	-----	-----	19	-----	6	48.26	45.72	5.84	2.29	1.52
87897-2001	-----	87897-2021	-----	-----	-----	20	-----	1	50.80	48.26	5.84	2.29	1.52
87897-2002	-----	87897-2122	-----	-----	-----	20	-----	2	50.80	48.26	5.84	2.29	1.52
87897-2003	-----	87897-2223	-----	-----	-----	20	-----	3	50.80	48.26	5.84	2.29	1.52
87897-2004	-----	87897-2324	-----	-----	-----	20	-----	4	50.80	48.26	5.84	2.29	1.52
87897-2005	-----	87897-2425	-----	-----	-----	20	-----	5	50.80	48.26	5.84	2.29	1.52
87897-2006	-----	87897-2526	-----	-----	-----	20	-----	6	50.80	48.26	5.84	2.29	1.52
87897-2101	-----	87897-2121	-----	-----	-----	21	-----	1	53.34	50.80	5.84	2.29	1.52
87897-2102	-----	87897-2122	-----	-----	-----	21	-----	2	53.34	50.80	5.84	2.29	1.52
87897-2103	-----	87897-2123	-----	-----	-----	21	-----	3	53.34	50.80	5.84	2.29	1.52
87897-2104	-----	87897-2124	-----	-----	-----	21	-----	4	53.34	50.80	5.84	2.29	1.52
87897-2105	-----	87897-2125	-----	-----	-----	21	-----	5	53.34	50.80	5.84	2.29	1.52
87897-2106	-----	87897-2126	-----	-----	-----	21	-----	6	53.34	50.80	5.84	2.29	1.52

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE	CURRENT REV DESC: BRIGHT TIN PHASE OUT		<b>molex</b>	
mm	NTS				
GENERAL TOLERANCES (UNLESS SPECIFIED)				SALES DRAWING SINGLE ROW SINGLE WAFER 2.54MM PITCH, R/A	
	MM	INCH			PRODUCT CUSTOMER DRAWING
4 PLACES	±	±	EC NO: 679909		
3 PLACES	±	±	DRWN: AKUMAR19	2021/06/28	
2 PLACES	±	0.2	CHK'D: MRAMAKRISHNA	2021/10/11	
1 PLACE	±	±	APPR: MRAMAKRISHNA	2021/10/11	
0 PLACES	±	±	INITIAL REVISION:		DOCUMENT NUMBER
ANGULAR TOL ± 3.0°		DRWN: YLQIAO		2005/01/24	SD-87897-010
		APPR: SLOW		2005/02/01	DOC TYPE
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	DOC PART
			A3-SIZE	87897	REVISION
			SEE TABLE	GENERAL MARKET	A5
					SHEET NUMBER
					8 OF 15

FORMAT: Mel-lega-master-ib-prod-A3  
REVISION: E  
DATE: 2020/01/14



F  
E  
D  
C  
B  
A

F  
E  
D  
C  
B  
A



PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-2201	-----	87897-2221	-----	-----	-----	22	-----	1	55.88	53.34	5.84	2.29	1.52
87897-2202	-----	87897-2222	-----	-----	-----	22	-----	2	55.88	53.34	5.84	2.29	1.52
87897-2203	-----	87897-2223	-----	-----	-----	22	-----	3	55.88	53.34	5.84	2.29	1.52
87897-2204	-----	87897-2224	-----	-----	-----	22	-----	4	55.88	53.34	5.84	2.29	1.52
87897-2205	-----	87897-2225	-----	-----	-----	22	-----	5	55.88	53.34	5.84	2.29	1.52
87897-2206	-----	87897-2226	-----	-----	-----	22	-----	6	55.88	53.34	5.84	2.29	1.52
87897-2301	-----	87897-2321	-----	-----	-----	23	-----	1	58.42	55.88	5.84	2.29	1.52
87897-2302	-----	87897-2322	-----	-----	-----	23	-----	2	58.42	55.88	5.84	2.29	1.52
87897-2303	-----	87897-2323	-----	-----	-----	23	-----	3	58.42	55.88	5.84	2.29	1.52
87897-2304	-----	87897-2324	-----	-----	-----	23	-----	4	58.42	55.88	5.84	2.29	1.52
87897-2305	-----	87897-2325	-----	-----	-----	23	-----	5	58.42	55.88	5.84	2.29	1.52
87897-2306	-----	87897-2326	-----	-----	-----	23	-----	6	58.42	55.88	5.84	2.29	1.52
87897-2401	-----	87897-2421	-----	-----	-----	24	-----	1	60.96	58.42	5.84	2.29	1.52
87897-2402	-----	87897-2422	-----	-----	-----	24	-----	2	60.96	58.42	5.84	2.29	1.52
87897-2403	-----	87897-2423	-----	-----	-----	24	-----	3	60.96	58.42	5.84	2.29	1.52
87897-2404	-----	87897-2424	-----	-----	-----	24	-----	4	60.96	58.42	5.84	2.29	1.52
87897-2405	-----	87897-2425	-----	-----	-----	24	-----	5	60.96	58.42	5.84	2.29	1.52
87897-2406	-----	87897-2426	-----	-----	-----	24	-----	6	60.96	58.42	5.84	2.29	1.52

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT						<b>molex</b>	
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909		DRWN: AKUMAR19		2021/06/28		SALES DRAWING	
				CHK'D: MRAMAKRISHNA		APPR: MRAMAKRISHNA		2021/10/11		SINGLE ROW SINGLE WAFER 2.54MM PITCH, R/A	
				INITIAL REVISION:		DRWN: YLQIAO		2005/01/24		PRODUCT CUSTOMER DRAWING	
				APPR: SLOW		APPR: SLOW		2005/02/01		DOCUMENT NUMBER	
ANGULAR TOL ± 3.0°				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES	
						A3-SIZE		87897		MATERIAL NUMBER	
										CUSTOMER	
										SEE TABLE	
										GENERAL MARKET	
										SHEET NUMBER	
										9 OF 15	

F  
E  
D  
C  
B  
A

F  
E  
D  
C  
B  
A

PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-2501	-----	87897-2521	-----	-----	-----	25	-----	1	63.50	60.96	5.84	2.29	1.52
87897-2502	-----	87897-2522	-----	-----	-----	25	-----	2	63.50	60.96	5.84	2.29	1.52
87897-2503	-----	87897-2523	-----	-----	-----	25	-----	3	63.50	60.96	5.84	2.29	1.52
87897-2504	-----	87897-2524	-----	-----	-----	25	-----	4	63.50	60.96	5.84	2.29	1.52
87897-2505	-----	87897-2525	-----	-----	-----	25	-----	5	63.50	60.96	5.84	2.29	1.52
87897-2506	-----	87897-2526	-----	-----	-----	25	-----	6	63.50	60.96	5.84	2.29	1.52
87897-2601	-----	87897-2621	-----	-----	-----	26	-----	1	66.04	63.50	5.84	2.29	1.52
87897-2602	-----	87897-2622	-----	-----	-----	26	-----	2	66.04	63.50	5.84	2.29	1.52
87897-2603	-----	87897-2623	-----	-----	-----	26	-----	3	66.04	63.50	5.84	2.29	1.52
87897-2604	-----	87897-2624	-----	-----	-----	26	-----	4	66.04	63.50	5.84	2.29	1.52
87897-2605	-----	87897-2625	-----	-----	-----	26	-----	5	66.04	63.50	5.84	2.29	1.52
87897-2606	-----	87897-2626	-----	-----	-----	26	-----	6	66.04	63.50	5.84	2.29	1.52
87897-2701	-----	87897-2721	-----	-----	-----	27	-----	1	68.58	66.04	5.84	2.29	1.52
87897-2702	-----	87897-2722	-----	-----	-----	27	-----	2	68.58	66.04	5.84	2.29	1.52
87897-2703	-----	87897-2723	-----	-----	-----	27	-----	3	68.58	66.04	5.84	2.29	1.52
87897-2704	-----	87897-2724	-----	-----	-----	27	-----	4	68.58	66.04	5.84	2.29	1.52
87897-2705	-----	87897-2725	-----	-----	-----	27	-----	5	68.58	66.04	5.84	2.29	1.52
87897-2706	-----	87897-2726	-----	-----	-----	27	-----	6	68.58	66.04	5.84	2.29	1.52



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT							
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909		DRWN: AKUMAR19		2021/06/28		SALES DRAWING	
				CHK'D: MRAMAKRISHNA		2021/10/11		2021/10/11		SINGLE ROW SINGLE WAFER 2.54MM PITCH, R/A	
				APPR: MRAMAKRISHNA		2021/10/11		2021/10/11		PRODUCT CUSTOMER DRAWING	
				INITIAL REVISION:		DRWN: YLQIAO		2005/01/24		DOCUMENT NUMBER	
				APPR: SLOW		2005/02/01		2005/02/01		SD-87897-010	
ANGULAR TOL ± 3.0°				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						A3-SIZE		87897		CUSTOMER	
								SEE TABLE		GENERAL MARKET	
										SHEET NUMBER	
										10 OF 15	

FORMAT: Mel-lega-master-ib-prod-A3  
REVISION: E  
DATE: 2020/01/14

F  
E  
D  
C  
B  
A

F  
E  
D  
C  
B  
A



PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-2801	-----	87897-2821	-----	-----	-----	28	-----	1	71.12	68.58	5.84	2.29	1.52
87897-2802	-----	87897-2822	-----	-----	-----	28	-----	2	71.12	68.58	5.84	2.29	1.52
87897-2803	-----	87897-2823	-----	-----	-----	28	-----	3	71.12	68.58	5.84	2.29	1.52
87897-2804	-----	87897-2824	-----	-----	-----	28	-----	4	71.12	68.58	5.84	2.29	1.52
87897-2805	-----	87897-2825	-----	-----	-----	28	-----	5	71.12	68.58	5.84	2.29	1.52
87897-2806	-----	87897-2826	-----	-----	-----	28	-----	6	71.12	68.58	5.84	2.29	1.52
87897-2901	-----	87897-2921	-----	-----	-----	29	-----	1	73.66	71.12	5.84	2.29	1.52
87897-2902	-----	87897-2922	-----	-----	-----	29	-----	2	73.66	71.12	5.84	2.29	1.52
87897-2903	-----	87897-2923	-----	-----	-----	29	-----	3	73.66	71.12	5.84	2.29	1.52
87897-2904	-----	87897-2924	-----	-----	-----	29	-----	4	73.66	71.12	5.84	2.29	1.52
87897-2905	-----	87897-2925	-----	-----	-----	29	-----	5	73.66	71.12	5.84	2.29	1.52
87897-2906	-----	87897-2926	-----	-----	-----	29	-----	6	73.66	71.12	5.84	2.29	1.52
87897-3001	-----	87897-3021	-----	-----	-----	30	-----	1	76.20	73.66	5.84	2.29	1.52
87897-3002	-----	87897-3022	-----	-----	-----	30	-----	2	76.20	73.66	5.84	2.29	1.52
87897-3003	-----	87897-3023	-----	-----	-----	30	-----	3	76.20	73.66	5.84	2.29	1.52
87897-3004	-----	87897-3024	-----	-----	-----	30	-----	4	76.20	73.66	5.84	2.29	1.52
87897-3005	-----	87897-3025	-----	-----	-----	30	-----	5	76.20	73.66	5.84	2.29	1.52
87897-3006	-----	87897-3026	-----	-----	-----	30	-----	6	76.20	73.66	5.84	2.29	1.52

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT					
mm		NTS		 <p>SALES DRAWING SINGLE ROW SINGLE WAFER 2.54MM PITCH, R/A</p> <p>PRODUCT CUSTOMER DRAWING</p>					
GENERAL TOLERANCES (UNLESS SPECIFIED)									
		MM		INCH		EC NO: 679909			
4 PLACES		±		±		DRWN: AKUMAR19 2021/06/28			
3 PLACES		±		±		CHK'D: MRAMAKRISHNA 2021/10/11			
2 PLACES		± 0.2		±		APPR: MRAMAKRISHNA 2021/10/11			
1 PLACE		±		±		INITIAL REVISION:			
0 PLACES		±		±		DRWN: YLQIAO 2005/01/24			
ANGULAR TOL		± 3.0°		±		APPR: SLOW 2005/02/01			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES	
						A3-SIZE		87897	
DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION			
SD-87897-010		PSD		001		A5			
MATERIAL NUMBER		CUSTOMER		SHEET NUMBER					
SEE TABLE		GENERAL MARKET		11 OF 15					

F  
E  
D  
C  
B  
A

F  
E  
D  
C  
B  
A



PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-3101	-----	87897-3121	-----	-----	-----	31	-----	1	78.74	76.2	5.84	2.29	1.52
87897-3102	-----	87897-3122	-----	-----	-----	31	-----	2	78.74	76.2	5.84	2.29	1.52
87897-3103	-----	87897-3123	-----	-----	-----	31	-----	3	78.74	76.2	5.84	2.29	1.52
87897-3104	-----	87897-3124	-----	-----	-----	31	-----	4	78.74	76.2	5.84	2.29	1.52
87897-3105	-----	87897-3125	-----	-----	-----	31	-----	5	78.74	76.2	5.84	2.29	1.52
87897-3106	-----	87897-3126	-----	-----	-----	31	-----	6	78.74	76.2	5.84	2.29	1.52
87897-3201	-----	87897-3221	-----	-----	-----	32	-----	1	81.28	78.74	5.84	2.29	1.52
87897-3202	-----	87897-3222	-----	-----	-----	32	-----	2	81.28	78.74	5.84	2.29	1.52
87897-3203	-----	87897-3223	-----	-----	-----	32	-----	3	81.28	78.74	5.84	2.29	1.52
87897-3204	-----	87897-3224	-----	-----	-----	32	-----	4	81.28	78.74	5.84	2.29	1.52
87897-3205	-----	87897-3225	-----	-----	-----	32	-----	5	81.28	78.74	5.84	2.29	1.52
87897-3206	-----	87897-3226	-----	-----	-----	32	-----	6	81.28	78.74	5.84	2.29	1.52
87897-3301	-----	87897-3321	-----	-----	-----	33	-----	1	83.82	81.28	5.84	2.29	1.52
87897-3302	-----	87897-3322	-----	-----	-----	33	-----	2	83.82	81.28	5.84	2.29	1.52
87897-3303	-----	87897-3323	-----	-----	-----	33	-----	3	83.82	81.28	5.84	2.29	1.52
87897-3304	-----	87897-3324	-----	-----	-----	33	-----	4	83.82	81.28	5.84	2.29	1.52
87897-3305	-----	87897-3325	-----	-----	-----	33	-----	5	83.82	81.28	5.84	2.29	1.52
87897-3306	-----	87897-3326	-----	-----	-----	33	-----	6	83.82	81.28	5.84	2.29	1.52

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT						
mm		NTS		 <p>SALES DRAWING SINGLE ROW SINGLE WAFER 2.54MM PITCH, R/A</p>						
GENERAL TOLERANCES (UNLESS SPECIFIED)										
		MM	INCH	EC NO: 679909 DRWN: AKUMAR19 2021/06/28 CHK'D: MRAMAKRISHNA 2021/10/11 APPR: MRAMAKRISHNA 2021/10/11 INITIAL REVISION: DRWN: YLQIAO 2005/01/24 APPR: SCLOW 2005/02/01						
4 PLACES	±	±	±							
3 PLACES	±	±	±							
2 PLACES	±	0.2	±							
1 PLACE	±	±	±							
0 PLACES	±	±	±	ANGULAR TOL ± 3.0°		DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER
						A3-SIZE	87897	SEE TABLE	GENERAL MARKET	12 OF 15

F  
E  
D  
C  
B  
A

F  
E  
D  
C  
B  
A



PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-3401	-----	87897-3421	-----	-----	-----	34	-----	1	86.36	83.82	5.84	2.29	1.52
87897-3402	-----	87897-3422	-----	-----	-----	34	-----	2	86.36	83.82	5.84	2.29	1.52
87897-3403	-----	87897-3423	-----	-----	-----	34	-----	3	86.36	83.82	5.84	2.29	1.52
87897-3404	-----	87897-3424	-----	-----	-----	34	-----	4	86.36	83.82	5.84	2.29	1.52
87897-3405	-----	87897-3425	-----	-----	-----	34	-----	5	86.36	83.82	5.84	2.29	1.52
87897-3406	-----	87897-3426	-----	-----	-----	34	-----	6	86.36	83.82	5.84	2.29	1.52
87897-3501	-----	87897-3521	-----	-----	-----	35	-----	1	88.90	86.36	5.84	2.29	1.52
87897-3502	-----	87897-3522	-----	-----	-----	35	-----	2	88.90	86.36	5.84	2.29	1.52
87897-3503	-----	87897-3523	-----	-----	-----	35	-----	3	88.90	86.36	5.84	2.29	1.52
87897-3504	-----	87897-3524	-----	-----	-----	35	-----	4	88.90	86.36	5.84	2.29	1.52
87897-3505	-----	87897-3525	-----	-----	-----	35	-----	5	88.90	86.36	5.84	2.29	1.52
87897-3506	-----	87897-3526	-----	-----	-----	35	-----	6	88.90	86.36	5.84	2.29	1.52
87897-3601	-----	87897-3621	-----	-----	-----	36	-----	1	91.44	88.90	5.84	2.29	1.52
87897-3602	-----	87897-3622	-----	-----	-----	36	-----	2	91.44	88.90	5.84	2.29	1.52
87897-3603	-----	87897-3623	-----	-----	-----	36	-----	3	91.44	88.90	5.84	2.29	1.52
87897-3604	-----	87897-3624	-----	-----	-----	36	-----	4	91.44	88.90	5.84	2.29	1.52
87897-3605	-----	87897-3625	-----	-----	-----	36	-----	5	91.44	88.90	5.84	2.29	1.52
87897-3606	-----	87897-3626	-----	-----	-----	36	-----	6	91.44	88.90	5.84	2.29	1.52
(A5) 87897-3607	-----	-----	-----	-----	-----	36	-----	6	91.44	88.90	5.84	2.29	1.52

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT							
mm		NTS		SALES DRAWING SINGLE ROW SINGLE WAFER 2.54MM PITCH, R/A							
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909		DRWN: AKUMAR19		2021/06/28		PRODUCT CUSTOMER DRAWING	
				CHK'D: MRAMAKRISHNA		2021/10/11		APPR: MRAMAKRISHNA		2021/10/11	
				INITIAL REVISION:		DRWN: YLQIAO		2005/01/24		DOCUMENT NUMBER	
				APPR: SLOW		2005/02/01		SD-87897-010		DOC TYPE DOC PART REVISION	
ANGULAR TOL ± 3.0°				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						A3-SIZE		87897		CUSTOMER	
						SEE TABLE		GENERAL MARKET		SHEET NUMBER	
										13 OF 15	

F  
E  
D  
C  
B  
A

F  
E  
D  
C  
B  
A

PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-3701	-----	87897-3721	-----	-----	-----	37	-----	1	93.98	91.44	5.84	2.29	1.52
87897-3702	-----	87897-3722	-----	-----	-----	37	-----	2	93.98	91.44	5.84	2.29	1.52
87897-3703	-----	87897-3723	-----	-----	-----	37	-----	3	93.98	91.44	5.84	2.29	1.52
87897-3704	-----	87897-3724	-----	-----	-----	37	-----	4	93.98	91.44	5.84	2.29	1.52
87897-3705	-----	87897-3725	-----	-----	-----	37	-----	5	93.98	91.44	5.84	2.29	1.52
87897-3706	-----	87897-3726	-----	-----	-----	37	-----	6	93.98	91.44	5.84	2.29	1.52
87897-3801	-----	87897-3821	-----	-----	-----	38	-----	1	96.52	93.98	5.84	2.29	1.52
87897-3802	-----	87897-3822	-----	-----	-----	38	-----	2	96.52	93.98	5.84	2.29	1.52
87897-3803	-----	87897-3823	-----	-----	-----	38	-----	3	96.52	93.98	5.84	2.29	1.52
87897-3804	-----	87897-3824	-----	-----	-----	38	-----	4	96.52	93.98	5.84	2.29	1.52
87897-3805	-----	87897-3825	-----	-----	-----	38	-----	5	96.52	93.98	5.84	2.29	1.52
87897-3806	-----	87897-3826	-----	-----	-----	38	-----	6	96.52	93.98	5.84	2.29	1.52
87897-3901	-----	87897-3921	-----	-----	-----	39	-----	1	99.06	96.52	5.84	2.29	1.52
87897-3902	-----	87897-3922	-----	-----	-----	39	-----	2	99.06	96.52	5.84	2.29	1.52
87897-3903	-----	87897-3923	-----	-----	-----	39	-----	3	99.06	96.52	5.84	2.29	1.52
87897-3904	-----	87897-3924	-----	-----	-----	39	-----	4	99.06	96.52	5.84	2.29	1.52
87897-3905	-----	87897-3925	-----	-----	-----	39	-----	5	99.06	96.52	5.84	2.29	1.52
87897-3906	-----	87897-3926	-----	-----	-----	39	-----	6	99.06	96.52	5.84	2.29	1.52

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT							
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909		DRWN: AKUMAR19		2021/06/28		SALES DRAWING	
				CHK'D: MRAMAKRISHNA		2021/10/11		2021/10/11		SINGLE ROW SINGLE WAFER 2.54MM PITCH, R/A	
				APPR: MRAMAKRISHNA		2021/10/11		2021/10/11		PRODUCT CUSTOMER DRAWING	
				INITIAL REVISION:		DRWN: YLQIAO		2005/01/24		DOCUMENT NUMBER	
				APPR: SCLW		2005/02/01		2005/02/01		SD-87897-010	
ANGULAR TOL ± 3.0°				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						A3-SIZE		87897		CUSTOMER	
								SEE TABLE		GENERAL MARKET	
										SHEET NUMBER	
										14 OF 15	

