






LOC		DIST		REVISIONS			
P	LR	REV	PER	ECO	DATE	BY	APVD
AD	00	01	REV PER	ECO-06-026651	05DEC2006	BC	AS



PC BOARD LAYOUT
 RECOMMENDED PC BOARD THICKNESS 1.57 [.062]

- △ HOUSING: GLASS-FILLED POLYMER.
POST: COPPER ALLOY.
- △ POST: DIN 41612 CLASS 2 IN CONTACT AREA,
TIN PLATE ON POSTS.
- △ RECOMMENDED HOLE SIZE FOR MANUAL APPLICATION OF
CONNECTOR ONTO PC BOARD.
- △ PART NUMBER, DATE CODE MARKED THIS APPROXIMATE AREA.
- △ MARKING ON THIS SIDE.



SECTION Z-Z

5148539-5
 PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DIN J. POLIGNONE DSMAYOS		Tyco Electronics Corporation Harrisburg, PA 17105-3608	
DIMENSIONS: mm [INCHES]		CHK A. SHARPE DSMAYOS		APVD A. SHARPE DSMAYOS	NAME
TOLERANCES UNLESS OTHERWISE SPECIFIED:		0 PLC ± -	PRODUCT SPEC	SIZE	A1
Ø		1 PLC ± -	APPLICATION SPEC	DATE CODE	00779
H		2 PLC ± 0.13 [.005]	WEIGHT	DRAWING NO	5148539
L		3 PLC ± -	CUSTOMER DRAWING	SCALE	5:1
A		4 PLC ± -	RESTRICTED TO	SHEET	1 OF 1
ANGLES		± -	REV	01	
FINISH					