

**PART INFORMATION**

Mfg Item Number	MK40DX256ZVMB10
Mfg Item Name	MAPBGA 121 8*8*1.5 P0.65

**SUPPLIER**

Company Name	Freescale Semiconductor Inc
Company Unique ID	14-141-7928
Response Date	2017-06-09
Response Document ID	00ADK00186D001A1.18
Contact Name	Freescale Semiconductor Inc
Contact Title	Product Technical Support
Contact Phone	1-800-521-6274
Contact Email	support@freescale.com
Authorized Representative	Daniel Binyon
Representative Title	EPP Customer Response
Representative Phone	512-895-3406
Representative Email	eppanlst@freescale.com
URL for Additional Information	www.freescale.com

**DECLARATION**

EU RoHS	Yes
Pb Free	Yes
HalogenFree	Yes
Plating Indicator	e1
EU RoHS Exemption(s)	

**MANUFACTURING**

Mfg Item Number	MK40DX256ZVMB10
Mfg Item Name	MAPBGA 121 8*8*1.5 P0.65
Version	ALL
Weight	0.167700
UoM	g
Unit Volume	EACH
J-STD-020 MSL Rating	3
Peak Processing Temperature	260 C
Max Time at Peak Temperature	40 seconds
Number of Processing Cycles	3

RoHS	
RoHS Directive	2011/65/EU
RoHS Definition	RoHS Definition: Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material of Cadmium
RoHS Legal Definition	Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part(s) identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a RoHS restricted substance) in excess of the applicable quantity limit identified below. If a homogeneous material within the part(s) contains a RoHS restricted substance in excess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part(s), and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part(s), the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Suppliers liability and the Companys remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Suppliers Standard Terms and Conditions of Sale applicable to such part(s) shall apply.
RoHS Declaration	1 - Item(s) do not contain RoHS restricted substances per the definition above
Supplier Acceptance	Accepted
Signature	Daniel Binyon
Exemption List Version	2012/51/EU
List of Freescale Accepted Exemptions	<p>6(a) : Lead as an alloying element in steel for machining purposes and in galvanized steel containing up to 0.35% lead by weight</p> <p>6(b) : Lead as an alloying element in aluminium containing up to 0.4% lead by weight</p> <p>6(c) : Copper alloy containing up to 4% lead by weight</p> <p>7(a) : Lead in high melting temperature type solders (i.e. lead-based alloys containing 85% by weight or more lead)</p> <p>7(b) : Lead in solders for servers, storage and storage array systems, network infrastructure equipment for switching, signaling, transmission, and network management for telecommunications</p> <p>7(c)-I : Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound</p> <p>7(c)-II : Lead in dielectric ceramic in capacitors for a rated voltage of 125 V AC or 250 V DC or higher</p> <p>7(c)-III : Lead in dielectric ceramic in capacitors for a rated voltage of less than 125 V AC or 250 V DC</p> <p>7(c)-IV : Lead in PZT based dielectric ceramic materials for capacitors being part of integrated circuits or discrete semiconductors</p> <p>15 : Lead in solders to complete a viable electrical connection between semiconductor die and carrier within integrated circuit flip chip packages</p>

MATERIAL COMPOSITION

Homogeneous Material	Weight	SubstanceClass	Substance	CAS	Exemption	SubstanceWeight	UoM	SubPart PPM	SubPart%	ARTICLEPPM	ARTICLE%
Die Encapsulant	0.0704						g				
Die Encapsulant		Metals	Aluminum, metal	7429-90-5		0.00217508	g	30896	3.0896	12970	1.297
Die Encapsulant		Plastics/polymers	Proprietary Material-Other Epoxy resins	-		0.00217508	g	30896	3.0896	12970	1.297
Die Encapsulant		Solvents, additives, and other materials	Carbon Black	1333-86-4		0.00021754	g	3090	0.309	1297	0.1297
Die Encapsulant		Solvents, additives, and other materials	Other organic phosphorous compounds	-		0.00021754	g	3090	0.309	1297	0.1297
Die Encapsulant		Plastics/polymers	Proprietary Material-Other phenolic resins	-		0.0039875	g	56642	5.6642	23778	2.3778
Die Encapsulant		Glass	Silica, vitreous	60876-86-0		0.06162716	g	875386	87.5386	367500	36.75
Non-Conductive Epoxy/Adhesive	0.0028						g				
Non-Conductive Epoxy/Adhesive		Plastics/polymers	Proprietary Material-Other Epoxy resins	-		0.00021	g	75000	7.5	1252	0.1252
Non-Conductive Epoxy/Adhesive		Plastics/polymers	Crosslinked acrylate polymer	25767-43-5		0.00056	g	200000	20	3339	0.3339
Non-Conductive Epoxy/Adhesive		Plastics/polymers	Other polymers	-		0.00021	g	75000	7.5	1252	0.1252
Non-Conductive Epoxy/Adhesive		Plastics/polymers	Proprietary Material-Other polymers	-		0.00056	g	200000	20	3339	0.3339
Non-Conductive Epoxy/Adhesive		Glass	Silica, vitreous	60876-86-0		0.00126	g	450000	45	7513	0.7513
Solder Balls - Lead Free	0.013						g				
Solder Balls - Lead Free		Antimony/Antimony Compounds	Antimony (metallic)	7440-36-0		0.00000085	g	65	0.0065	5	0.0005
Solder Balls - Lead Free		Arsenic/Arsenic Compounds	Arsenic	7440-38-2		0.00000042	g	32	0.0032	2	0.0002
Solder Balls - Lead Free		Bismuth/Bismuth Compounds	Bismuth	7440-69-9		0.00000033	g	25	0.0025	1	0.0001
Solder Balls - Lead Free		Metals	Copper, metal	7440-50-8		0.00006148	g	4729	0.4729	366	0.0366
Solder Balls - Lead Free		Metals	Iron, metal	7439-89-6		0.00000043	g	33	0.0033	2	0.0002
Solder Balls - Lead Free		Lead/Lead Compounds	Lead	7439-92-1		0.00000035	g	269	0.0269	20	0.002
Solder Balls - Lead Free		Nickel (external applications only)	Nickel	7440-02-0		0.00000046	g	35	0.0035	2	0.0002
Solder Balls - Lead Free		Metals	Silver, metal	7440-22-4		0.00012061	g	9278	0.9278	719	0.0719
Solder Balls - Lead Free		Metals	Tin, metal	7440-31-5		0.01281109	g	985470	98.547	76392	7.6392
Solder Balls - Lead Free		Metals	Germanium	7440-56-4		0.00000083	g	64	0.0064	4	0.0004
Bonding Wire, Copper	0.013						g				
Bonding Wire, Copper		Metals	Copper, metal	7440-50-8		0.01261	g	970000	97	75193	7.5193
Bonding Wire, Copper		Solvents, additives, and other materials	Other miscellaneous substances (less than 5%)	-		0.00039	g	30000	3	2325	0.2325
Organic Substrate	0.06						g				
Organic Substrate		Metals	Barium sulfate	7727-43-7		0.00255252	g	42542	4.2542	15220	1.522
Organic Substrate		Metals	Copper, metal	7440-50-8		0.03724284	g	620714	62.0714	222080	22.208
Organic Substrate		Plastics/polymers	Epikote 862	28064-14-4		0.0021357	g	35595	3.5595	12735	1.2735
Organic Substrate		Plastics/polymers	Other Epoxy resins	-		0.00395466	g	65911	6.5911	23581	2.3581
Organic Substrate		Metals	Gold, metal	7440-57-5		0.00014568	g	2428	0.2428	868	0.0868
Organic Substrate		Nickel (external applications only)	Nickel	7440-02-0		0.00113808	g	18968	1.8968	6786	0.6786
Organic Substrate		Plastics/polymers	Phenol, polymer with formaldehyde	9003-35-4		0.00116628	g	19438	1.9438	6954	0.6954
Organic Substrate		Glass	Fibrous-glass-wool	65997-17-3		0.0071433	g	119055	11.9055	42595	4.2595
Organic Substrate		Glass	Silicon dioxide	7631-86-9		0.0006123	g	10205	1.0205	3651	0.3651
Organic Substrate		Solvents, additives, and other materials	Other Aromatic carbonyl compounds	-		0.00040986	g	6831	0.6831	2444	0.2444
Organic Substrate		Metals	Aluminum Hydroxide	21645-51-2		0.00349878	g	58313	5.8313	20863	2.0863
Silicon Semiconductor Die	0.0085						g				
Silicon Semiconductor Die		Solvents, additives, and other materials	Other miscellaneous substances (less than 5%)	-		0.00017	g	20000	2	1013	0.1013
Silicon Semiconductor Die		Glass	Silicon, doped	-		0.00833	g	980000	98	49672	4.9672

## LINKS

MCD LINK	
NXP website	<a href="http://www.nxp.com">http://www.nxp.com</a>
GENERAL ENVIRONMENTAL COMPLIANCE LINKS	
RoHS signed letter	<a href="http://www.nxp.com/files/corporate/doc/support_info/NXP-ROHS-DECLARATION.pdf">http://www.nxp.com/files/corporate/doc/support_info/NXP-ROHS-DECLARATION.pdf</a>
China RoHS	<a href="http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization/china-rohs:ENV_CHINA_ROHS_STRATEGY">http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization/china-rohs:ENV_CHINA_ROHS_STRATEGY</a>
REACH signed letter	<a href="http://www.nxp.com/files/corporate/doc/support_info/NXP-REACH-STATEMENT.pdf">http://www.nxp.com/files/corporate/doc/support_info/NXP-REACH-STATEMENT.pdf</a>
ELV signed letter	<a href="http://www.nxp.com/files/corporate/doc/support_info/NXP-ELV-STATEMENT.pdf">http://www.nxp.com/files/corporate/doc/support_info/NXP-ELV-STATEMENT.pdf</a>
Conflict Minerals statement	<a href="http://www.nxp.com/files/corporate/doc/support_info/NXP-STATEMENT-CONFLICT-MINERALS.pdf">http://www.nxp.com/files/corporate/doc/support_info/NXP-STATEMENT-CONFLICT-MINERALS.pdf</a>
NXP ENVIRONMENTAL INFORMATION	
Environmental Compliance website	<a href="http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization:ABUENVPRFPRDX">http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization:ABUENVPRFPRDX</a>
FAQ	<a href="http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization/eco-product-faqs:ENVIRON_FAQ">http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization/eco-product-faqs:ENVIRON_FAQ</a>
Technical Service Request	<a href="http://www.nxp.com/support/sales-and-support:SUPPORTHOME">http://www.nxp.com/support/sales-and-support:SUPPORTHOME</a>
LINKS TO BLANK IPC1752 FORMS	
Blank IPC1752 v1.1 Form	<a href="http://www.NXP.com/files/abstract/corporate/ehs_epp/IPC-1752-2_v1.1_MCD_Template.pdf">http://www.NXP.com/files/abstract/corporate/ehs_epp/IPC-1752-2_v1.1_MCD_Template.pdf</a>

IPC1752 XML LINKS

[http://www.freescale.com/mcdfs/MK40DX256ZVMB10\\_IPC1752\\_v11.xml](http://www.freescale.com/mcdfs/MK40DX256ZVMB10_IPC1752_v11.xml)

[http://www.freescale.com/mcdfs/MK40DX256ZVMB10\\_IPC1752A.xml](http://www.freescale.com/mcdfs/MK40DX256ZVMB10_IPC1752A.xml)