

## PRODUCT CHANGE NOTIFICATION

#PCN-DC-DYTV-15

Business Unit	Product Line Code	Type of Change	Action	Date of issue
DC	ABQ	Aesthetic	Notify Distributors and Field	6/24/16

*The following Phoenix Contact products have been modified. Existing specifications will be met or exceeded. Please review and acknowledge this document and inform your personnel as needed.*

### Description of Change:

Because of a UL requirement change, the front and rear mount M8 receptacles will have the potting material changed from clear to a green color. The jacket insulation used for litz wires will also change from TPE / Ø1,3mm /strands 14x0,15 and change to PVC / Ø1,5mm / strands 19x0,127. This change also applies to M12 part number 1514870.

All other specifications remain unchanged.

### Warranty Information:

N/A

### Stock Status

Can existing stock still be used? Y

Is mixture of stock acceptable? N

### Transaction Dates:

Date modification goes into effect from Germany:Q4/2015

Expected first shipment (from Phoenix Contact) of the modified product(s): Q2/2016

## PRODUCT CHANGE NOTIFICATION


Previous Product	New Product
	<p><b>From connection panel direction no change is visible, the “green” molding is recognizable from back side.</b></p>

*Should you have any issues with the timeline or content of this change, please contact Phoenix Contact using the contact information below. Customers should acknowledge receipt of the PCN within 30 days of delivery of the PCN; provided, however that the failure to acknowledge receipt does not affect the product change or the effective date thereof.*

**Contact Info:**

Andrew Bogaczyk  
Marketing Specialist  
(800)888-7388x3075  
[abogaczyk@phoenixcon.com](mailto:abogaczyk@phoenixcon.com)

Thank you,



Product Marketing Manager

## PRODUCT CHANGE NOTIFICATION

Part#	Type Description
1453478	SACC-DSI-M 8MS-3CON-M 8/0,5
1453481	SACC-DSI-M 8MS-4CON-M 8/0,5
1500334	SACC-E-M 8MS-3CON-M8/0,5
1500347	SACC-E-M 8MS-4CON-M8/0,5
1500350	SACC-E-M 8FS-3CON-M8/0,5
1500363	SACC-E-M 8FS-4CON-M8/0,5
1514870	SACC-DSI-M12MS-5CON-PG9/0,5
1694334	SACC-DSI-M 8MS-3CON-L180
1694347	SACC-DSI-M 8MS-4CON-L180
1694363	SACC-DSI-M 8FS-3CON-L180
1694376	SACC-DSI-M 8FS-4CON-L180