


PART NUMBER	WIRE INSUL. RANGE		DIM. CRIMP-RANGES				PARTS/ REEL	CRIMP TYPE
	mm <sup>2</sup>	Ømm	B1	H1 ± 0.3	B2	H2 ± 0.4		
90020-X1XX	0.5-1.5	2.0-3.3	3.0	3.25	4.0	4.7	4000	A
90020-X2XX	0.5-1.5	1.4-2.3	3.0	3.25	3.6	3.6	5000	A
90020-X3XX	1.0-2.5	2.7-4.3	3.5	3.85	4.8	5.5	3500	A
90020-X4XX	1.0-2.5	1.8-2.9	3.5	3.85	4.3	4.1	4000	A
90020-X5XX	0.5-1.0	1.4-2.3	2.6	2.8	3.6	3.7	5000	B

⇒ FOR REDUCED INSULATION THICKNESS


	MATERIAL	PLATING
90020-XX02	PH. BRONZE	HOT TIN DIP. (0.8-2.5 µm)

CRIMP AREA OPEN ON THE TOP




REELING DIRECTION FOR FINISHED PARTS  
PART No. 90020-0XXX

CRIMP AREA OPEN ON THE BOTTOM



REELING DIRECTION FOR FINISHED PARTS  
PART No. 90020-1XXX

CODE: PART-NO.



<b>MODIFY DIMENSIONS</b> EC NO: DRWIN:DCARTON 2009/03/26 CHKD: APPR:	QUALITY SYMBOLS ▽ - 0 ▽ - 0	GENERAL TOLERANCES (UNLESS SPECIFIED)	SCALE METRIC	DESIGN UNITS METRIC	FIRST ANGLE PROJECTION	REVISE ON CAD ONLY												
		<table border="1"> <thead> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> </thead> <tbody> <tr> <td>4 PLACES</td> <td>± 0.1</td> <td>± 0.004</td> </tr> <tr> <td>3 PLACES</td> <td>± 0.15</td> <td>± 0.005</td> </tr> <tr> <td>2 PLACES</td> <td>± 0.2</td> <td>± 0.008</td> </tr> <tr> <td>1 PLACE</td> <td>± 0.25</td> <td>± 0.010</td> </tr> </tbody> </table>		mm	INCH	4 PLACES	± 0.1	± 0.004	3 PLACES	± 0.15	± 0.005	2 PLACES	± 0.2	± 0.008	1 PLACE	± 0.25	± 0.010	DIMENSION STYLE MM ONLY
	mm	INCH																
4 PLACES	± 0.1	± 0.004																
3 PLACES	± 0.15	± 0.005																
2 PLACES	± 0.2	± 0.008																
1 PLACE	± 0.25	± 0.010																
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWN BY: UWI DATE: 1993/05/24	CHECKED BY: LB0 DATE: 1993/05/24	MATERIAL NO. SEE TABLE DOCUMENT NO. SD-90020 SHEET NO. 1 OF 1														
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																		