

28164.8 PVC-TAPW 9X35 YE



Device and installation marker, Length: 35 mm, Width: 9 mm, Colour: Yellow

RAL: 1026

Business data

Article number	<u>28164.8</u>
Article name	PVC-TAPW 9X35 YE
GTIN (EAN)	4044211212315
Packaging unit	825
Quantity unit	PC
Number of markers per card	33 ST
Weight per piece (not including packaging)	0.36 g
Weight per piece (including packaging)	0.36 g
Unit of weight	G
Customs number	39204910
Country of origin	IT
Prio-Article	28164.7
Product description	Device and installation marker

28164.8 PVC-TAPW 9X35 YE

Technical data

Dimensions

Length	35 mm
--------	-------

Width	9 mm
-------	------

Materials

Marker material	PVC
-----------------	-----

Flammability class UL 94	V-0
--------------------------	-----

Working temperature, min.	-30 °C
---------------------------	--------

Working temperature, max.	60 °C
---------------------------	-------

Silicone-free	✓
---------------	---

Further technical data

Mounting	PS 9 Profil
----------	-------------

Software code	364
---------------	-----

Environmental Product Compliance

REACH Conform	yes
---------------	-----

REACH Reference date	2022-01-07
----------------------	------------

REACH Candidate Substance Note	No
--------------------------------	----

RoHS Conform	yes
--------------	-----

Media

28164.8 PVC-TAPW 9X35 YE

Accessories

Printer



Thermal transfer printer TTPCard including a power cord, USB cable, dust cover, black thermal transfer film (28010.4), three inlays: CCI-PC-SB 5x5 (28020.0), CCI-PC-CPM-10/BSTR (28027.0), CCI-PC/PVC/PVCF (28041.0), CONTASign PRO software in 16 languages (German, English, French, Italian, Dutch, Spanish, Portuguese, Czech, Polish, Bulgarian, Romanian, Slovenian, Turkish, Chinese, Japanese, Russian) for Windows versions 7, 8, 10. (available for download)

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28000.0</u>	TTPCard Set	4044211207397	1 ST

Inlays

Printer inlay

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28041.0</u>	CCI-PC/PVC/PVCF	4044211208097	1 ST
