

2019



**wiha** 

Tools that work for you

# PROFESSIONAL SCREWDRIVERS & NUT DRIVERS



## COMPLETE SCREWDRIVER AND NUT DRIVER PROGRAM



Slotted • Phillips • TORX® • Security TORX® • Hex Inch/Metric • Ball End Hex  
MagicRing Hex • Security Hex • Nut Drivers • Pozidriv® • Square • Tri-Wing  
TORXPlus® • Pentalobe • Terminal Xeno Slotted/Phillips & Phillips/Pozidriv®

## Wiha SoftFinish® CushionGrip Screwdrivers

Description	Page
SoftFinish® Slotted/Phillips Drivers	4-7
Stubby Slotted/Phillips Drivers	7
SoftFinish® Square Drivers	7
SoftFinish® Pozidriv® Drivers	8
SoftFinish® Spanner Drivers	8
Torx®/TR Torx® Screwdrivers	9-10
SoftFinish® TorxPlus® Drivers	11
SoftFinish® MagicSpring Drivers	9
SoftFinish® MagicRing Drivers	12-13
Measuring Scale Screwdrivers	8

## Wiha 3K Series Screwdrivers

Description	Page
3K Series Slotted/Phillips	15
3K Series Torx Drivers	14
3K Series Pozidriv® Drivers	15
3K Series Bit Holders	14
3K Series Hex Inch & Metric	16

## Wiha Drive-Loc VI Tools

Description	Page
Drive-Loc VI Handles	17
Drive-Loc VI Blades	17-19

## Wiha Drive-Loc VI Sets

Description	Page
Drive-Loc VI Blade Sets	18-19

## Wiha MicroFinish Non-Slip Grip Drivers

Description	Page
MicroFinish Slotted Drivers	19-20
MicroFinish Phillips Drivers	19-20
MicroFinish Torx Drivers	20
MicroFinish Bit Holder	20

## Wiha Powerhandle Screwdrivers

Description	Page
Powerhandle Torx® Drivers	21

## Wiha Protturn Screwdrivers

Description	Page
Protturn Torx® Drivers	21

## Wiha Square Handle Screwdrivers

Description	Page
Slotted & Phillips Drivers	22

## Wiha Offset Screwdrivers

Description	Page
Slotted & Phillips Offset Drivers	22
TORX Offset Screwdrivers	22

## Wiha Power Blades & Sets

Description	Page
CentroFix Blade Holder	23, 39
90mm Power Blades	23-24
Power Blade Sets	24
Power Blade Nut Drivers 100mm Inch/Metric & Sets	39-40

## Wiha Magnetizer/Demagnetizer

Description	Page
Magnetizer/Demagnetizer	31

### Wiha Precision Screwdrivers

	Description	Page
	Precision Slotted Drivers	25-27
	Precision Phillips Drivers	25-27
	Precision Pozidriv® Drivers	26
	Precision Hex Drivers	26
	Precision Ball End Drivers	27
	Precision Torx® Drivers	27
	Precision Chip Lifters	25
	Precision Pocket Clip & Rack	25
	Precision Screwdriver Sets	28

### Wiha Precision PicoFinish Drivers

	Description	Page
	PicoFinish Screwdrivers	29-30
	Slotted, Phillips, Torx, TorxPlus, Hex, MagicSpring, Ball End Hex, Chip Lifter	

### Wiha Protturn Precision Screwdrivers

	Description	Page
	Protturn Precision Screwdrivers	31
	Slotted & Phillips	
	Protturn Precision Blade Sets	31

### Wiha ESD Safe Precision Handles/Blades

	Description	Page
	SYSTEM 4 Handles/Blades	32-33
	SYSTEM 4 Sets	34

### Wiha ESD Safe Precision Handle & Blades

	Description	Page
	SYSTEM 4 Drive-Loc Handle & Blades	33
	SYSTEM 4 Drive-Loc Set	33

### Wiha Nut Drivers

	Description	Page
	Spanner Nut Drivers	8
	SoftFinish® Nut Drivers	35-38
	Hollow Shaft Nut Drivers	37
	T-handle Nut Drivers	38
	Drive-Loc VI Nut Drivers	39
	Precision Nut Drivers	40
	PicoFinish® Nut Drivers	28
	SYS 4 Nut Driver Blades/Sets	34
	Power Blade Nut Drivers	39-40

### Wiha Insulated Screwdrivers



- Insulated Slotted
- Insulated Phillips
- Insulated Terminal Block Xeno
- Insulated Square Drivers
- Insulated Hex Metric Drivers
- Insulated Torx® Drivers
- Insulated Nut Drivers
- Insulated Torque Drivers
- Insulated SlimLine Drivers

### Wiha ESD Safe Screwdrivers

ESD Safe SoftFinish® Drivers  
Slotted/Phillips/Torx

ESD Safe Precision Drivers  
Slotted/Phillips/Torx®/  
TorxPlus®/Hex/Nut Drivers/  
Chip Lifter

ESD Safe Ceramic Drivers

ESD Safe SYSTEM 4  
Handles/Blades/Sets

ESD Safe Drive-Loc VI  
Handles/Blades/Sets





### SoftFinish® Extra Heavy Duty



**53097 7 Pc. Slotted & Phillips Set - Extra Heavy Duty**

Item	Slotted:	⌘
No.	5.5, 6.5, 8.0, 10.0mm	lbs.
53097	Phillips: #1, 2, 3	3.15



**53099 10 Piece Slotted & Phillips Set - Extra Heavy Duty**

Item	Slotted: 3.5, 4.5, 5.5,	⌘
No.	6.5, 8.0, 10.0, 12.0mm	lbs.
53099	Phillips: #1, 2, 3	4.20

### SoftFinish® Slotted & Phillips



**30276 7 Pc. Slotted & Phillips Set CVM**  
steel, hardened, hard chromed. Wiha-Chromtop tips. Handle, multi-component, cushion grip.

Item No. 30276	Tip Size	Blade	Tip Style	lbs.
30816	1/4"	4" Hex	Keystone	1.87
30825	5/16"	6" Hex	Keystone	
30218	3/16"	3" Round	Cabinet	
30219	3/16"	6" Round	Cabinet	
30222	1/4"	4" Round	Cabinet	
31110	#1	3" Round	Phillips	
31115	#2	4" Round	Phillips	

### Wiha SoftFinish® Heavy Duty Screwdriver



**308 Slotted Screwdriver, Wiha-SoftFinish® Cushion Grip Handle**  
Hex blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Hex bolster for additional torque (No Bolster 30813 & 30814)

Item	⌘	⌘	⌘	⌘	⌘	⌘	⌘	⌘	⌘	⌘	⌘	⌘	⌘	⌘	⌘
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.	
30813	3.5	.137	75	2.9	0.6	.023	186	7.3	4.0	5/32	30	1.18	.16	10	
30814	4.5	.177	90	3.5	0.8	.032	201	7.9	4.0	5/32	30	1.18	.17	10	
30815	5.5	.216	100	3.9	1.0	.039	213	8.4	5.0	13/64	36	1.42	.19	10	
30816	6.5	.216	100	3.9	1.2	.047	213	8.4	6.0	1/4	36	1.42	.22	10	
30817	6.5	.255	125	5.0	1.2	.047	238	9.4	6.0	1/4	36	1.42	.23	10	
30820	7.0	.275	125	5.0	1.1	.043	238	9.4	6.0	1/4	36	1.42	.23	10	
30825	8.0	.315	150	5.9	1.2	.047	271	10.7	8.0	5/16	41	1.61	.37	10	
30830	10.0	.393	175	7.0	1.6	.063	296	11.7	8.0	5/16	41	1.61	.40	10	
30835	12.0	.472	200	8.0	2.0	.079	321	12.6	10.0	25/64	41	1.61	.58	10	



**312 Phillips Screwdriver, Wiha-SoftFinish® Cushion Grip Handle**  
Hex blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Hex bolster for additional torque.

Item	⌘	⌘	⌘	⌘	⌘	⌘	⌘	⌘	⌘	⌘	⌘	⌘	⌘
No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.		
31201	1	80	3.1	5.0	3/16	186	7.3	30	1.18	.13	10		
31202	2	100	3.9	6.0	7/32	213	8.4	36	1.42	.21	10		
31203	3	150	5.9	8.0	5/16	271	10.7	41	1.61	.37	10		



**30892 5 Piece Slotted & Phillips Set**

Item	Slotted:	⌘
No.	5.5, 7.0, 8.0mm	lbs.
30892	Phillips: #1, 2	1.33



**30898 8 Piece Slotted & Phillips Set**

Item	Slotted: 5.5, 6.5,	⌘
No.	7.0, 8.0, 10.0mm	lbs.
30898	Phillips: #1, 2, 3	2.52



**30896 6 Piece Slotted & Phillips Set**

Item	Slotted: 3.5, 4.5,	⌘
No.	5.5, 7.0mm	lbs.
30896	Phillips: #1, 2	1.34

## Wiha SoftFinish® Handle - Standard Series



**302 Slotted Screwdriver, With Wiha-SoftFinish® Handle** Round blade, high alloy CVM, hardened, hard chromed. Wiha-Chromtop tips. Handle, multi-component, cushion grip.

Item No.	↓	↓	←	←	⊕	⊕	←	←	⊕	⊕	↶	↷	lbs.	pkg.
	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch		
30202*	2.0	.079	65	2.6	0.4	.016	169	6.7	23	.91	.05		10	
30203*	2.5	.098	75	3.0	0.4	.016	179	7.0	23	.91	.05		10	
30204*	3.0	.118	80	3.1	0.5	.020	184	7.2	23	.91	.06		10	
30205*	3.0	.118	100	3.9	0.5	.020	204	8.0	23	.91	.06		10	
30206*	3.0	.118	150	5.9	0.5	.020	254	10.0	23	.91	.07		10	
30208*	3.0	.118	200	8.0	0.5	.020	304	12.0	23	.91	.07		10	
30210*	3.5	.139	100	3.9	0.6	.024	204	8.0	23	.91	.07		10	
30212*	3.5	.139	200	8.0	0.6	.024	304	12.0	23	.91	.09		10	
30215*	4.0	.157	100	3.9	0.8	.031	211	8.3	30	1.18	.11		10	
30217*	4.0	.157	150	5.9	0.8	.031	261	10.3	30	1.18	.12		10	
30216*	4.0	.157	200	8.0	0.8	.031	311	12.2	30	1.18	.14		10	
30218*	4.5	.187	80	3.1	0.8	.031	191	7.5	30	1.18	.11		10	
30211*	4.5	.187	125	5.0	0.8	.031	236	9.3	30	1.18	.12		10	
30219*	4.5	.187	150	5.9	0.8	.031	261	10.2	30	1.18	.12		10	
30220*	5.5	.216	125	5.0	1.0	.039	236	9.3	30	1.18	.15		10	
30238*	5.5	.216	300	11.8	1.0	.039	411	16.1	30	1.18	.24		10	
30221*	5.5	.216	200	8.0	1.0	.039	311	12.2	30	1.18	.20		10	
30222	6.0	.250	100	3.9	1.2	.047	218	8.6	36	1.42	.17		10	
30223	6.5	.255	100	3.9	1.0	.039	218	8.6	36	1.42	.20		10	
30225	6.5	.255	150	5.9	1.2	.047	268	10.6	36	1.42	.22		10	
30226	6.5	.255	200	8.0	1.2	.047	318	12.5	36	1.42	.22		10	
30227	8.0	.315	150	5.9	1.2	.047	274	10.8	41	1.61	.29		10	
30230	8.0	.315	175	7.0	1.2	.047	299	11.8	41	1.61	.30		10	
30232	8.0	.315	300	11.8	1.2	.047	424	16.7	41	1.61	.36		10	
30235	10.0	.393	200	8.0	1.6	.063	324	12.8	41	1.61	.36		10	
30236	12.0	.472	250	9.8	2.0	.078	374	14.7	41	1.61	.52		10	

\*Cabinet Tips



**311 Phillips Screwdriver, With Wiha-SoftFinish® Handle** Round blade, high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop tips. Handle, multi-component, cushion grip.

Item No.	⊕	←	←	↓	↓	←	←	⊕	⊕	↶	↷	lbs.	pkg.
	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch		
31105	0	60	2.4	3.0	.118	164	6.5	23	.91	.06		10	
31110	1	80	3.1	4.5	.177	191	7.5	30	1.18	.11		10	
31112	1	200	8.0	4.5	.177	311	12.3	30	1.18	.15		10	
31114	1	300	12.0	4.5	.177	411	16.2	30	1.18	.18		10	
31115	2	100	3.9	6.0	.236	218	8.6	36	1.42	.20		10	
31117	2	200	8.0	6.0	.236	318	12.5	36	1.42	.25		10	
31118	2	300	12.0	6.0	.236	418	16.5	36	1.42	.30		10	
31120	3	150	5.9	8.0	.315	274	10.8	41	1.61	.33		10	
31125	4	200	8.0	10.0	.393	323	12.7	41	1.61	.51		10	



**30294 6 Pc. Slotted/Phillips Screwdriver Set**

Item No.	↓	←	⊕	←	↶	↷	lbs.
	mm	mm	Size	mm			
30294	4.0	100	1	80			1.29
	6.5	150	2	100			
	8.0	150					
	4.0*	25					

\*Stubby screwdriver with Wiha SoftFinish® handle



**30298 8 Pc. Slotted/Phillips Screwdriver Set**

Item No.	↓	←	⊕	←	↶	↷	lbs.
	mm	mm	Size	mm			
30298	3.0	100	1	80			1.87
	4.0	100	2	100			
	5.5	125	3	150			
	6.5	150					
	8.0	175					



**30297 12 Piece Slotted & Phillips Screwdriver Set**

Item No.	↓	←	⊕	←	↶	↷	lbs.
	mm	mm	Size	mm			
30297	3.0	100	0	60			2.48
	4.0	100	1	80			
	5.5	125	2*	25			
	6.5	150	2	100			
	6.5*	25	3	150			
	8.0	175					
	10	200					

\*Stubby screwdriver with Wiha SoftFinish® handle



## Wiha SoftFinish® Pozidriv®



### 313 Pozidriv® Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
31305	0	60	2.4	3.0	.118	164	6.5	23	.91	.06	10
31310	1	80	3.1	4.5	.177	191	7.5	30	1.18	.11	10
31312	1	200	8.0	4.5	.177	311	12.3	30	1.18	.15	10
31315	2	100	3.9	6.0	.236	218	8.6	36	1.42	.20	10
31320	3	150	5.9	8.0	.315	274	10.8	41	1.61	.33	10

## Wiha SoftFinish® Slotted Spanner Nut Drivers



### 305 Slotted Spanner Nut Drivers, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	mm	mm	Inch	mm	Inch	pkg.
30517	M1.7	80	3.1	0.5	4.0	184	7.2	23	.91	1
30520	M2	80	3.5	1.0	4.5	184	7.2	23	.91	1
30523	M2.3	90	3.5	1.0	5.0	201	7.9	30	1.18	1
30526	M2.6	100	3.9	1.2	5.5	201	7.9	30	1.18	1
30530	M3	100	3.9	1.2	6.0	211	8.3	30	1.18	1
30535	M3.5	100	3.9	1.4	7.0	218	8.6	36	1.42	1
30540	M4	100	3.9	1.4	8.0	218	8.6	36	1.42	1
30550	M5	125	4.9	2.0	10.0	243	9.6	36	1.42	1
30560	M6	125	4.9	2.5	11.0	243	9.6	36	1.42	1
30580	M8	150	5.9	3.0	14.0	274	10.8	41	1.61	1

## Soft Grip BiCut SuperCut & Screwdriver Set



### 32644 7 Pc. Soft Grip BiCut SuperCut & Screwdriver Set

Item No. BiCut SuperCut: lbs. 1.78

32644 8.0"/200mm BiCut SuperCut

Screwdrivers: Phillips: #0, #1, #2  
Slotted: 3.0, 4.0, 6.5mm

## Industrial BiCut SuperCut & Screwdriver Set



### 30942 7 Pc. Industrial BiCut SuperCut & Screwdriver Set

Item No. BiCut SuperCut: lbs. 1.86

30942 8.0"/200mm BiCut SuperCut

Screwdrivers: Phillips: #0, #1, #2  
Slotted: 3.0, 4.0, 6.5mm

## Wiha SoftFinish® Handle - Standard Series Sets




### 30299 20 Piece Slotted, Phillips, TORX®, Square & Pozidriv® Set

Item	Slotted: 3.0, 4.0, 5.5, 6.5, 8.0mm	lbs. 3.27
No.	Phillips: 0, 1, 2	
30299	TORX®: T6, T8, T10, T15, T20, T25, T30	
	Square: 1, 2, 3	
	Pozidriv®: 1, 2	

## Wiha SoftFinish® CushionGrip Drivers



\*Inch & Metric scale on #2 Phillips



Perfect for measuring small parts on the go

### 30295 5 Piece Slotted & Phillips Screwdriver Set

Item No.	mm	mm	Size	mm	lbs.
30295	3.0	100	1	80	1.02
	4.0	100	2*	100	
	6.5	150			



**Wiha SoftFinish® CushionGrip Drivers**

**With Inch & MM Scale on Blades**



Inch and Metric

- Perfect for measuring small parts on the go
- Quickly check drilled hole depths & diameters
- Patented design with permanent laser marking
- Chrome-vanadium-molybdenum tool steel shafts
- Hardened & tempered for long life performance
- Precision machined exact fit tips
- Hard chrome surfaces for incredible wear resistance



**31194 2 Pc Slotted & Phillips Measuring Scale Screwdriver Set**

Item	↓ ●	— —	⊕	— —	↶ ↷
No.	mm	mm	Size	mm	lbs.
31194	5.5	125	2	100	.37



Inch & Metric scales



**302 Measuring Scale Slotted Screwdriver, With Wiha-SoftFinish® Cushion Grip Handle**

Item	↓ ●	↓ ●	— —	— —	↓ ●	↓ ●	— —	— —	⊕	⊕	mm	↶ ↷	↶ ↷
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	Scale	lbs.	pkg.
30237	5.5	7/32	125	5.0	1.0	.039	236	9.3	30	1.18	30-110	.16	10



Inch & Metric scales




**311 Measuring Scale Phillips Screwdriver, With Wiha-SoftFinish® Cushion Grip Handle**

Item	⊕	— —	— —	↓ ●	↓ ●	— —	— —	⊕	⊕	mm	↶ ↷	↶ ↷
No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	Scale	lbs.	pkg.
31137	2	100	3.9	6.0	1/4	218	8.6	36	1.42	20-90	.21	10

**Wiha Screw Holding TORX® Tools**

- Laser welded assembly
- Holds screws securely
- Won't damage screws
- Doesn't weaken tool
- Exact fit tips
- Hardened tool steel blades
- Holds standard Torx screws\*
- Stainless rotary spring



Screw Holding TORX®

Laser Welded MagicSpring Assembly



**362 MagicSpring Screw Holding TORX® Screwdriver, With Wiha-SoftFinish® Handle**

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item	⊕	— —	— —	↓ ●	↓ ●	— —	— —	⊕	⊕	↶ ↷	↶ ↷
No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36202	T6	60	2.4	3.5	.139	164	6.5	23	.91	.07	10
36203	T7	60	2.4	3.5	.139	164	6.5	23	.91	.07	10
36207	T8	60	2.4	3.5	.139	164	6.5	23	.91	.07	10
36234	T9	60	2.4	4.0	.157	171	6.7	30	1.18	.11	10
36244	T10	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10
36249	T15	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10
36254	T20	100	3.9	4.0	.157	211	8.3	36	1.42	.16	10
36256	T25	100	3.9	4.5	.177	211	8.3	36	1.42	.17	10
36257	T27	115	4.5	5.5	.216	233	9.2	36	1.42	.20	10
36258	T30	115	4.5	6.0	.236	233	9.2	36	1.42	.21	10



Screw Holding TORX®

**36290 Set 6 Pcs. MagicSpring Screw Holding TORX® SoftFinish Screwdrivers**

Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips. Molded on.

Item	⊕	— —	⊕	— —	↶ ↷
No.	Size	mm	Size	mm	lbs.
36290	T8	60	T20	100	.98
	T10	80	T25	100	
	T15	80	T30	115	

\*MagicSpring tools will hold Torx® screws made to CamCar Textron Torx® specifications

## Wiha TORX® SoftFinish® Screwdrivers



### 362 TORX® Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item	⚙️	—	—	⬇️	⬇️	—	—	—	—	⚖️	📦
No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36264	T5	60	2.4	2.5	.098	164	6.5	23	.91	.05	10
36266	T6	60	2.4	3.5	.139	164	6.5	23	.91	.06	10
36268	T7	60	2.4	3.5	.139	164	6.5	23	.91	.06	10
36270	T8	60	2.4	3.5	.139	164	6.5	23	.91	.06	10
36272	T9	60	2.4	4.0	.157	171	6.7	30	1.18	.10	10
36274	T10	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10
36276	T15	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10
36278	T20	100	3.9	4.0	.157	211	8.3	36	1.42	.11	10
36280	T25	100	3.9	4.5	.177	211	8.3	36	1.42	.12	10
36282	T27	115	4.5	5.5	.216	233	9.2	36	1.42	.19	10
36284	T30	115	4.5	6.0	.236	233	9.2	36	1.42	.20	10
36286	T40	130	5.1	7.0	.275	254	10.0	41	1.61	.27	10
36288	T45	130	5.1	8.0	.315	254	10.0	41	1.61	.31	10



#36291



### 36291 6 Piece TORX® SoftFinish® -

Cushion Grip Set Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component.

Item	⚙️	—	⚙️	—	⚖️
No.	Size	mm	Size	mm	lbs.
36291	T6	60	T9	60	.77
	T7	60	T10	80	
	T8	60	T15	80	

### 36201 Set 6 Pcs. TORX®

Item	⚙️	—	⚙️	—	⚖️
No.	Size	mm	Size	mm	lbs.
36201	T6	60	T15	80	.83
	T8	60	T20	100	
	T10	80	T25	100	



### 36294 8 Piece TORX® Set

Item	TORX®:	⚖️
No.	T6, T8, T10, T15,	lbs.
36294	T20, T25, T27, T30	1.38



### 36267 12 Piece TORX® Set

Item	TORX®:	⚖️
No.	T5, T6, T7, T8, T9,	lbs.
36267	T10, T15, T20, T25, T27, T30, T40	2.03

## Wiha Security TORX® Screwdrivers



**362 Security TORX® Screwdriver With Wiha-SoftFinish® Handle** Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item	⚙️	—	—	⬇️	⬇️	—	—	—	—	⚖️	📦
No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36269	T7s	60	2.4	3.5	.139	164	6.5	23	.91	.06	10
36271	T8s	60	2.4	3.5	.139	164	6.5	23	.91	.06	10
36273	T9s	60	2.4	4.0	.157	171	6.7	23	.91	.10	10
36275	T10s	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10
36277	T15s	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10
36279	T20s	100	3.9	4.0	.157	211	8.3	30	1.18	.11	10
36281	T25s	100	3.9	4.5	.177	211	8.3	30	1.18	.11	10
36283	T27s	115	4.5	5.5	.216	233	9.2	36	1.42	.19	10
36285	T30s	115	4.5	6.0	.236	233	9.2	36	1.42	.20	10
36287	T40s	130	5.1	7.0	.275	254	10.0	41	1.61	.28	10



### 36298 Set 7 Pcs. Security TORX®

Item	Security TORX®:	⚖️
No.	T7s, T8s, T9s, T10s,	lbs.
36298	T15s, T20s, T25s	.95



### 36259 Set 10 Pcs. Security TORX®

Item	Security TORX®:	⚖️
No.	T7s, T8s, T9s, T10s,	lbs.
36259	T15s, T20s, T25s, T27s, T30s, T40s	1.5

**Wiha TORXPlus® Cushion Grip Drivers**



Not for use in standard Torx fasteners

**362 TORXPlus® Screwdriver With Wiha SoftFinish® Handle**

Round blade high alloy Chrome-vanadium-molybdenum tool steel, hardened, hard chromed. Wiha-Chromtop finish on tips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36211	IP6	60	2.4	3.5	.139	164	6.5	23	.91	.06	10
36223	IP7	60	2.4	3.5	.139	164	6.5	23	.91	.06	10
36228	IP8	60	2.4	4.0	.157	171	6.7	23	.91	.10	10
36229	IP9	60	2.4	4.0	.157	171	6.7	30	1.18	.11	10
36233	IP10	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10
36238	IP15	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10
36239	IP20	100	3.9	4.5	.177	211	8.3	36	1.42	.11	10
36243	IP25	100	3.9	5.5	.216	211	8.3	36	1.42	.19	10
36248	IP27	115	4.5	6.0	.236	233	9.2	36	1.42	.20	10
36253	IP30	115	4.5	7.0	.275	233	9.2	36	1.42	.28	10
36255	IP40	130	5.1	7.0	.275	254	10.0	41	1.61	.28	10



**36296 Set 6 Pcs. TORXPlus® Blade high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component.**

Item No.	Size	mm	Size	mm	lbs.
36296	IP6	60	IP9	60	.62
	IP7	60	IP10	80	
	IP8	60	IP15	80	



**36299 Set 7 Pcs. TORXPlus® Blade high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component.**

Item No.	Size	mm	Size	mm	lbs.
36299	IP8	60	IP25	100	.99
	IP10	80	IP30	115	
	IP15	80	IP40	130	
	IP20	100			



In clamshell for hanging

Not for use in standard Torx fasteners

**362 TORXPlus® Screwdriver With Wiha SoftFinish® Handle In Clamshell**

Round blade high alloy Chrome-vanadium-molybdenum tool steel, hardened, hard chromed. Wiha-Chromtop finish on tips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36214	IP6	60	2.4	3.5	.139	164	6.5	23	.91	.06	1
36231	IP7	60	2.4	3.5	.139	164	6.5	23	.91	.06	1
36232	IP8	60	2.4	4.0	.157	171	6.7	23	.91	.10	1
36241	IP9	60	2.4	4.0	.157	171	6.7	30	1.18	.11	1
36242	IP10	80	3.1	4.0	.157	191	7.5	30	1.18	.11	1
36246	IP15	80	3.1	4.0	.157	191	7.5	30	1.18	.11	1
36247	IP20	100	3.9	4.5	.177	211	8.3	36	1.42	.11	1
36252	IP25	100	3.9	5.5	.216	211	8.3	36	1.42	.19	1
36262	IP27	115	4.5	6.0	.236	233	9.2	36	1.42	.20	1
36263	IP30	115	4.5	7.0	.275	233	9.2	36	1.42	.28	1
36265	IP40	130	5.1	7.0	.275	254	10.0	41	1.61	.28	1



**36297 Set 8 Pcs. TORXPlus® Blade high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish handle, multi-component.**

Item No.	Size	mm	Size	mm	lbs.
36297	IP6	60	IP10	80	1.47
	IP7	60	IP15	80	
	IP8	60	IP20	100	
	IP9	60	IP25	100	

## Wiha MagicRing SoftFinish® Hex Drivers

### Screw Holding Hex Tools



**Don't Drop That Screw!**  
**Save Valuable Time!**  
**Improve Productivity!**  
**Make The Job Easy!**



#### 36791 13 Piece MagicRing Inch Ball

**End Screwdriver Set** Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Hex	Ball	Hex	Ball	Weight
No.	Inch	Inch	Inch	Inch	lbs.
36791	.050*	3.0	5/32	5.0	2.58
	1/16*	3.0	3/16	6.0	
	5/64*	4.0	7/32	6.0	
	3/32*	4.0	1/4	6.0	
	7/64*	4.0	5/16	8.0	
	1/8	4.0	3/8	8.0	
	9/64	4.0			

\* Standard Ball - No Ring

**367 MagicRing Ball End Hex-Driver Inch, With Wiha-SoftFinish® Handle** Hex blade, high alloy CVM steel, hardened, hard chromed. SoftFinish® handle, multi-component, cushion grip.

Item No.	Hex	Ball	Hex	Ball	Weight
No.	Inch	Inch	mm	mm	lbs.
36710*	.050	3.1	80	179	7.0
36713*	1/16	3.1	80	204	8.0
36716*	5/64	3.9	100	204	8.0
36719*	3/32	3.9	100	204	8.0
36723*	7/64	3.9	100	211	8.3
<b>With MagicRing</b>					
36726	1/8	3.9	100	243	9.6
36728	9/64	3.9	100	243	9.6
36732	5/32	5.0	125	271	10.7
36734	3/16	6.0	150	271	10.7
36736	7/32	6.0	150	271	10.7
36738	1/4	6.0	150	271	10.7
36742	5/16	8.0	200	271	10.7
36744	3/8	8.0	200	271	10.7


\* Standard Ball - No Ring



#### 36793 8 Piece MagicRing Inch Ball End

**Screwdriver Set** Hex blade CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Hex	Ball	Hex	Ball	Weight
No.	Inch	Inch	Inch	Inch	lbs.
36793	1/8	4.0	7/32	6.0	2.25
	9/64	4.0	1/4	6.0	
	5/32	5.0	5/16	8.0	
	3/16	6.0	3/8	8.0	



#### 36794 6 Piece MagicRing Inch Ball End

**Screwdriver Set** Hex blade CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Hex	Ball	Hex	Ball	Weight
No.	Inch	Inch	Inch	Inch	lbs.
36794	1/8	4.0	3/16	6.0	1.34
	9/64	4.0	7/32	6.0	
	5/32	5.0	1/4	6.0	

## Wiha MagicRing SoftFinish® Hex Drivers Screw Holding Hex Tools



Cushioned grip and extra large diameter to achieve high torque

Flat surfaces give roll-off protection

molded on handle for permanent bond

Hardened spring steel retaining ring holds screws on

Hard chrome super durable corrosion resistant finish

Precision machined for exact fit

Made from Wiha exclusive CVM hardened tool steel



Hard Chrome Finish

Screw Holding



**36790 9 Piece MagicRing Metric Ball End Hex Screwdriver Set** Hex blade CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Hex	mm	mm	mm	mm	lbs.
36790	1.5*	75	5.0	150	2.06	
	2.0*	100	6.0	150		
	2.5*	100	8.0	200		
	3.0	100	10.0	200		
	4.0	125				

\* Standard Ball - No Ring



**36792 6 Piece MagicRing Metric Ball End Hex Screwdriver Set** Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.


Item No.	Hex	mm	mm	mm	lbs.
36792	3.0	100	6.0	150	1.86
	4.0	125	8.0	200	
	5.0	150	10.0	200	

**367 MagicRing Ball End Hex Driver Metric, With Wiha-SoftFinish® Handle** Hex blade, high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Hex	mm	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36715*	1.5	75	3.0	179	7.0	23	.91	.06	10	
36720*	2.0	100	3.9	204	8.0	23	.91	.07	10	
36725*	2.5	100	3.9	204	8.0	23	.91	.07	10	
With MagicRing										
36730	3.0	100	3.9	204	8.0	23	.91	.07	10	
36740	4.0	125	5.0	211	8.3	30	1.18	.12	10	
36750	5.0	150	5.0	243	9.6	30	1.18	.16	10	
36760	6.0	150	5.0	243	9.6	36	1.42	.23	10	
36780	8.0	200	8.0	268	10.6	36	1.42	.37	10	
36786	10.0	200	8.0	271	10.7	41	1.61	.54	10	

\* Standard Ball - No Ring

## Switch Cabinet Keys



**21103 Switch Cabinet Key** For applications with all common switch cabinets and locking systems. Diecast Zinc

Item No.	mm	Inch	Pkg.	lbs.
21103	76	3.0"	1	.22




**21105 Pen Style Control Cabinet Key** For applications with all common switch cabinets and locking systems. Diecast Zinc, polished finish. Includes: Square 5, 6, 7, 8mm, Triangular 9mm, Double Bit Key 5mm/Internal & 9mm/External, Universal 1/4" Bit Adapter, Magnetic Bit Holder & 2 Double Insert Bits: Slotted 7mm / Phillips #2 / TORX T20/T25

Item No.	mm	Inch	Pkg.	lbs.
21105	140	5.5"	1	.30







## Wiha SoftFinish® Bit Holders

Magnetic



 Retainer out of stainless steel







**384 1/4" Magnetic Bit Holding Drivers, With Wiha SoftFinish® Handle** Ergonomic cushion grip, magnetic, holds bit and screw. Shaft CVM steel, nickel-plated. Pkg. 1

Item						
No.	Size	mm	Inch	mm	Inch	lbs.
38450	1/4"	125	5.0	240	9.46	.23
38460	1/4"	300	11.8	400	15.69	.37



For working in confined spaces

**28103 Magnetic 1/4" Bit Holder With Wiha SoftFinish® Stubby Handle** Stainless steel with strong magnet. Wiha-SoftFinish® handle multi-component, cushion grips.







Item						
No.	Inch	mm	Inch	lbs.	pkg.	
28103	1/4"	57	2.2	.11	1	

Plastic coated flexible metal



Stainless steel with retaining ring

**38600 Bit Holder 1/4" with Retaining Ring With Flexible Shaft** Wiha-SoftFinish® handle multi-component, cushion grips.






Item							
No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.
38600	1/4"	150	5.9	268	10.6	.30	1

Adjustable Blade Length  
Magnetic Bit Holder



**28489 Drive-Loc VI Bit Holder**

High alloy CVM steel, through hardened, hard chrome finish. Wiha-SoftFinish® handle multi-component, cushion grips.

Item					
No.	Inch	Extends	lbs.	pkg.	
28489	1/4"	1-3/4" to 4-7/8"	.36	1	

## Wiha 3K Series Screwdrivers and Sets

### 3K Ergonomic Series Screwdrivers & Sets

Blades made of CVM tool steel, chromed shaft

Hole in handle for hanging









Exact fit precision machined black tips

Dual material handle has molded soft grip panels









**48401 1/4" Bit holding Screwdriver, With Wiha-Ergo 3K Handle** Magnetic, holds bit & screw. Retainer out of stainless steel. Shaft CVM tool steel, nickel plated.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
48401	1/4"	125	5.0	244	9.6	.24	1




**458 Square Tip Screwdriver, With Wiha-3K Series Handle** Blade CVM steel, hard chromed shaft. Wiha-3k Ergo handle, cushion grip. Black tip. Pkg. 1

Item						
No.	Size	mm	Inch	mm	Inch	lbs.
45831	1	80	3.1	187	7.3	.14
45832	2	100	3.9	210	8.3	.16
45833	3	150	5.9	271	10.7	.24












**45891 3 Pc. Square Tip 3K Driver Set** Blade CVM, chrome nickel-plated. Wiha-3k Ergo handle, cushion grip. Precision black tips.

Item	Slotted:		lbs.
No. 45891	#1, 2, 3		.52




**455 TORX® Screwdriver, With Wiha-3K Series Handle** Blade high alloy CVM steel, hardened, precision black tip. Molded on ergonomic Wiha-3K Series handle, impact resistant.

Item									
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
45504	T6	60	2.4	3.2	9/64	145	5.7	.06	10
45508	T8	60	2.4	3.5	9/64	139	5.5	.06	10
45509	T9	60	2.4	4.0	5/32	149	5.8	.08	10
45525	T25	100	3.9	6.0	1/4	215	8.4	.20	10
45527	T27	115	4.5	7.0	9/32	240	9.4	.28	10
45530	T30	115	4.5	6.0	1/4	233	9.1	.21	10
45540	T40	130	5.1	7.0	9/32	248	9.7	.25	10
45545	T45	130	5.1	8.0	5/16	249	9.8	.30	10
45550	T50	130	5.1	9.0	3/8	249	9.8	.33	10



**45593 5 Pc. TORX® Set** Blade CVM steel, hardened, precision black tip. Wiha-3k Ergo handle, cushion grip.

Item	TORX® :		lbs.
No. 45593	T8, T10, T15, T20, T25		.86

**Wiha 3K Series Screwdrivers and Sets**



**450 Slotted Screwdriver, With Wiha-3K Series Handle** Blade chrome-vanadium-molybdenum steel, chrome nickel-plated. Wiha-3k Ergo handle, cushion grip. Precision black tips.

Item											
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	Pkg.	
45040**	2.5	.10	75	3.0	0.4	.02	161	6.3	.06	10	
45050**	3.0	.12	100	3.9	0.5	.02	185	7.3	.07	10	
45052**	3.5	.14	100	3.9	0.6	.02	197	7.7	.09	10	
45054**	4.0	.16	100	3.9	0.8	.03	206	8.1	.12	10	
45055	4.5	.18	100	3.9	1.0	.04	207	8.1	.13	10	
45056	4.5	.18	150	5.9	1.0	.04	257	10.1	.14	10	
45057	4.5	.18	200	8.0	1.0	.04	306	12.0	.15	10	
45058	5.5	.22	125	5.0	1.0	.04	243	9.5	.19	10	
45060	6.0	.24	100	3.9	0.9	.04	218	8.5	.20	10	
45062	6.0	.24	200	8.0	0.9	.04	318	12.5	.25	10	
45064*	6.5	.24	40	1.6	1.2	.05	90	3.5	.08	10	
45065	6.5	.24	150	5.9	1.2	.05	268	10.5	.23	10	
45067	8.0	.32	150	5.9	1.2	.05	268	10.5	.26	10	

\* Stubby screwdriver with Wiha Powerhandle - 45064

\*\* Cabinet Tip



**451 Phillips Screwdriver, With Wiha-3K Series Handle** pkg. 10

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
45135	0	60	2.4	145	5.7	.06
45140	1	200	8.0	307	12.0	.16
45142	2	100	3.9	218	8.5	.21
45147	2	200	8.0	318	12.5	.25
45150*	2	40	1.6	90	3.5	.08
45152	3	150	5.9	268	10.5	.31

\* Stubby screwdriver with Wiha Powerhandle - 45150



**452 Pozidriv® Screwdriver, With Wiha-3K Series Handle** Blade CVM steel, hard chromed shaft. Wiha-3k Ergo handle, cushion grip. Black tip.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
45205	0	60	2.4	146	5.7	.06	10
45207	0	100	3.9	186	7.3	.07	10
45220	1	100	3.9	207	8.1	.14	10
45225	2	100	3.9	219	8.6	.21	10
45230	2	150	5.9	269	10.6	.23	10
45235	3	150	5.9	269	10.6	.31	10



**46094 6 Pc. Slotted/Phillips 3K Driver Set**

Item	Slotted:	
No.	3.0, 4.5, 5.5, 6.5mm	lbs.
46094	Phillips: #1, 2	.91



**46097 8 Pc. Slotted/Phillips 3K Driver Set**

Item	Slotted:	
No.	3.0, 4.5, 6.0, 8.0mm	lbs.
46097	Phillips: #1, 2, 3	1.70
	Stubby Phillips: #2	

1/4" Insert Bits



**45190 18 Pc. Phillips 3K Driver & Bit Set**

**Item No. Screwdrivers:** #0x60, #1x80, #1x200, #2x100, #2x150, #2x200, #3x150mm


**45190 Insert Bits:** #0(2), #1(2), #2(4), #3(2) lbs. 1.62 **Stubby Phillips:** #2x40mm

**NOTES:**

Blank lines for notes.



## Wiha Ball End 3K Series Screwdrivers & Sets



Fast angle entry

- Soft panel grip
- Convenient hang hole
- Hardened CVM tool steel
- Exact fit precision machined tips

Yellow = Inch  
 Red = Metric



Metric / Soft Grip

### 467 Ball End Hex Metric Screwdriver, With Wiha-3K Ergo Handle

Blades of CVM special steel, hardened, black finish. Molded on Wiha-3K Ergo soft grip handles.

Item							
No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
46715	1.5	75	3.0	161	6.3	.07	10
46720	2.0	100	3.9	186	7.3	.07	10
46725	2.5	100	3.9	186	7.3	.07	10
46730	3.0	100	3.9	186	7.3	.07	10
46740	4.0	100	3.9	197	7.8	.11	10
46750	5.0	100	3.9	197	7.8	.13	10
46760	6.0	150	5.9	257	10.1	.21	10
46786	10.0	200	8.0	319	12.6	.52	10




Inch / Soft Grip

### 467 Ball End Hex Inch Drivers, With 3K Ergo Soft Grip Handles


Blades of CVM special steel, hardened, black finish. Molded on Wiha-3K Ergo soft grip handles.

Item							
No.	Inch	Inch	mm	Inch	mm	lbs.	pkg.
46702	.050	2.9	75	6.3	160	.07	10
46704	1/16	2.9	75	6.3	160	.07	10
46706	5/64	3.9	100	7.3	185	.07	10
46708	3/32	3.9	100	7.3	185	.07	10
46710	7/64	3.9	100	7.3	185	.07	10
46712	1/8	3.9	100	7.7	196	.09	10
46714	9/64	3.9	100	7.7	196	.10	10
46716	5/32	3.9	100	7.7	196	.11	10
46722	7/32	5.9	150	10.0	254	.19	10
46724	1/4	5.9	150	10.0	254	.22	10
46726	5/16	7.9	200	12.0	305	.34	10
46728	3/8	7.9	200	12.5	318	.48	10



### 46793 8 Piece 3K Ergo Inch Ball End Hex Screwdriver Set

Item	Hex Inch:	
No.	.050, 1/16, 5/64, 3/32,	lbs.
46793	7/64, 1/8, 9/64, 5/32"	1.19



### 46797 13 Piece 3K Ergo Inch Ball End Hex Screwdriver Set

Blades of CVM special steel, hardened, black finish. Molded on Wiha-3k Ergo soft grip handles.

Item	Hex Inch: .050,	
No.	1/16, 5/64, 3/32, 7/64	lbs.
46797	1/8, 9/64, 5/32, 3/16,	2.40
	7/32, 1/4, 5/16, 3/8"	



### 46794 6 Piece 3K Ergo Inch Ball End Hex Screwdriver set

Item	Hex Inch:	
No.	1/8, 9/64, 5/32,	lbs.
46794	3/16, 7/32, 1/4"	.97



**Wiha Drive-Loc VI Handles & Blades**

**For Adjustable Length Locking Blades**



Ergonomic handles in ESD Safe, cushioned & non-slip grip

See Drive-Loc VI Nut drivers on Page 39

Blade length can be adjusted from 1.7 to 4.7" in 1/8" increments

Blades high quality CVM steel, hard chrome finish

Adjust interchangeable blades from 40 to 120mm

Drive-Loc mechanism guarantees a secure hold & rapid blade exchange



**28488 Drive-Loc VI Cushion Grip Handle**

Wiha-SoftFinish® impact resistant, with roll off protection.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
28488	6.0	115	4.5	36.0	1.41	.26



**28486 ESD Safe Drive-Loc VI Cushion Grip Handle** Wiha-SoftFinish® impact resistant, with roll off protection.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
28486	6.0	115	4.5	36.0	1.41	.21



**28487 Drive-Loc VI MicroFinish Non-Slip Grip Handle** Wiha-MicroFinish handle, won't peel, crack or deteriorate when exposed to petroleum solvents.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
28487	6.0	115	4.5	36.0	1.41	.20



**10810 Drive-Loc VI Standard Narrow Profile Tech Handle** Dynamic non-locking, impact resistant, friction hold. Fits all Drive-Loc blades. Does not have locking feature.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
10810	6.0	135	5.3	15.2	.60	.16



**281 Slotted Drive-Loc VI Interchangeable Blade**

High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	mm + mm	lbs.	pkg.	
28106	3.5 4.5	.10	1	
28108	5.5 6.5	.10	1	



**281 Slotted & Phillips Drive-Loc VI Interchangeable Blade** High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	mm + Size	lbs.	pkg.	
28107	3.0 0	.10	1	
28109	4.0 1	.10	1	
28110	6.0 2	.10	1	



**28112 Phillips Drive-Loc VI Interchangeable Blade** High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	Size + Size	lbs.	pkg.	
28112	1 2	.10	1	



**28137 Square Drive-Loc VI Interchangeable Blade** High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	Size + Size	lbs.	pkg.	
28137	1 2	.10	1	



**28114 Pozidriv® Drive-Loc VI Interchangeable Blade** High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	Size + Size	lbs.	pkg.	
28114	1 2	.10	1	



**281 Tri-wing® Drive-Loc VI Interchangeable Blade** High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	Size + Size	lbs.	pkg.	
28138	0 1	.10	1	
28139	2 3	.10	1	
28140	4 5	.10	1	



**281 Torq Set® Drive-Loc VI Interchangeable Blade** High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	Size + Size	lbs.	pkg.	
28142	2 4	.08	1	
28143	6 8	.10	1	



**281 TORX® Drive-Loc VI Interchangeable Blade** OAL 150mm/5.9"

Item				
No.	Size + Size	lbs.	pkg.	
28126	T6 T8	.10	1	
28127	T7 T9	.10	1	
28128	T10 T15	.10	1	
28129	T20 T25	.10	1	
28130	T30 T40	.10	1	



**281 Security TORX® Drive-Loc VI Interchangeable Blade** OAL 150mm/5.9"

Item				
No.	Size + Size	lbs.	pkg.	
28132	T6s T8s	.10	1	
28133	T7s T9s	.10	1	
28134	T10s T15s	.10	1	
28135	T20s T25s	.10	1	
28136	T30s T40s	.10	1	

## Wiha Drive-Loc VI Blades



**281 Hex Metric Drive-Loc VI Interchangeable Blade** OAL 150mm/5.9"

Item				
No.	mm + mm	lbs.	pkg.	
28149	2.0 2.5	.09	1	
28150	3.0 4.0	.10	1	
28151	5.0 6.0	.10	1	



**281 Hex Inch Drive-Loc VI Interchangeable Blade** OAL 150mm/5.9"

Item				
No.	Inch + Inch	lbs.	pkg.	
28122	3/32 7/64	.10	1	
28123	1/8 9/64	.10	1	
28124	5/32 3/16	.10	1	



**281 Ball End Hex & Hex Metric Drive-Loc VI Interchangeable Blade** Ball end enables the user to work at angles up to 25°. OAL 150mm/5.9". Fits all Drive-Loc VI handles.

Item				
No.	mm + mm	lbs.	pkg.	
28116	2.5 2.5	.10	1	
28117	3 3	.10	1	
28118	4 4	.10	1	
28119	5 5	.10	1	
28120	6 6	.10	1	

## Drive-Loc VI Interchangeable Blade Sets



**28187 32 Pc. ESD Safe Drive-Loc VI Interchangeable Blade Set, In Folding Wallet** Set includes Drive-Loc VI handle & 31 interchangeable blades.

Item No. 28187		lbs. 3.66
Slotted:	3.5+4.5, 5.5+6.5mm	Square: 1+2
Slotted/Phillips:	3.0+0, 4.0+1, 6.0+2	
Security TORX®:	T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s	
Hex Inch:	3/32+7/64, 1/8+9/64, 5/32+3/16	
Hex Metric:	2.0+2.5, 3.0+4.0, 5.0+6.0	
Nut Drivers In:	1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"	
Nut Drivers MM:	5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0mm	
Wiha ESD Safe SoftFinish® Cushion Grip		



**28483 5 Pack Drive-Loc VI Interchangeable Blade Set** OAL 150mm/5.9"

Item		lbs.
No. 28483		.35
Slotted/Phillips:	3.0+#0, 4.0+#1, 6.0+#2	
Square:	#1+#2 & Pozidriv®: #1+#2	



**28479 5 Pack Drive-Loc VI Interchangeable Blade Set** OAL 150mm/5.9"

Item		lbs.
No. 28479		.35
Tri-Wing:	#0+#1, #2+#3, #4+#5	
Torq Set:	#2+#4, #6+#8	



**28477 5 Pack Drive-Loc VI Interchangeable Blade Set** OAL 150mm/5.9"

Item		lbs.
No. 28477		.35
Security TORX®:	T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s	

## Wiha Drive-Loc VI Blade 5 Pack Sets



**28474 5 Pack Drive-Loc VI Interchangeable Blade Set** OAL 150mm/5.9"

Item		lbs.
No. 28474		.36
Hex Metric:	3.0+4.0, 5.0+6.0mm	
Hex Inch:	3/32+7/64, 1/8+9/64, 5/32+3/16"	



**28476 5 Pack Drive-Loc VI Interchangeable Blade Set** OAL 150mm/5.9"

Item		lbs.
No. 28476		.36
Hex Metric:	2.5, 3.0, 4.0, 5.0, 6.0mm	




**28485 5 Pack Drive-Loc VI Interchangeable Blade Set** OAL 150mm/5.9"

Item No. 28485		lbs.
TORX®:		.35
T6+T8, T7+T9, T10+T15, T20+T25, T30+T40		

## Drive-Loc VI Interchangeable Blade Set In Tool Box Tray



Tool box set in blow molded tray




**28191 33 Pc. Drive-Loc VI Interchangeable Blade Set, In Tool Box Tray** Set includes Drive-Loc VI handles & 31 Drive-Loc VI blades.

Item No. 28191		lbs. 3.48
Slotted:	3.5+4.5, 5.5+6.5mm	Square: 1+2
Slotted/Phillips:	3.0+0, 4.0+1, 6.0+2	
Security TORX®:	T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s	
Hex Inch:	3/32+7/64, 1/8+9/64, 5/32+3/16	
Hex Metric:	2.0+2.5, 3.0+4.0, 5.0+6.0	
Nut Drivers In:	1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"	
Nut Drivers MM:	5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0mm	
Wiha SoftFinish® Cushion Grip & MicroFinish Non-Slip Grip Handles		




**28194 5 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch** Set includes Drive-Loc VI handle & 4 interchangeable blades.

**Item No. 28194**  lbs.  
**Slotted:** 3.5+4.5, 5.5+6.5     **.80**  
**Phillips:** 1+2     **Square:** 1+2  
 SoftFinish® Cushion Grip Blade Lock Handle



**28197 6 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch** Set includes Drive-Loc VI handle & 5 interchangeable blades.

**Item**  lbs.  
**No. 28197**     **.83**  
**Security TORX®:** T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s  
 SoftFinish® Cushion Grip Blade Lock Handle



**28199 10 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch** Set includes Drive-Loc VI handle & 9 interchangeable blades.

**Item No. 28199**  lbs.  
**Slot/Ph:** 4.0+1, 6.0+2     **1.11**  
**TORX®:** T6+T8, T7+T9, T10+T15, T20+T25  
**Hex Inch:** 3/32+7/64, 1/8+9/64, 5/32+3/16"  
 SoftFinish® Cushion Grip Blade Lock Handle



**28189 15 Pc. Drive-Loc VI Interchangeable Blade Set, In Folding Wallet** Set includes Drive-Loc VI handle & 14 interchangeable blades.

**Item No. 28189**  lbs. **1.75**  
**Slotted:** 3.5+4.5, 5.5+6.5     **Phillips:** 1+2  
**Security TORX®:** T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s  
**Hex Inch:** 3/32+7/64, 1/8+9/64, 5/32+3/16  
**Hex Metric:** 2.0+2.5, 3.0+4.0, 5.0+6.0mm  
 SoftFinish® Cushion Grip Blade Lock Handle

**Wiha MicroFinish Handle - Non-Slip Grip**

**Wiha MicroFinish handle** has a patented non-slip surface - It won't peel, crack or deteriorate when exposed to petroleum solvents. Oil and moisture flow away from the handle surface for a powerful, non-slip grip. Get maximum force & comfort with dry, oily or wet hands.

Safe, high density material, eliminates risk of sharp objects becoming embedded in the handle

Through hardened blades & hard chrome finish

Exact fit precision ground tips

CVM, hardened & tempered tool steel blade, gives exceptional tool life, wear resistance & high torque performance

Hex bolster & steel strike cap on 533 & 534 series



**520 Slotted Screwdriver, With Wiha-MicroFinish Handle**

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant. Round blades.

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
52005*	4.0	.157	100	3.9	0.8	.031	211	8.3	30	1.18	.16	10
52010*	4.0	.157	150	5.9	0.8	.031	261	10.3	30	1.18	.17	10
52020*	5.5	.216	125	5.0	1.0	.039	236	9.3	30	1.18	.20	10
52025*	5.5	.216	150	5.9	1.0	.039	261	10.3	30	1.18	.21	10
52035	6.5	.255	150	5.9	1.2	.047	268	10.6	36	1.42	.28	10
52040	8.0	.315	150	5.9	1.2	.047	274	10.8	41	1.61	.37	10
52050	10.0	.393	200	8.0	1.6	.063	324	12.8	41	1.61	.50	10

\*Cabinet Tips




**521 Phillips Screwdriver, With Wiha-MicroFinish Handle**

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
52105	1	80	3.1	191	7.5	30	1.18	.15	10
52110	1	200	8.0	311	12.2	30	1.18	.21	10
52115	2	100	3.9	218	8.6	36	1.42	.26	10
52120	2	200	8.0	318	12.5	36	1.42	.34	10
52125	3	150	5.9	274	10.8	41	1.61	.41	10




**52090 5 Piece Slotted & Phillips Screwdriver Set**

Blade CVM steel, hardened, hard chromed.

Item No.	Slotted:	 lbs.
52090	4.0x100, 5.5x125, 8.0x150mm	1.23




**52099 12 Piece MicroFinish® Slotted & Phillips Screwdriver Set**

Item No.	Slotted:	 lbs.
52099	4.0x100, 4.0x150, 5.5x125, 5.5x150, 6.5x150, 8.0x150, 10.0x200mm	4.20
	<b>Phillips:</b> 1x80, 1x200, 2x100, 2x200, 3x150mm	




**52097 7 Pc. Slotted/Phillips Screwdriver Set**

Item No.	Slotted:	 lbs.
52097	4.0x100, 5.5x125, 8.0x150mm	1.35
	<b>Phillips:</b> #1x80, #1x200, #2x100, #2x200mm	



**52098 8 Pc. Slotted/Phillips Screwdriver Set**

Item No.	Slotted:	 lbs.
52098	4.0x100, 5.5x125, 6.5, 8.0x150, 10.0x200mm	2.58
	<b>Phillips:</b> 1x80, 2x100, 3x150mm	



## Wiha MicroFinish Extra Heavy Duty Non-Slip Grip Handle



### 533 Heavy Duty Slotted Screwdriver, Wiha-MicroFinish Handle & Steel Striking Cap

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Hex blade extending through handle with striking plate. Hex bolster for additional torque. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item	↓	↓	←	←	←	←	←	←	←	←	←	←
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
53310*	4.5	.177	90	3.6	1.0	.039	201	7.9	30	1.18	.20	10
53315	5.5	.216	100	3.9	1.0	.039	213	8.4	36	1.42	.33	10
53320	6.5	.255	125	5.0	1.2	.047	238	9.4	36	1.42	.38	10
53325	8.0	.315	150	5.9	1.2	.047	271	10.7	41	1.61	.61	10
53330	10.0	.393	175	7.0	1.6	.063	296	11.7	41	1.61	.65	10

\*No hex bolster



### 534 Heavy Duty Phillips Screwdriver, Wiha-MicroFinish Handle & Steel Striking Cap

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Hex blade extending through handle with striking plate. Hex bolster for additional torque. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item	+	←	←	←	←	←	←	←	←	←
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.	
53405	1	80	3.1	186	7.3	30	1.18	.22	10	
53410	2	100	3.9	213	8.4	36	1.42	.37	10	
53425	3	150	5.9	268	10.6	41	1.61	.71	10	

## Wiha TORX® MicroFinish Handle Non-Slip Grip



527 TORX® Screwdriver, With Wiha-MicroFinish Handle Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant. Round blades.

Item	★	←	←	↓	↓	←	←	←	←	←	←
No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
52711	T9	60	2.4	4.0	.157	171	6.7	30	1.18	.15	10
52713	T10	80	3.1	4.0	.157	191	7.5	30	1.18	.15	10
52716	T15	80	3.1	4.0	.157	191	7.5	30	1.18	.15	10
52719	T20	100	3.9	4.0	.157	211	8.3	30	1.18	.15	10
52722	T25	100	3.9	4.5	.177	211	8.3	30	1.18	.16	10
52726	T27	115	4.5	5.5	.216	233	9.2	36	1.42	.25	10
52729	T30	115	4.5	6.0	.236	233	9.2	36	1.42	.27	10
52732	T40	130	5.1	7.0	.275	254	10.0	41	1.61	.40	10



52791 Set 8 Pcs. TORX® Blade CVM steel, hardened, round blades hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil & grease resistant.

Item	TORX®	←	←
No.	T9, T10, T15, T20, T25,	lbs.	
52791	T27, T30, T40	1.89	



### 53390 5 Pc. Slotted/Phillips, Heavy Duty Set

Blade CVM steel, hardened, hard chromed. Hex blade extending through handle with steel striking cap. Hex bolster for additional torque.

Item	Slotted:	←
No.	5.5, 6.5, 8.0mm	lbs.
53390	Phillips: #1, 2	2.1



### 53398 8 Pc. Slotted/Phillips, Heavy Duty Set

Blade CVM steel, hardened, hard chromed. Hex blade extending through handle with steel striking cap. Hex bolster for additional torque.

Item	Slotted: 4.5*, 5.5,	←
No.	6.5, 8.0, 10.0mm	lbs.
53398	Phillips: #1, 2, 3	3.7

\*No hex bolster



### 52790 Set 5 Pcs. TORX® Blade CVM steel,

hardened, round blades hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil & grease resistant.

Item	TORX®	←
No.	T10, T15, T20,	lbs.
52790	T25, T30	1.0

## Wiha MicroFinish Non-Slip Grip Bit Holder



52650 1/4" Bit holding Screwdriver, With Wiha-MicroFinish Handle Magnetic, holds bit and screw. Retainer out of stainless steel. Shaft chrome-vanadium steel, nickel-plated.

Item	←	←	←	←	←	←	
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
52650	1/4	125	5.0	244	9.6	.24	10

**Wiha Powerhandle TORX®** Made in Germany



**362 TORX® Screwdriver, With Wiha-Powerhandle** CVM steel blade, hardened, hard chromed. Wiha-powerhandle cellulose-acetate.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36205	T5	50	2.0	2.5	.098	110	4.3	.03	10
36210	T6	50	2.0	3.5	.139	125	4.9	.06	10
36212	T7	50	2.0	3.5	.139	125	4.9	.06	10
36215	T8	60	2.4	3.5	.139	135	5.3	.06	10
36220	T9	60	2.4	4.0	.157	140	5.5	.09	10
36225	T10	80	3.1	4.0	.157	170	6.7	.13	10
36230	T15	80	3.1	4.0	.157	170	6.7	.13	10
36235	T20	100	3.9	4.0	.157	200	7.9	.17	10
36240	T25	100	3.9	4.5	.177	200	7.9	.18	10
36245	T27	115	4.5	5.5	.216	215	8.5	.20	10
36250	T30	115	4.5	6.0	.236	225	8.9	.28	10



**36292 8 Pc. Set TORX®** Blade high alloy CVM steel, hardened, hard chromed. Wiha-powerhandle cellulose-acetate, impact resistant.

<b>Item No.</b>	T6, T8, T10, T15, T20, T25, T27, T30	lbs.	1.45
-----------------	--------------------------------------	------	------



**36293 6 Pc. Set TORX®**

<b>Item No.</b>	T6, T7, T8, T9, T10, T15	lbs.	.78
-----------------	--------------------------	------	-----

**Wiha TORX® Protturn Screwdrivers**

**protturn**  
TORX®

Through hardened for optimum wear resistance

Molded on ergonomic handle proportioned to blade sizes

High performance tool steel blades



**45589 Set 11 Pcs. TORX®**


**Item No. TORX® :**

**45589** T6, T7x50mm, T8, T9x60mm, T10, T15x80mm, T20, T25x100mm, T27, T30x115mm, T40x130mm




**45591 Set 6 Pcs. TORX®**

<b>Item No.</b>	T7, T8, T9, T10, T15, T20	lbs.	.72
-----------------	---------------------------	------	-----



**45592 Set 8 Pcs. TORX®**

<b>Item No.</b>	T8, T9, T10, T15, T20, T25, T27, T30	lbs.	1.10
-----------------	--------------------------------------	------	------



**455 TORX® Screwdriver, With Wiha-Protturn Handle** Blade high alloy CVM steel, hardened, black finish. Molded on ergonomic Wiha-Protturn handle, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
45505	T6	50	2.0	3.5	.139	129	5.1	.05	10
45506	T7	50	2.0	3.5	.139	129	5.1	.05	10
45511	T8	60	2.4	3.5	.139	139	5.5	.06	10
45516	T9	60	2.4	4.0	.157	149	5.8	.08	10
45521	T10	80	3.1	4.0	.157	170	6.7	.10	10
45526	T15	80	3.1	4.0	.157	170	6.7	.10	10
45531	T20	100	3.9	4.0	.157	190	7.5	.11	10
45536	T25	100	3.9	4.5	.177	190	7.5	.11	10
45541	T27	115	4.5	5.5	.216	215	8.4	.11	10
45546	T30	115	4.5	6.0	.236	215	8.4	.20	10
45551	T40	130	5.1	7.0	.275	240	9.4	.28	10
45561	T50	130	5.1	9.0	.354	240	9.4	.31	10



**48400 1/4" Bit Holding Screwdriver, With Wiha Protturn Handle** Magnetic, holds bit and screw. Shaft CVM steel, nickel-plated. Handle, molded on, impact resistant.

<b>Item No.</b>	48400	Size	1/4	mm	125	Inch	5.0	mm	243	Inch	9.6	lbs.	.24	pkg.	10
-----------------	-------	------	-----	----	-----	------	-----	----	-----	------	-----	------	-----	------	----



Retainer out of stainless steel

## Wiha Offset Screwdrivers



**161 Phillips Offset Screwdriver, With Handle** For working in confined spaces. Blade CVM special steel, hardened, hard chromed. Handle high quality plastic, impact resistant.

Item	+	+	+	+	+	+	+
No.	Size	mm	Inch	mm	Inch	lbs.	Pkg.
16112	1 + 2	125	4.9	5.5	.217	.08	10



**207 Slotted Offset Screwdriver, With Handle**

Item	+	+	+	+	+	+	+	
No.	mm	Inch	mm	Inch	mm	Inch	lbs.	Pkg.
20700	3.5	9/64	90	3.5	0.6	.02	.02	10
20715	6.5	1/4	125	5.0	1.2	.05	.07	10
20725	10.0	3/8	175	6.9	1.6	.06	.23	10

## Wiha Cabinet Tip Slotted & Phillips Screwdrivers



**186 Slotted Cabinet Tip Screwdriver, With Wiha-Square Handle** Blade CVM steel, hardened, nickel-plated. Tip parallel to shaft. Series includes extra long dimensions for screws in difficult to reach locations. Wiha-square handle cellulose-acetate, impact resistant.

Item	+	+	+	+	+	+	+	+	+	+	+	+
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs	pkg.
18630	4.0	.16	200	8.0	0.60	.02	285	11.2	22	.87	.11	10
18648	5.0	.20	200	8.0	0.70	.03	295	11.6	24	.94	.17	10
18654	6.0	.24	100	3.9	0.90	.04	205	8.1	28	1.10	.19	10
18657	6.0	.24	150	5.9	0.90	.04	255	10.0	28	1.10	.21	10
18681	10.0	.39	200	8.0	1.60	.06	315	12.4	32	1.26	.37	10

## Wiha Offset Screwdrivers



**207 TORX® Offset Screwdriver With Molded Handle** Working in confined spaces. CVM special steel, hardened, black finish.

Item	TORX	+	+
No.	Size	lbs.	pkg.
20756	T6 + T8	.02	1
20757	T7 + T9	.02	1
20758	T10 + T15	.02	1
20759	T20 + T25	.07	1
20760	T27 + T30	.10	1



**20799 TORX® Offset Screwdriver Set, 5 Pcs.** Molded Handle.

Item	T6+T8, T7+T9,	+	+
No.	T10+T15, T20+T25,	lbs.	pkg.
20799	T27+T30	.24	1



**76087 61 Pc. Power Blade Service Kit**

Set includes Bit Holding Handle, MicroBit Storage Handle, 4mm to 1/4" Magnetic Adapter, 9 power blades, 46 bits & 3 nut setters.

**Item No. 76087** lbs. 1.34

**90mm Power Blades: Slotted:** 4.5, 5.5, 6.0mm

**Phillips: #1, 2, 3 & Square:** #1, 2, 3

**75mm Security TORX® Bits:** T10s, T15s, T20s, T25s, T27s, T30s

**MicroBits: Phillips:** #000, 00, 0, 1, 2,

**Slotted:** .8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm

**Hex Inch:** .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

**Hex Metric:** 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm

**TORX®:** T1, T2, T3, T4, T5, T6, T7, T8, T9, T10







**Magnetic Nut Setters:** 1/4, 5/16, 3/8"


**Wiha Power Blades**



**76000 CentroFix Cushion Grip Blade Holder**

Wiha-SoftFinish® impact resistant, with roll off protection. Ergonomic cushion grip handle. Quick release bit holder with magnet.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
76000	6.0	149	5.9	34.6	1.36	.26



**90mm Power Blades**

CentroFix quick release bit holder with magnet




Ergonomic SoftFinish® cushion grip handle

Blades high quality CVM steel, hard chrome finish



**760 Slotted Power Blades**




S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item			
No.	mm	lbs.	pkg.
76035	2.5	.02	1
76036	3.0	.02	1
76037	4.5	.03	1
76038	5.5	.03	1
76039	6.0	.04	1



**760 Square Power Blades**




S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item			
No.	Size	lbs.	pkg.
76056	1	.02	1
76057	2	.03	1
76058	3	.04	1




**760 Spanner Power Blades**

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item			
No.	Size	lbs.	pkg.
76026	4	.03	1
76022	6	.03	1
76023	8	.04	1
76024	10	.04	1




**76093 5 Piece Slotted Blade Set**

Item		Set includes:
No.	lbs.	Slotted: 2.5, 3.0, 4.5,
76093	.16	5.5, 6.0mm x 90mm




**76095 3 Piece Square Blade Set**

Item		Set includes:
No.	lbs.	Square: #1, 2,
76095	.11	3 x 90mm






**76089 3 Piece Spanner Blade Set**

Item		Set includes:
No.	lbs.	Spanner: #6, 8,
76089	.12	10 x 90mm



**760 Phillips Power Blades**




S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item			
No.	Size	lbs.	pkg.
76041	0	.01	1
76042	1	.02	1
76043	2	.03	1
76044	3	.04	1



**760 Pozidriv® Power Blades**




S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".


Item			
No.	Size	lbs.	pkg.
76011	1	.03	1
76012	2	.04	1
76013	3	.04	1




**760 Tri-Wing Power Blades**

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item			
No.	Size	lbs.	pkg.
76031	1	.02	1
76032	2	.02	1
76033	3	.03	1
76034	4	.04	1




**76094 4 Piece Phillips Blade Set**

Item		Set includes:
No.	lbs.	Phillips: #0, 1, 2,
76094	.17	3 x 90mm




**76091 3 Piece Pozidriv® Blade Set**

Item		Set includes:
No.	lbs.	Pozidriv®: #1, 2,
76091	.12	3 x 90mm



**76088 4 Piece Tri-Wing Blade Set**

Item		Set includes:
No.	lbs.	Tri-Wing: #1, 2,
76088	.16	3, 4 x 90mm




## Wiha 90mm Power Blades & Sets



### 760 Security Hex Metric Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item			
No.	mm	lbs.	pkg.
76001	2.5	.02	1
76002	3.0	.02	1
76003	4.0	.03	1
76004	5.0	.04	1



### 76090 4 Piece Security Hex Blade Set

Item		Set includes:
No.	lbs.	Metric: 2.5, 3.0,
76090	.12	4.0, 5.0 x 90mm



### 760 Security Hex Inch Power Blades

OAL 90mm/3.5".

Item			
No.	Inch	lbs.	pkg.
76046	5/64	.01	1
76047	3/32	.02	1
76048	7/64	.02	1
76049	1/8	.03	1
76050	9/64	.03	1
76051	5/32	.04	1
76052	3/16	.04	1
76053	7/32	.05	1
76054	1/4	.06	1



### 76096 10 Piece Security Hex Blade Set

Item		Set includes:
No.	lbs.	Inch: 1/16*, 5/64,
76096	.32	3/32, 7/64, 1/8,
		9/64, 5/32, 3/16,
		7/32, 1/4" x 90mm

\* 1/16" Standard Inch Hex Only



### 760 Security TORX® Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item			
No.	Size	lbs.	pkg.
76008	T8s	.02	1
76009	T9s	.02	1
76010	T10s	.02	1
76015	T15s	.02	1
76020	T20s	.02	1
76025	T25s	.03	1
76027	T27s	.03	1
76030	T30s	.04	1
76040	T40s	.04	1



### 76092 9 Piece Security TORX® Blade Set

Item		Set includes:
No.	lbs.	T8s, T9s, T10s, T15s,
76092	.30	T20s, T25s, T27s, T30s, T40s



### 760 Hex Inch Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item			
No.	Inch	lbs.	pkg.
76045	1/16	.01	1
76005	5/64	.01	1
76007	3/32	.02	1
76008	7/64	.02	1
76014	1/8	.03	1
76016	9/64	.03	1
76017	5/32	.04	1
76018	3/16	.04	1
76019	7/32	.05	1
76021	1/4	.06	1



### 76098 36 Pc. Power Blade Set, In Folding

Wallet Set includes cushion grip CentroFix Blade Holder & 35 interchangeable blades.

Item No. 76098 lbs. 1.86

Slotted: 2.5, 3.0, 4.5, 5.5, 6.0mm

Phillips: #0, 1, 2, 3

Security TORX®: T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s

Security Hex Metric: 2.5, 3.0, 4.0, 5.0mm

Pozidriv®: #1, 2, 3 & Square: #1, 2, 3

Spanner: #6, 8, 10 & Tri-Wing: #1, 2, 3, 4

Cushion Grip CentroFix Blade Holder



### 76099 37 Pc. Power Blade Set, In Folding

Wallet Set includes cushion grip CentroFix Blade Holder & 36 interchangeable blades.

Item No. 76099 lbs. 2.06

Slotted: 2.5, 3.0, 4.5, 5.5, 6.0mm

Phillips: #0, 1, 2, 3

Security TORX®: T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s

Security Hex Inch: 1/16\*, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

Pozidriv®: #1, 2, 3 & Square: #1, 2, 3

4" Nut Setters: 1/4, 5/16, 3/8"

Cushion Grip CentroFix Blade Holder

\* 1/16" Standard Inch Hex Only



### 76079 Canvas Folding Wallet

Holds 38 90mm power blades.

Item		
No.	Size	lbs. pkg.
76079	7-1/8" x 6" x 2"	.42 1



### Wiha Precision Slotted/Phillips Drivers

**Rotating cap**  
for precise turning and control with fingertip

**Precision handle**  
high quality plastic, cadmium free

**Molded on tapered handle**  
allows rapid rotation

**High performance blades**  
CVM steel,  
Hard chrome finished

**Tip**  
precision ground for exact fit,  
hard chromed non-slip surface



**260 Slotted Screwdriver, With Precision Handle** Blade high alloy chrome-vanadium-molybdenum steel. Pkg. 10

Item No.	mm	Inch	mm	Inch	mm	mm	Inch	lbs.
26008	.80	1/32	40	1.6	0.16	120	4.7	.02
26010	1.0	.039	40	1.6	0.18	120	4.7	.02
26012	1.2	3/64	40	1.6	0.20	120	4.7	.02
26015	1.5	1/16	40	1.6	0.25	120	4.7	.02
26018	1.8	.070	40	1.6	0.30	120	4.7	.02
26020	2.0	5/64	40	1.6	0.40	120	4.7	.02
26022	2.0	5/64	50	2.0	0.40	145	5.7	.02
26023	2.0	5/64	100	3.9	0.40	180	7.1	.03
26025	2.5	3/32	50	2.0	0.40	145	5.7	.03
26027	2.5	3/32	100	3.9	0.40	195	7.7	.03
26028	2.5	3/32	150	6.0	0.40	245	9.6	.04
26030	3.0	1/8	50	2.0	0.50	145	5.7	.03
26032	3.0	1/8	60	2.4	0.50	170	6.7	.04
26033	3.0	1/8	100	3.9	0.50	210	8.3	.04
26034	3.0	1/8	150	5.9	0.50	260	10.2	.05
26035	3.5	9/64	60	2.4	0.60	170	6.7	.05
26040	4.0	5/32	60	2.4	0.80	170	6.7	.05
26041	4.0	5/32	100	3.9	0.80	210	8.3	.06
26042	4.0	5/32	150	5.9	0.80	260	10.2	.07

\*Metric dimensions actual - Inch dimensions approximate



**261 Phillips Screwdriver, With Precision Handle** Blade high alloy chrome-vanadium-molybdenum steel. Pkg. 10

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.
26102	000	40	1.6	2.0	.08	120	4.7	.02
26100	00	40	1.6	2.0	.08	120	4.7	.02
26101	00	75	3.0	2.0	.08	155	6.1	.02
26105	0	50	2.0	3.0	.12	145	5.7	.02
26108	0	75	3.0	3.0	.12	170	6.7	.03
26107	0	100	3.9	3.0	.12	195	7.6	.05
26109	0	150	5.9	3.0	.12	245	9.6	.06
26110	1	60	2.4	4.0	.16	170	6.7	.05
26113	1	80	3.1	4.0	.16	190	7.5	.05
26114	1	100	3.9	4.0	.16	210	8.2	.06
26115	1	150	5.9	4.0	.16	260	10.2	.07

\*Metric dimensions actual - Inch dimensions approximate



**26190 8 Piece Precision Slotted & Phillips Screwdrivers & Industrial Long Nose Pliers Set**

Item No.	Slotted:	1.5 x 40mm
26190	2.0, 2.5 x 50mm, 3.0 x 60mm	
	Phillips:	00 x 40mm
lbs. .72	0 x 50mm, 1 x 60mm	
	Industrial Long Nose Pliers	
	6.3"/160mm OAL	



**26190.MC/26197 7 Pc. Precision Slotted & Phillips Set**

Item No.	Slotted:	1.5 x 40mm
26197	2.0, 2.5 x 50mm, 3.0 x 60mm	
	Phillips:	00 x 40mm
lbs. .31	0 x 50mm, 1 x 60mm	



**26199 8 Pc. Precision Slotted/Phillips Set**

Item No.	Slotted:	1.0, 2.0 x 40mm, 3.0 x 50mm, 4.0 x 60mm	lbs. .55
26199	Phillips:	000, 00 x 40mm, 0 x 50mm, 1 x 60mm	

### Wiha Precision Chip Lifter & Accessories



**26810 Precision Chip Lifter**  
Blade CVM steel, hardened, chrome-plated. Precision handle high quality plastic, impact resistant. Standard handle

Item No.	mm	mm	mm	mm	Inch	lbs.	Pkg.
26810	1	3.5	50	145	5.7	.07	1

\*Metric dimensions actual - Inch dimensions approximate



**26001 Pocket Clip for Precision Screwdrivers** Tool clips turn Precision Screwdrivers into Pocket Screwdrivers.

Item No.	Fits all	lbs.	pkg.
26001	Precision handles	.01	1



**26000 Plastic Precision Tool Rack**  
Rack holds 6 precision screwdrivers, can be set on workbench. Also has holes for hanging. Made from high quality plastic.

Item No.	Rack for 6	lbs.	Pkg.
26000	Precision screwdrivers	.08	1



**26090 6 Piece Precision Slotted Set**  
Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.	Slotted:	lbs.
26090	1.5, 2.0 x 40mm	.27
	2.5, 3.0 x 50mm	
	3.5, 4.0 x 60mm	



**26099 8 Piece Precision Slotted Set**  
Blade high alloy CVM steel. Hard chrome finished. In canvas storage pouch.

Item No.	Slotted:	lbs.
26099	1.0, 1.2, 1.5, 2.0 x 40mm	
	2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm	.54

## Wiha Precision Slotted/Phillips Drivers



**26092 7 Piece Precision Slotted & Phillips Set** Blade high alloy chrome-vanadium-molybdenum steel.

Item No.		
<b>26092</b>	<b>Slotted:</b>	lbs.
	2.5 x 50mm,	.30
	2.5, 3.0, 4.0 x 100mm	
	3.0, 4.0 x 150mm	
	<b>Phillips:</b>	
	0 x 75mm	



**26194 4 Piece Precision Phillips Set** Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.	Phillips:	
<b>No.</b>	000, 00 x 40mm	lbs.
<b>26194</b>	0 x 50mm, 1 x 60mm	.18



**26192 5 Piece Precision Slotted & Phillips Set** Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Slotted:	
<b>No.</b>	2.5, 3.0, 4.0 x 150mm	lbs. .44
<b>26192</b>	<b>Phillips:</b>	
	0, 1 x 150mm	

## Wiha Pozidriv® Precision Series



**262 Pozidriv® Screwdriver, With Precision Handle** Blade high alloy chrome-vanadium-molybdenum steel. Pkg. 10

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.
<b>26205</b>	0	50	2.0	3.0	.12	145	5.7	.03
<b>26210</b>	1	60	2.4	4.0	.16	170	6.7	.05

\*Metric dimensions actual - Inch dimensions approximate

## Wiha Hex Inch & Metric Precision Series



**263 Inch Hex Driver, With Precision Handle** Inch sizes. Blade high alloy chrome-vanadium-molybdenum steel. Pkg. 10

Item No.	Hex	Inch	mm	mm	Inch	mm	Inch	lbs.
<b>26307</b>	0.028	0.7	40	1.6	120	4.7	.02	
<b>26309</b>	0.035	0.9	40	1.6	120	4.7	.02	
<b>26313</b>	0.05	1.3	40	1.6	120	4.7	.02	
<b>26316</b>	1/16	-	50	2.0	145	5.7	.03	
<b>26320</b>	5/64	2.0	50	2.0	145	5.7	.03	
<b>26323</b>	3/32	-	60	2.4	170	6.7	.04	
<b>26327</b>	7/64	-	60	2.4	170	6.7	.04	
<b>26331</b>	1/8	-	60	2.4	170	6.7	.04	
<b>26333</b>	9/64	-	60	2.4	170	6.7	.05	
<b>26336</b>	5/32	-	60	2.4	170	6.7	.05	

\*Metric dimensions actual - Inch dimensions approximate



**263 Metric Hex Driver, With Precision Handle** Metric sizes. Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Hex	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
<b>26307</b>	.7	.028	40	1.6	120	4.7	.02	10	
<b>26309</b>	.9	.035	40	1.6	120	4.7	.02	10	
<b>26313</b>	1.3	.050	40	1.6	120	4.7	.02	10	
<b>26315</b>	1.5	-	50	2.0	145	5.7	.03	10	
<b>26320</b>	2.0	5/64	50	2.0	145	5.7	.03	10	
<b>26325</b>	2.5	-	60	2.4	170	6.7	.04	10	
<b>26330</b>	3.0	-	60	2.4	170	6.7	.04	10	
<b>26340</b>	4.0	-	60	2.4	170	6.7	.05	10	

\*Metric dimensions actual - Inch dimensions approximate



**26391 8 Pc. Precision Hex Driver Set - Inch** Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Hex Inch:	
<b>26391</b>	.028, .035, .050 x 1.6"	.32
	1/16, 5/64 x 2.0"	
	3/32, 7/64, 1/8 x 2.4"	



**26390 7 Pc. Precision Hex Driver Set - Metric** Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Hex Metric:	
<b>26390</b>	.7, .9, 1.3 x 40mm	.28
	1.5, 2.0 x 50mm	
	2.5, 3.0 x 60mm	



**26399 8 Pc. Precision Hex Driver Set - Inch** Blade high alloy CVM steel. Hard chrome finished. In canvas storage pouch


Item No.	Hex Inch:	
<b>26399</b>	.028, .035, .050 x 1.6"	lbs. .55
	1/16, 5/64 x 2.0", 3/32, 7/64, 1/8 x 2.4"	



**91118 Rugged Polyester Canvas Storage Pouch** Holds 8 Precision Tools up to 170mm in length. Folding pouch. Has security flaps and velcro closer.

Item No.	Size	lbs.	pkg.
<b>91118</b>	14 1/2" W x 7 3/4" L	.13	1


**Wiha Ball End Precision Series**



**264 Inch Ball End Hex Inch Screwdriver**  
**With Precision Handle** Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finish.

Item	No.	Inch	mm	Inch	mm	Inch	lbs.	Pkg.
	26413	.050	40	1.6	120	4.7	.02	10
	26416	1/16	50	2.0	145	5.7	.03	10
	26419	5/64	50	2.0	145	5.7	.03	10
	26423	3/32	50	2.0	145	5.7	.03	10
	26427	7/64	60	2.4	170	6.7	.03	10
	26431	1/8	60	2.4	170	6.7	.05	10
	26436	9/64	60	2.4	170	6.7	.05	10
	26439	5/32	60	2.4	170	6.7	.05	10

\*Metric dimensions actual - Inch dimensions approximate



**264 Metric Ball End Hex Metric Screwdriver**  
**With Precision Handle** Angle entry up to 30°. Blade high alloy CVM steel.

Item	No.	mm	Inch	mm	Inch	mm	Inch	lbs.	Pkg.
	26413	1.3	.050	40	1.6	120	4.7	.02	10
	26415	1.5	-	50	2.0	145	5.7	.03	10
	26420	2.0	-	50	2.0	145	5.7	.03	10
	26425	2.5	-	60	2.4	170	6.7	.04	10
	26430	3.0	-	60	2.4	170	6.7	.05	10
	26440	4.0	-	60	2.4	170	6.7	.05	10

\*Metric dimensions actual - Inch dimensions approximate



**26491 5 Piece Ball End Hex Driver Set - Metric** Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum-steel.

Item	No.	Ball End Hex Metric:	lbs.
	26491	1.3 x 40mm 1.5, 2.0 x 50mm 2.5, 3.0 x 60mm	.31



**26490 8 Piece Ball End Hex Driver Set - Inch** Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel.

Item	No.	Hex Inch:	lbs.
	26490	.050 x 1.6, 1/16, 5/64, 3/32 x 2.0, 7/64, 1/8, 9/64, 5/32 x 2.4"	.40



**26499 8 Pc. Ball End Hex Driver Set - Inch** Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item	No.	Ball End Hex Inch:	lbs.
	26499	.050 x 1.6" 1/16, 5/64, 3/32 x 2.0" 7/64, 1/8, 9/64, 5/32 x 2.4"	.62

**Wiha TORX® Precision Series**



**26792 7 Pc. TORX® Screwdriver Set** Blade high alloy chrome-vanadium-molybdenum steel.

Item	No.	TORX®:	lbs.
	26792	T5, T6, T7, T8 x 40mm T9, T10 x 50mm T15 x 60mm	.33

**Wiha TORX® Precision Series**



**267 TORX® Screwdriver, With Precision Handle** Blade high alloy chrome-vanadium-molybdenum steel.

Item	No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
	26701	T1	40	1.6	120	4.7	.01	10
	26702	T2	40	1.6	120	4.7	.02	10
	26703	T3	40	1.6	120	4.7	.02	10
	26704	T4	40	1.6	120	4.7	.02	10
	26705	T5	40	1.6	120	4.7	.02	10
	26706	T6	40	1.6	120	4.7	.02	10
	26707	T7	40	1.6	120	4.7	.02	10
	26708	T8	40	1.6	120	4.7	.03	10
	26709	T9	50	2.0	145	5.7	.03	10
	26710	T10	50	2.0	145	5.7	.03	10
	26715	T15	60	2.4	170	6.7	.05	10
	26720	T20	60	2.4	170	6.7	.05	10

\*Metric dimensions actual - Inch dimensions approximate



**26790 6 Pc. TORX® Screwdriver Set** Blade high alloy chrome-vanadium-molybdenum steel.

Item	No.	TORX®:	lbs.
	26790	T6, T7, T8 x 40mm T9, T10 x 50mm T15 x 60mm	.30

**26791 Set 8 Pcs. TORX® Screwdriver Set**

Item No.	T1, T2, T3, T4,
26791	T5, T6, T7, T8



**26799 8 Pc. TORX® Screwdriver Set** Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item	No.	TORX®:	lbs.
	26799	T3, T4, T5, T6, T7, T8 x 40mm T9 x T10 x 50mm	.50

## Wiha Pentalobe Precision Series

Wiha Pentalobe drivers will fit fasteners used in "Apple" brand products including iPhone, Mac Book & Mac Air

- Exact fit precision machined tips
- High performance CRM72 tool steel
- Hard chromed finish blades & tips
- Tapered ergonomic handle
- Easy spin finger tip control cap



### 267 Pentalobe Screwdrivers, With

**Precision Handle** Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
26761	PL1	40	1.6	120	4.7	.01	1
26762	PL2	40	1.6	120	4.7	.02	1
26763	PL3	40	1.6	120	4.7	.02	1
26764	PL4	40	1.6	120	4.7	.02	1
26765	PL5	40	1.6	120	4.7	.02	1
26766	PL6	40	1.6	120	4.7	.02	1

\*Metric dimensions actual - Inch dimensions approximate (PL4 is used for Mac Book Pro)



### 26794 6 Pc. Precision Pentalobe

**Screwdriver Set** Blade high alloy CVM steel. Hard chrome finished.

Item No.	Pentalobe Drivers:	lbs.
26794	PL1, PL2, PL3, PL4, PL5, PL6	.35



### 92191 51 Pc. Precision Tool Tray Set

Tool box tray. Equipped with 51 precision drivers.

Item No.	Slotted:	lbs.
92191	.8, 1.0, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0	4.63
	<b>Phillips:</b> #000, #00, #0, #1	
	<b>Torx:</b> T1, T2, T3, T4, T5, T6, T7, T8, T9, T10	
	<b>Metric Hex:</b> 1.27, 1.5, 2.0, 2.5, 3.0, 4.0	
	<b>Inch Hex:</b> .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"	
	<b>Metric Nut Drivers:</b> 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5	
	26810 Chip Lifter	

## Wiha Precision Screwdriver Sets



### 92189 Master Technicians Bench Top Set

Metal frame. Equipped with 50 precision drivers.

Item No.	Slotted:	lbs.
92189	1.5, 2.0, 2.5, 3.0, 3.5, 4.0	3.67
	<b>Phillips:</b> #000, #00, #0, #1	
	<b>Pentalobe:</b> PL1, PL2, PL3, PL4	
	<b>TORX:</b> T1, T2, T3, T4, T5, T6, T7, T8, T9, T10	
	<b>Metric Hex:</b> 1.27, 1.5, 2.0, 2.5, 3.0	
	<b>Inch Hex:</b> .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"	
	<b>Metric Nut Drivers:</b> 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5	
	26810 Chip Lifter	



### 92190 Master Technicians Bench Top Set

Metal frame. Equipped with 50 precision drivers.

Item No.	Slotted:	lbs.
92190	.8, 1.0, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0	3.67
	<b>Phillips:</b> #000, #00, #0, #1	
	<b>TORX:</b> T1, T2, T3, T4, T5, T6, T7, T8, T9, T10	
	<b>Metric Hex:</b> 1.27, 1.5, 2.0, 2.5, 3.0	
	<b>Inch Hex:</b> .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"	
	<b>Metric Nut Drivers:</b> 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5	
	26810 Chip Lifter	

## PicoFinish Soft Grip Nut Drivers



### 265 Inch Nut Drivers, With Precision Soft PicoFinish Handle

Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	Inch	Inch	Inch	Inch	pkg.
26571	3/32	2.4	6.3	.71	10
26572	7/64	2.4	6.3	.71	10
26573	1/8	2.4	6.3	.71	10
26574	9/64	2.4	6.3	.71	10
26575	5/32	2.4	6.3	.71	10
26576	3/16	2.4	6.3	.71	10
26577	7/32	2.4	6.3	.71	10
26578	1/4	2.4	6.3	.71	10

\*Metric dimensions actual - Inch dimensions approximate



### 265 Metric Nut Drivers, With Precision PicoFinish Handle

Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	mm	mm	mm	mm	mm	mm	pkg.
26579	1.5	60	160	2.5	3.0	18	10
26581	2.0	60	160	3.2	4.0	18	10
26582	2.5	60	160	4.0	4.0	18	10
26583	3.0	60	160	5.0	5.0	18	10
26584	3.5	60	160	5.3	6.0	18	10
26585	4.0	60	160	5.5	6.0	18	10
26586	4.5	60	160	6.2	7.0	18	10
26587	5.0	60	160	6.8	7.0	18	10
26588	5.5	60	160	7.6	8.0	18	10
26589	6.0	60	160	8.2	9.0	18	10

\*Metric dimensions actual - Inch dimensions approximate



### 26593 8 Piece Inch Nut Driver Set, With Precision Soft PicoFinish Handle

In storage pouch

Item No.	Inch Nut Drivers:	lbs.
26593	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	.72

### 26596 8 Piece Metric Nut Driver Set, With Precision Soft PicoFinish Handle

In storage pouch

Item No.	Metric Nut Drivers:	lbs.
26596	2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5 x 60mm	.66

**Wiha Soft Grip PicoFinish Precision Screwdrivers**

**The Comfortable Precision Screwdriver**

Soft Grip Handle

CVM tool steel blade, hardened, hard chrome finish

Ergonomic multi-component handle with rotating cap for maximum user comfort and precise control

Sets In Roll-Up Pouch



Ergonomic multi-component handle with rotating cap for maximum user comfort and precise control



**260 Slotted Precision Screwdriver, With PicoFinish Handle** Blade CVM steel, hardened, hard chromed.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	Pkg.
26050	0.8	.03	40	1.6	134	5.3		
26051	1.0	.04	40	1.6	134	5.3	10	
26052	1.2	.05	40	1.6	134	5.3	10	
26053	1.5	.06	40	1.6	134	5.3	10	
26055	1.8	.07	40	1.6	134	5.3	10	
26056	1.8	.07	60	2.4	154	6.1	10	
26060	2.0	.08	40	1.6	140	5.5	10	
26061	2.0	.08	60	2.4	160	6.3	10	
26065	2.5	.09	50	2.0	150	5.9	10	
26066	2.5	.09	75	3.0	175	6.9	10	
26068	2.5	.09	100	3.9	200	7.9	10	
26070	3.0	.13	50	2.0	150	5.9	10	
26072	3.0	.13	100	3.9	200	7.9	10	
26073	3.0	.13	150	5.9	250	9.8	10	
26074	3.5	.14	60	2.4	160	6.3	10	
26076	4.0	.16	60	2.4	160	6.3	10	
26079	4.0	.16	100	3.9	200	7.9	10	
26080	4.0	.16	150	5.9	250	9.8	10	

\*Metric dimensions actual - Inch dimensions approximate



**261 Phillips Precision Screwdriver, With Soft PicoFinish Precision Handle** Blade high alloy CVM steel. Hard chrome finished.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	Pkg.
26130	000	40	1.6	2.0	.08	134	5.3	10
26132	00	40	1.6	2.0	.08	134	5.3	10
26135	0	50	2.0	3.0	.12	150	5.9	10
26136	0	75	3.0	3.0	.12	175	6.9	10
26140	1	60	2.4	4.0	.16	160	6.3	10
26142	1	80	3.1	4.0	.16	180	7.1	10
26145	1	150	5.9	4.0	.16	250	9.8	10

\*Metric dimensions actual - Inch dimensions approximate



In storage pouch



**26193 8 Pc. Slotted & Phillips Precision Driver Set, With Soft PicoFinish Handle** Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.	Slotted:	lbs.
26193	1.0, 1.5, 2.0 x 40mm 2.5 x 50mm, 3.5 x 60mm Phillips: 00 x 40mm 0 x 50mm, 1 x 60mm	.55



**267 MagicSpring Screw Holding TORX® Screwdriver, With Wiha-Precision Soft PicoFinish Handle** Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-PicoFinish precision handle, molded on, soft grips.

Item No.	Size	mm	Inch	mm	Inch	lbs.	Pkg.
26721	T6	40	1.6	140	5.5	.03	10
26723	T7	40	1.6	140	5.5	.03	10
26725	T8	40	1.6	140	5.5	.03	10
26727	T9	50	2.0	150	5.9	.04	10
26731	T15	60	2.4	160	6.3	.04	10

\*Metric dimensions actual - Inch dimensions approximate



**26798 6 Pc. MagicSpring Screw Holding TORX® Screwdriver Set, With Wiha-Precision Soft PicoFinish Handle** Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-PicoFinish precision handle, molded on, soft grips. In storage pouch

Item No.	MagicSpring TORX®:	lbs.
26798	T6, T7, T8 x 40mm T9, T10, T15 x 50mm	.50



**26093 8 Pc. Slotted Precision Screwdriver Set, With Soft PicoFinish Handle** In storage pouch

Item No.	Slotted:	lbs.
26093	.8, 1.2, 1.5, 2.0 x 40mm 2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm	.54



## Wiha Pico Soft Grip TORX®



**267 TORX® Screwdriver, With Precision Soft PicoFinish Handle** Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item						
No.	Size	mm	Inch	mm	Inch	Pkg.
26732	T1	40	1.6	134	5.3	10
26733	T2	40	1.6	134	5.3	10
26735	T3	40	1.6	134	5.3	10
26736	T4	40	1.6	134	5.3	10
26737	T5	40	1.6	134	5.3	10
26739	T6	40	1.6	140	5.5	10
26741	T7	40	1.6	140	5.5	10
26743	T8	40	1.6	140	5.5	10
26745	T9	50	2.0	150	5.9	10
26747	T10	50	2.0	150	5.9	10
26749	T15	60	2.4	160	6.3	10
26751	T20	60	2.4	160	6.3	10

\*Metric dimensions actual - Inch dimensions approximate

In storage pouch



**26793 8 Pc. TORX® Precision Driver Set, With Soft PicoFinish Handle** Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit.

Item	TORX®:		lbs.
No.	T1, T2, T3, T4,		
26793	T5, T6, T7, T8		.50

In storage pouch



**26796 8 Pc. TORX® Precision Driver Set, Soft PicoFinish Handle** Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit.

Item	TORX®:		lbs.
No.	T5, T6, T7, T8 x 40mm		.57
26796	T9, T10 x 50mm, T15, T20 x 60mm		

## Pico Soft Grip Hex Inch & Metric



**263 Hex Inch Screwdriver, With Precision Soft PicoFinish Handle** Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item						
No.	Inch	mm	Inch	mm	Inch	Pkg.
26341	.028(0.7)	40	1.6	134	5.3	10
26343	.035(0.9)	40	1.6	134	5.3	10
26345	.050(1.3)	40	1.6	134	5.3	10
26349	5/64(2.0)	50	2.0	150	5.9	10
26363	1/16	50	2.0	144	5.7	10
26367	3/32	60	2.4	160	6.3	10
26369	7/64	60	2.4	160	6.3	10
26371	1/8	60	2.4	160	6.3	10

\*Metric dimensions actual - Inch dimensions approximate



**26392 8 Piece Hex Inch Precision Driver Set, Soft PicoFinish Handle** Blade high alloy CVM steel, hardened, hard chromed.

Item	Hex Inch:		lbs.
No.	.028, .035, .050 x 1.6"		.24
26392	5/64, 1/16 x 2.0", 3/32, 7/64, 1/8 x 2.4"		



**263 Hex Metric Driver, With Precision Soft PicoFinish Handle**

Item						
No.	mm	mm	Inch	mm	Inch	Pkg.
26341	.7(.028)	40	1.6	134	5.3	10
26343	.9(.035)	40	1.6	134	5.3	10
26345	1.3(.050)	40	1.6	134	5.3	10
26347	1.5	50	2.0	144	5.7	10
26349	2.0(5/64)	50	2.0	150	5.9	10
26351	2.5	60	2.4	160	6.3	10
26353	3.0	60	2.4	160	6.3	10

\*Metric dimensions actual - Inch dimensions approximate



**26393 7 Piece Hex Metric Precision Driver Set, Soft PicoFinish Handle** Blade high alloy CVM steel, hardened, hard chromed.

Item No.	Hex Metric:		lbs.
26393	.71, .89, 1.27 x 40mm		.22
	1.5, 2.0 x 50mm, 2.5, 3.0 x 60mm		

## Pico Soft Grip Ball End Inch & Metric



**264 Ball End Hex Inch Screwdriver, With Precision Soft PicoFinish Handle** Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item						
No.	Inch	Inch	mm	Inch	mm	pkg.
26455	1/16	2.0	50	5.9	150	10
26457	5/64	2.0	50	5.9	150	10
26459	3/32	2.0	50	5.9	150	10
26461	7/64	2.4	60	6.3	160	10
26463	1/8	2.4	60	6.3	160	10
26465	9/64	2.4	60	6.3	160	10
26467	5/32	2.4	60	6.3	160	10

\*Metric dimensions actual - Inch dimensions approximate



**26493 7 Pc. Inch Ball End Hex Precision Driver Set, With Soft PicoFinish Handle**

Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item		lbs.
No.	Ball End Hex Inch:	.27
26493	1/16, 5/64, 3/32 x 2.0"	
	7/64, 1/8, 9/64, 5/32 x 2.4"	



**264 Ball End Hex Metric Screwdriver, With Precision Soft PicoFinish Handle.** Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item						
No.	mm	mm	Inch	mm	Inch	pkg.
26441	1.3	40	1.6	134	5.3	10
26443	1.5	50	2.0	150	5.9	10
26445	2.0	50	2.0	150	5.9	10
26447	2.5	60	2.4	160	6.3	10
26449	3.0	60	2.4	160	6.3	10

\*Metric dimensions actual - Inch dimensions approximate



## Wiha SYSTEM 4 Precision Handles and Blades



**26900 SYS 4 Standard Precision Handle**, with rotating control cap. Accepts all SYSTEM 4 interchangeable blades. Wiha Precision handle, tapered, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
26900	4.0	.1574	14.0	.55	.04



**28000 ESD Safe Dissipative Precision Handle** with rotating control cap. Surface resistant 10<sup>6</sup>-10<sup>9</sup> Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Tapered handle, high quality plastic, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
28000	4.0	.1574	14.0	.55	.04



**269 SYSTEM 4 Slotted Reversible Blade** High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item					
No.	mm	mm	mm	Inch	lbs.
26903	1.5	+ 3.0	120	4.7	.05
26904	2.0	+ 3.5	120	4.7	.05
26905	2.5	+ 4.0	120	4.7	.06



**269 SYSTEM 4 Phillips Reversible Blade** High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item					
No.	Size	Size	mm	Inch	lbs.
26911	000	+ 00	120	4.7	.03
26912	0	+ 1	120	4.7	.03

**Rotating Cap** for precise turning and control

**Tapered Handle** allows rapid rotation, requires less clearance

**Precision Handle** high quality plastic. ESD Safe or Standard styles

**Tips** Exact fit, precision machined

**Blades** CVM steel, hardened, hard chromed. On 4mm Hex shafts

Collet Lock Handle adjustable blade length from 15 to 95mm/.6" to 3.75"



**269 SYSTEM 4 Metric Ball End & Standard Hex, Reversible Blade** CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips. One side hex, other side ballpoint hex.

Item					
No.	mm	mm	mm	Inch	lbs.
26932	1.3	+ 1.3	120	4.7	.05
26935	2.5	+ 2.5	120	4.7	.06
26936	3.0	+ 3.0	120	4.7	.06
26937	4.0	+ 4.0	120	4.7	.06



**280 SYSTEM 4 Metric Ball End Hex Interchangeable Blade** High alloy tool steel, hardened, corrosion protected. Ball end works at 30° angle entry for easy access to fasteners.

Item					
No.	mm	mm	Inch	lbs.	pkg.
28033	1.5	120	4.7	.06	1
28034	2.0	120	4.7	.06	1
28035	2.5	120	4.7	.06	1
28036	3.0	120	4.7	.06	1
28037	4.0	120	4.7	.06	1



**280 SYSTEM 4 Inch Ball End Hex Interchangeable Blade** High alloy tool steel, hardened, corrosion protected. Ball end works at 30° angle entry for easy access to fasteners.

Item				
No.	Inch	mm	Inch	lbs.
28021	.050	120	4.7	.06
28023	1/16	120	4.7	.06
28024	5/64	120	4.7	.06
28026	7/64	120	4.7	.06
28027	1/8	120	4.7	.06
28028	9/64	120	4.7	.06
28029	5/32	120	4.7	.06



**269 SYSTEM 4 Combined Slotted/Phillips Reversible Blade**

Item					
No.	mm	Size	mm	Inch	lbs.
26971	1.5	+ 000	120	4.7	.05
26972	2.0	+ 00	120	4.7	.05
26973	3.0	+ 0	120	4.7	.05
26974	4.0	+ 1	120	4.7	.06



**269 SYSTEM 4 Pozidriv Reversible Blade** High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item					
No.	Size	Size	mm	Inch	lbs.
26922	0	+ 1	120	4.7	.03



### Wiha SYSTEM 4 Precision Blades




**269 SYSTEM 4 Metric Hex Sizes, Interchangeable Blade** High alloy CVM steel, hardened, corrosion protected.

Item				
No.	mm	mm	Inch	lbs.
26913	0.7	120	4.7	.06
26914	0.9	120	4.7	.06
26916	1.5	120	4.7	.06
26917	2.0	120	4.7	.06
26918	2.5	120	4.7	.06
26919	3.0	120	4.7	.06
26920	4.0	120	4.7	.06



**269 SYSTEM 4 Inch Hex Sizes, Interchangeable Blade** High alloy CVM steel, hardened, corrosion protected.

Item				
No.	Inch	mm	Inch	lbs.
26921	.050	120	4.7	.06
26923	1/16	120	4.7	.06
26924	5/64	120	4.7	.06
26925	3/32	120	4.7	.06
26926	7/64	120	4.7	.06
26927	1/8	120	4.7	.06
26928	9/64	120	4.7	.06
26929	5/32	120	4.7	.06



**269 SYSTEM 4 TORX® Reversible Blade** High alloy CVM steel, hardened, vapor chrome protected, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL.

Item			
No.	Size	Size	lbs.
26951	T6 +	T8	.03
26952	T7 +	T9	.03
26953	T10 +	T15	.03
26954	T15 +	T20	.03



**269 SYSTEM 4 TORX® Interchangeable Blade** High alloy CVM steel, hardened, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL.

Item		
No.	Size	lbs.
26955	T3	.03
26956	T4	.03
26957	T5	.03

### Wiha SYSTEM 4 Drive-Loc Precision Locking Tools

Blade lengths can be adjusted from 18mm (.7") to 90mm (3.5") Max. In 3mm increments



**26906 SoftFinish® Cushion Grip Drive-Loc Handle** 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Ball retainer hold. 105mm/4.13" OAL.

Item					
No.	mm	Inch	mm	Inch	lbs.
26906	4.0	.1574	23	.91	.08



**26961 ESD Safe Dissipative Precision Drive-Loc Handle** Surface resistant 10<sup>6</sup>-10<sup>9</sup> Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Ball retainer hold. 105mm/4.13" OAL.

Item					
No.	mm	Inch	mm	Inch	lbs.
26961	4.0	.1574	23	.91	.08



**269 SYSTEM 4 Slotted Drive-Loc Reversible Locking Blades** On 4mm Hex

Item			
No.	mm	mm	lbs.
26958	1.5 +	3.0	.02
26959	2.0 +	3.5	.02
26960	2.5 +	4.0	.02



**269 SYSTEM 4 Phillips Drive-Loc Reversible Locking Blades** On 4mm Hex

Item			
No.	Size	Size	lbs.
26975	000 +	00	.02
26976	0 +	1	.02



**269 SYSTEM 4 TORX® Drive-Loc Reversible Locking Blades** On 4mm Hex

Item			
No.	Size	Size	lbs.
26977	T1 +	T2	.02
26978	T3 +	T4	.02
26979	T5 +	T6	.02
26980	T6 +	T8	.02
26981	T7 +	T9	.02
26982	T10 +	T15	.02
26983	T15 +	T20	.02



**280 SYSTEM 4 Pozidriv® Drive-Loc Reversible Locking Blades** On 4mm Hex

Item			
No.	Size	Size	lbs.
28002	0 +	1	.02



**280 SYSTEM 4 Metric Ball End Hex & Hex Metric Drive-Loc Reversible Locking Blades** On 4mm Hex blades

Item			
No.	mm	mm	lbs.
28003	1.3 +	1.3	.02
28004	1.5 +	1.5	.02
28005	2.0 +	2.0	.02
28006	2.5 +	2.5	.02
28007	3.0 +	3.0	.02
28008	4.0 +	4.0	.02



**280 SYSTEM 4 Metric Nut Drivers Drive-Loc Locking Blades** On 4mm Hex blades

Item			
No.	mm	mm	lbs.
28009	1.5 +	1.8	.02 Reversible
28010	2.0 +	2.5	.02 Reversible
28011	3.0 +	-	.02
28012	3.2 +	-	.02
28013	3.5 +	-	.02
28014	4.0 +	-	.02
28015	4.5 +	-	.02
28016	5.0 +	-	.02
28017	5.5 +	-	.02

## Wiha Drive-Loc IV Precision Locking Tools



**26985 12 Piece Precision ESD Safe Drive-Loc IV Set** In storage pouch

Item No.

**26985 ESD Safe Drive-Loc Handle**

↔ Slotted: 1.5x3.0, 2.0x3.5, 2.5x4.0

lbs. .44 Phillips: 000x00, 0x1

**TORX®:** T1xT2, T3xT4, T5xT6, T6xT8, T7xT9, T10xT15



**26984 9 Piece Precision Drive-Loc IV Interchangeable Blade Set**

Item No.

**26984 SoftFinish® Drive-Loc Handle**

↔ Slotted: 1.5x3.0, 2.0x3.5, 2.5x4.0

lbs. .47 Phillips: 000x00, 0x1

**TORX®:** T6xT8, T7xT9, T10xT15



**26970 12 Piece Precision ESD Safe Drive-Loc IV and Tweezers Set**

Item No.

**26970 ESD Safe Drive-Loc Handle**

↔ Slotted: 2.0x3.5, 2.5x4.0

lbs. .59 Phillips: 000x00, 0x1

**TORX®:** T6xT8, T7xT9, T10xT15  
44501 Fine Point - AA SA  
44509 Extra Fine Point - 5 SA  
44505 Flat and Blunt - 2a SA  
44510 Curved Fine Point - 7a SA



**26994 9 Piece Precision ESD Safe Drive-Loc IV Interchangeable Blade Set**

Item No.

**26994 ESD Safe Drive-Loc Handle**

↔ Slotted: 1.5x3.0, 2.0x3.5, 2.5x4.0


lbs. .47 Phillips: 000x00, 0x1

**TORX®:** T6xT8, T7xT9, T10xT15

## Precision Interchangeable Blade Sets In Metal Box



**26987 8 Pc. TORX® Precision Blade Set**

Wiha ESD Safe  precision collet lock handle and 7 interchangeable blades.

**26987 Set includes the following blades:**

 **TORX® standard blades:** T3, T4, T5

 **TORX® reversible blades:**

T6, T7, T8, T9, T10, T15, T20

↔ lbs. .62

**Rotating Cap**  
for precise turning and control

**Tapered Handle**  
allows rapid rotation, requires less clearance

**Precision Handle**  
high quality plastic, cadmium free. ESD Safe or Standard styles





**Blades**  
CVM steel, hardened, hard chromed

**Tips**  
Exact fit, precision machined

15mm  
Collet Lock Handle adjustable blade length from 15 to 95mm/.6" to 3.75"  
95mm







**269 SYSTEM 4 Nut Driver Inch, Interchangeable Blade** High alloy CVM steel, hardened, corrosion protected. On 4mm Hex shaft. 120mm/4.7" OAL

Item No.	 Inch	 Inch	 Inch	 lbs.
26962	3/32	.16	.16	.04
26963	7/64	.20	.20	.04
26964	1/8	.20	.20	.04
26965	9/64	.21	.24	.04
26966	5/32	.22	.24	.04
26968	7/32	.30	.32	.04
26969	1/4	1.34	.36	.04



**269 SYSTEM 4 Nut Driver Metric, Interchangeable Blade** High alloy CVM steel, hardened, corrosion protected. On 4mm Hex Shaft. 120mm/4.7" OAL

Item No.	 mm	 mm	 Inch	 lbs.
26940	1.5 + 1.8	.12	.12	.03
26941	2.0 + 2.5	.16	.16	.03
26938	1.5 -	.11	.11	.04
26939	1.8 -	.12	.12	.04
26949	2.0 -	.13	.13	.06
26950	2.5 -	.16	.16	.06
26942	3.0 -	.20	.20	.06
26943	3.2 -	.20	.20	.06
26944	3.5 -	.22	.24	.06
26945	4.0 -	.22	.24	.06
26946	4.5 -	.25	.28	.06
26947	5.0 -	.27	.28	.06
26948	5.5 -	.30	.32	.06

**Wiha SoftFinish® Handle - Ergonomic Cushion Grip**

Handle is molded directly onto the blade for a permanent bond



**Wiha SoftFinish® Handle:** Featuring advanced technology dual material molding. A remarkable improvement in handle design, comfort and performance. The SoftFinish® ergonomic shape allows maximum torque and user comfort.

**Wiha Nut Drivers** are precision formed to exact tolerances for a perfect fit every time

All blades are made of Wiha's exclusive formula chrome-vanadium-molybdenum tool steel, super hardened plated for unmatched durability



**341 Nut Driver, With Wiha-SoftFinish® Handle** Inch sizes. Blade CVM steel, hardened.

Deep drawn 1" socket. Solid shafts. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Socket	Inch	mm	Inch	mm	Inch	mm	lbs.	pkg.
34134	9/64	5.0	125	238	9.4	1.18	30	.18	10
34135	5/32	5.0	125	238	9.4	1.18	30	.24	10
34136	3/16	5.0	125	238	9.4	1.18	30	.25	10
34137	7/32	5.0	125	238	9.4	1.18	30	.26	10
34138	1/4	5.0	125	246	9.7	1.42	36	.38	10
34139	5/16	5.0	125	246	9.7	1.42	36	.40	10
34140	11/32	5.0	125	246	9.7	1.42	36	.40	10
34141	3/8	5.0	125	246	9.7	1.42	36	.40	10
34142	7/16	5.0	125	246	9.7	1.61	41	.40	10
34143	1/2	5.0	125	246	9.7	1.61	41	.40	10
34144	9/16	5.0	125	246	9.7	1.61	41	.40	10
34145	5/8	5.0	125	246	9.7	1.61	41	.40	10

**341 Nut Driver, With Wiha-SoftFinish® Handle** Metric sizes

Item No.	Socket	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
34120	5.0	125	5.0	238	9.4	30	1.18	.14	10
34121	5.5	125	5.0	238	9.4	30	1.18	.14	10
34122	6.0	125	5.0	238	9.4	30	1.18	.15	10
34123	7.0	125	5.0	238	9.4	36	1.42	.25	10
34124	8.0	125	5.0	238	9.4	36	1.42	.25	10
34126	10.0	125	5.0	238	9.4	36	1.42	.27	10
34127	11.0	125	5.0	247	9.7	41	1.61	.37	10
34128	12.0	125	5.0	247	9.7	41	1.61	.40	10
34129	13.0	125	5.0	247	9.7	41	1.61	.40	10
34130	14.0	125	5.0	247	9.7	41	1.61	.40	10
34131	15.0	125	5.0	247	9.7	41	1.61	.40	10
34132	16.0	125	5.0	249	9.8	41	1.61	.42	10
34133	17.0	125	5.0	249	9.8	41	1.61	.42	10

**341 Magnetic Nut Driver, With Wiha-SoftFinish® Handle**

Item No.	Socket	mm	Inch	mm	Inch	lbs.	pkg.
34152	5.5	125	5.0	238	9.4	.14	10
34154	5.5	250	9.8	361	14.2	.21	10
34158	7.0	125	5.0	238	9.4	.15	10



**34193 7 Pcs. Nut Driver Set** Inch sizes.

Blade CVM steel, hardened.

Deep drawn 1" socket.

Item No.	Socket	Inch	mm	Socket	Inch	mm	lbs.
34193	3/16	5.0	3/8	5.0	1.89		
	1/4	5.0	7/16	5.0			
	5/16	5.0	1/2	5.0			
	11/32	5.0					



**34195 10 Piece Nut Driver Set** Inch sizes

Item No.	Socket	Inch	mm	Socket	Inch	mm	lbs.
34195	3/16	5.0	3/8	5.0	3.12		
	7/32	5.0	7/16	5.0			
	1/4	5.0	1/2	5.0			
	5/16	5.0	9/16	5.0			
	11/32	5.0	5/8	5.0			



**34194 7 Piece Nut Driver Set** Metric sizes

Item No.	Socket	mm	mm	Socket	mm	mm	lbs.
34194	5.0	125	8.0	125	1.93		
	5.5	125	10.0	125			
	6.0	125	13.0	125			
	7.0	125					

## Wiha SoftFinish® Heavy Duty Nut Drivers



### 347 Nut Driver, With Hex Bolster & Wiha-SoftFinish® Handle

Blade CVM steel, hardened. Deep drawn 1" socket. Hex bolster for additional torque, Solid shafts. Wiha-SoftFinish® cushion grip handle.

Item No.	mm	mm	Inch	mm	mm	Inch	mm	Inch	lbs.	pkg.
34712	7.0	125	5.0	10.0	238	9.4	36	1.42	.25	10
34715	8.0	125	5.0	10.0	238	9.4	36	1.42	.25	10
34718	9.0	125	5.0	10.0	238	9.4	36	1.42	.26	10
34721	10.0	125	5.0	10.0	238	9.4	36	1.42	.27	10
34724	11.0	125	5.0	13.0	247	9.7	41	1.61	.37	10
34727	12.0	125	5.0	13.0	247	9.7	41	1.61	.40	10
34730	13.0	125	5.0	13.0	247	9.7	41	1.61	.40	10



### 347 Nut Driver, Hex Bolster & Wiha-SoftFinish® Handle Inch sizes

Item No.	Inch	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
34753	3/16	5.0	125	5/16	231	9.1	36	1.42	.18	10
34759	1/4	5.0	125	3/8	238	9.4	36	1.42	.24	10
34765	5/16	5.0	125	3/8	238	9.4	36	1.42	.25	10
34771	3/8	5.0	125	3/8	238	9.4	36	1.42	.26	10
34774	7/16	5.0	125	1/2	246	9.7	41	1.61	.38	10
34777	1/2	5.0	125	1/2	246	9.7	41	1.61	.40	10



### 34791 5 Piece Nut Driver Set Metric sizes

Item No.	mm	mm	mm	mm	lbs.
34791	5.0*	125	10.0	125	1.42
	6.0*	125	11.0	125	
	8.0	125			

\*Standard blade - no hex bolster



### 34792 6 Piece Nut Driver Set Inch sizes

Item No.	Inch	Inch	Inch	Inch	lbs.
34792	3/16	5.0	3/8	5.0	1.94
	1/4	5.0	7/16	5.0	
	5/16	5.0	1/2	5.0	

## Wiha SoftFinish® Metric Nut Drivers - Hollow Shaft

- Hollow shafts allow for fit over extended bolts
- Finally a handle that makes Nut Drivers useful
- Get 40% more power with SoftFinish cushion grip
- Soft ergonomic molded shape for maximum comfort
- Hardened for maximum torque and wear resistance
- Heavy duty hollow shaft - 3.7" depth
- Chrome plated anti corrosion finish



### 343 Hollow Shaft Nut Driver With Wiha-SoftFinish® Handle Metric

Item No.	mm	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
34302	5.0	70	2.75	175	7.0	36	1.42	.14	10
34304	5.5	70	2.75	175	7.0	36	1.42	.14	10
34306	6.0	70	2.75	175	7.0	36	1.42	.15	10
34308	7.0	70	2.75	182	7.5	41	1.61	.25	10
34310	8.0	70	2.75	182	7.5	41	1.61	.25	10
34312	10.0	70	2.75	187	7.6	41	1.61	.27	10
34314	13.0	70	2.75	187	7.6	41	1.61	.40	10



### 34391 7 Piece Hollow Shaft Nut Driver Set Metric Sizes

Item No.	mm	mm	mm	mm	lbs.
34391	5.0	70	8.0	70	1.41
	5.5	70	10.0	70	
	6.0	70	13.0	70	
	7.0	70			

**Long Flexible Shaft Nut Drivers, SoftFinish® Handle - Ergonomic Cushion Grip**



**372 Long Flexible Shaft Nut Driver, With Wiha-SoftFinish® Handle** Inch sizes. Heavy Duty flexible shaft of braided steel with protective sleeve. Hardened mounted socket for optimal torque. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	⊙	⊖	⊖	⊖	⊖	⊖	⊖	⊖	⊖
	Inch	Inch	mm	mm	Inch	mm	Inch	lbs.	pkg.
37220	3/16	5.9	150	261	10.2	30	1.18	.30	1
37222	1/4	5.9	150	261	10.2	36	1.42	.42	1
37226	3/8	6.9	175	261	10.2	36	1.42	.44	1
37228	7/16	6.9	175	261	10.2	41	1.61	.44	1
37230	1/2	6.9	175	261	10.2	41	1.61	.44	1



**372 Long Flexible Shaft Nut Driver, With Wiha-SoftFinish® Handle** Metric sizes. Heavy Duty flexible shaft of braided steel with protective sleeve. Hardened mounted socket for optimal torque. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	⊙	⊖	⊖	⊖	⊖	⊖	⊖	⊖	⊖
	mm	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
37235	5.0	150	5.9	261	10.2	30	1.18	.16	1
37236	5.5	150	5.9	261	10.2	30	1.18	.16	1
37237	6.0	150	5.9	261	10.2	30	1.18	.17	1
37238	7.0	150	5.9	261	10.2	36	1.42	.28	1
37239	8.0	150	5.9	261	10.2	36	1.42	.28	1
37241	10.0	175	6.9	261	10.2	41	1.61	.44	1
37244	13.0	175	6.9	261	10.2	41	1.61	.44	1



**37290 6 Piece Flexible Shaft Nut Driver Set, Inch Sizes**

Item No.	⊙	⊖	⊙	⊖	⊖
	Inch	Inch	Inch	Inch	lbs.
37290	3/16	5.9	3/8	6.9	2.50
	1/4	5.9	7/16	6.9	
	5/16	5.9	1/2	6.9	



**37291 7 Piece Flexible Shaft Nut Driver Set, Metric Sizes**

Item No.	⊙	⊖	⊙	⊖	⊖
	mm	mm	mm	mm	lbs.
37291	5.0	150	8.0	150	1.93
	5.5	150	10.0	175	
	6.0	150	13.0	175	
	7.0	150			

**Wiha SoftFinish® Inch Nut Drivers - Hollow Shaft**



**343 Hollow Shaft Nut Driver-Wiha-SoftFinish® Handle** Inch sizes

Item No.	⊙	⊖	⊖	⊖	⊖	⊖	⊖	⊖	⊖
	Inch	Inch	mm	mm	Inch	mm	Inch	lbs.	pkg.
34336	3/16	2.75	70	175	7.0	30	1.18	.18	10
34338	1/4	2.75	70	175	7.0	30	1.18	.24	10
34339	5/16	2.75	70	175	7.0	36	1.42	.25	10
34340	11/32	2.75	70	182	7.5	36	1.42	.25	10
34341	3/8	2.75	70	182	7.5	36	1.42	.26	10
34342	7/16	2.75	70	187	7.6	41	1.61	.38	10
34343	1/2	2.75	70	187	7.6	41	1.61	.40	10



**34390 7 Piece Hollow Shaft Nut Driver Set, Inch Sizes**

Item No.	⊙	⊖	⊙	⊖	⊖
	Inch	Inch	Inch	Inch	lbs.
34390	3/16	2.75	3/8	2.75	1.55
	1/4	2.75	7/16	2.75	
	5/16	2.75	1/2	2.75	
	11/32	2.75			



Inch Color Coded To Size


## Wiha SoftFinish® Triangle Nut Drivers



### 344 Triangle Nut Driver, With Wiha-SoftFinish® Handle

Blade Chrome-vanadium-molybdenum steel, hardened. Wiha-SoftFinish® cushion grip handle.

Item	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
34474	M4	6.8	.267	125	5"	236	9.3	30	1.18	.17	10
34475	M5	8.3	.326	125	5"	236	9.3	30	1.18	.19	10
34476	M6	10.1	.413	125	5"	236	9.3	30	1.18	.21	10
34478	M8	12.1	.474	125	5"	243	9.6	36	1.42	.23	10
34480	M10	15.1	.592	125	5"	243	9.6	36	1.42	.25	10
34482	M12	16.1	.651	125	5"	243	9.6	41	1.61	.27	10



## Wiha T-Handle Nut Drivers



### 336 Nut Driver, With Wiha T-handle Blade CVM steel, hardened, nickel-plated.

Wiha T-handle high quality plastic, impact resistant. Deep drawn 1" socket, solid shaft.

Item	Inch	Inch	mm	Inch	mm	Inch	mm	lbs.	pkg.
33653	3/16	6.0	150	7.2	182	4.0	100	.16	10
33659	1/4	6.0	150	7.2	182	4.0	100	.18	10
33665	5/16	6.0	150	7.2	182	4.0	100	.19	10
33671	3/8	6.0	150	7.2	182	4.0	100	.20	10
33674	7/16	6.0	150	7.2	182	4.0	100	.26	10
33677	1/2	6.0	150	7.2	182	4.0	100	.30	10



### 33690 6 Pc. Nut Driver T-handle Set

Inch Sizes. Blade CVM steel, hardened, nickel-plated. Wiha T-handle high quality plastic, impact resistant. Deep drawn 1" socket, solid shaft.

Item	Inch	Inch	Inch	Inch	lbs.
33690	3/16	6.0	3/8	6.0	1.61
	1/4	6.0	7/16	6.0	
	5/16	6.0	1/2	6.0	



### 336 Nut Driver, With Wiha T-handle Blade CVM steel, hardened, nickel-plated. Wiha

T-handle high quality plastic, impact resistant. Deep drawn 1" socket, solid shaft.

Item	mm	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
33603	6.0	125	4.9	157	6.2	100	4.0	.16	10
33606	8.0	125	4.9	157	6.2	100	4.0	.18	10
33607	8.0	200	7.9	232	9.1	100	4.0	.22	10
33609	9.0	125	4.9	157	6.2	100	4.0	.23	10
33612	10.0	125	4.9	157	6.2	100	4.0	.24	10
33614	10.0	230	9.0	262	10.3	100	4.0	.26	10
33620	12.0	125	4.9	157	6.2	100	4.0	.26	10
33622	13.0	125	4.9	157	6.2	100	4.0	.27	10
33623	13.0	230	9.0	262	10.3	100	4.0	.30	10



### 33691 5 Piece Nut Driver T-handle Set

Metric Sizes. Blade CVM steel, hardened, nickel-plated. Wiha T-handle high quality plastic, impact resistant. Deep drawn 1" socket, solid shaft.

Item	mm	mm	mm	mm	lbs.
33691	6.0	125	10.0	125	1.57
	8.0	125	13.0	125	
	9.0	125			

**Wiha Drive-Loc VI Nut Drivers**




Locking mechanism in Wiha SoftFinish® cushion grip ergonomic handle. Blade length can be adjusted from 40mm-120mm. (1.7 to 4.7" In 1/8" increments)

**See Drive-Loc VI Handles & Screwdrivers on pages 17-18**

**Drive-Loc VI**

**For Adjustable Length Locking Blades**



The blade length can be adjusted from 40mm-120mm. (1.7 to 4.7")



**281 Drive-Loc VI Inch Nut Driver Blades**

High alloy CVM steel, through hardened, hard chrome finish. OAL blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	Inch	OAL	lbs.	pkg.
28156	3/16	5.9"	.11	1
28157	7/32	5.9"	.11	1
28158	1/4	5.9"	.11	1
28159	9/32	5.9"	.12	1
28160	5/16	5.9"	.13	1
28161	11/32	5.9"	.14	1
28162	3/8	5.9"	.15	1
28163	7/16	5.9"	.17	1
28164	1/2	5.9"	.18	1



**281 Drive-Loc VI Metric Nut Driver Blades**

High alloy CVM steel, through hardened, hard chrome finish. OAL blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	mm	OAL	lbs.	pkg.
28168	4.0	150mm	.10	1
28169	4.5	150mm	.10	1
28170	5.0	150mm	.11	1
28171	5.5	150mm	.11	1
28172	6.0	150mm	.12	1
28173	7.0	150mm	.13	1
28174	8.0	150mm	.13	1
28177	9.0	150mm	.14	1
28175	10.0	150mm	.15	1
28176	11.0	150mm	.20	1



**28196 8 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch**

Set includes Drive-Loc VI handle & 7 Inch Nut Driver blades.

Item No.	lbs.
28196	1.22

**Inch:** 3/16, 1/4, 5/16, 11/32, 3/8, 7/16, 1/2"  
SoftFinish® Cushion Grip Blade Lock Handle



**28198 8 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch**

Set includes Drive-Loc VI handle & 7 Metric Nut Driver blades.

Item No.	lbs.
28198	1.00

**Metric:** 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0mm  
SoftFinish® Cushion Grip Blade Lock Handle



**28144 Extension Blade For Drive-Loc VI Blades** High alloy CVM steel, through hardened, hard chrome finish. OAL blade length 6.5". Blades fit all Drive-Loc VI handles.

Item No.	mm	OAL	lbs.	pkg.
28144	6.0	150mm	.14	1

**Wiha Power Blade Nut Drivers - 100mm**



**76000 CentroFix Cushion Grip Blade Holder**

Wiha-SoftFinish® impact resistant, with roll off protection. Ergonomic cushion grip handle. Quick release bit holder with magnet.

Item No.	mm	mm	Inch	mm	Inch	lbs.
76000	6.0	149	5.9	34.6	1.36	.26



**76085 9 Pc. Power Blade Nut Driver Set**

30mm deep drilled Nut drivers. Use with #76000 CentroFix Blade Holder. 100mm OAL

Item No.	lbs.
76085	.96

**Inch:** 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"



**76086 12 Pc. Power Blade Nut Driver Set**

30mm deep drilled Nut drivers. Use with #76000 CentroFix Blade Holder. 100mm OAL

Item No.	lbs.
76086	1.22

**Metric:** 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0, 12.0, 13.0mm



**76084 12 Pc. Power Blade Inch & Metric Nut Driver Set**

30mm deep drilled Nut drivers. Use with #76000 CentroFix Blade Holder. 100mm OAL

Item No.	lbs.
76084	2.97

**Inch:** 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"  
**Metric:** 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0, 12.0, 13.0mm  
Cushion Grip CentroFix Blade Holder

## Wiha Power Blade Nut Drivers - 100mm



### 760 Power Blade Inch Nut Drivers

High alloy CVM steel, hardened, hard chromed.

Item No.	Blade	mm	Inch	lbs.
76059	3/16	100	3.9	.12
76060	7/32	100	3.9	.14
76061	1/4	100	3.9	.14
76062	9/32	100	3.9	.14
76063	5/16	100	3.9	.14
76064	11/32	100	3.9	.15
76065	3/8	100	3.9	.15
76066	7/16	100	3.9	.15
76067	1/2	100	3.9	.18



### 760 Power Blade Metric Nut Drivers

High alloy CVM steel, hardened, hard chromed.

Item No.	Blade	mm	Inch	lbs.
76068	4.0	100	3.9	.12
76069	4.5	100	3.9	.12
76070	5.0	100	3.9	.12
76071	5.5	100	3.9	.14
76072	6.0	100	3.9	.14
76073	7.0	100	3.9	.14
76074	8.0	100	3.9	.14
76075	9.0	100	3.9	.14
76076	10.0	100	3.9	.14
76077	11.0	100	3.9	.15
76078	12.0	100	3.9	.18
76080	13.0	100	3.9	.19

## Wiha Nut Driver Sets Precision Series



### 26590 8 Pc. Precision Nut Driver Set - Metric

Blade CVM steel. Hard chrome finish.

Item No. Metric Nut Drivers:

26590	2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0mm x 60mm	lbs. .48
-------	---	----------

### 26592 Set 7 Pcs. Nut Driver Metric

Item No. 1.5, 1.8, 2.0, 2.5,

26592	3.0, 3.5, 4.0mm
-------	-----------------

## Wiha Nut Driver Precision Series



### 265 Metric Metric Nut Driver With Precision Handle Metric sizes.

Blade Chrome-Vanadium-Molybdenum steel. Hard chrome finished.

Item No.	Blade	mm	Inch	mm	Inch	mm	mm	lbs.	pkg.
26510	1.5	60	2.4	140	5.5	2.5	3.0	.03	10
26515	1.8	60	2.4	140	5.5	2.9	3.5	.03	10
26520	2.0	60	2.4	140	5.5	3.2	4.0	.04	10
26525	2.5	60	2.4	155	6.1	4.0	4.0	.04	10
26530	3.0	60	2.4	155	6.1	5.0	5.0	.05	10
26532	3.2	60	2.4	155	6.1	5.0	5.0	.05	10
26535	3.5	60	2.4	155	6.1	5.3	6.0	.05	10
26540	4.0	60	2.4	155	6.1	5.5	6.0	.05	10
26545	4.5	60	2.4	155	6.1	6.2	7.0	.05	10
26550	5.0	60	2.4	155	6.1	6.8	7.0	.05	10
26555	5.5	60	2.4	170	6.7	7.6	8.0	.06	10
26560	6.0	60	2.4	170	6.7	8.2	9.0	.06	10
26570	7.0	60	2.4	170	6.7	9.6	10.0	.06	10

\*Metric dimensions actual - Inch dimensions approximate

### 265 Inch Inch Nut Driver With Precision Handle Inch sizes.

Blade Chrome-Vanadium-Molybdenum steel. Hard chrome finished.

Item No.	Blade	Inch	mm	Inch	mm	Inch	Inch	lbs.	pkg.
26523	3/32	60	2.4	155	6.1	.16	.16	.04	10
26527	7/64	60	2.4	155	6.1	.20	.20	.05	10
26531	1/8	60	2.4	155	6.1	.20	.20	.05	10
26536	9/64	60	2.4	155	6.1	.21	.24	.05	10
26539	5/32	60	2.4	155	6.1	.22	.24	.05	10
26547	3/16	60	2.4	155	6.1	.25	.28	.05	10
26556	7/32	60	2.4	170	6.7	.30	.32	.06	10
26563	1/4	60	2.4	170	6.7	.34	.36	.06	10

\*Metric dimensions actual - Inch dimensions approximate



In canvas storage pouch

### 26598 8 Pc. Precision Nut Driver Set - Metric

Blade CVM steel. Hard chrome finished.

Item No. Metric Nut Drivers:

26598	2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0mm x 60mm	lbs. .70
-------	---	----------



### 26591 8 Pc. Precision Nut Driver Set - Inch

Blade CVM steel. Hard chrome finished.

Item No.

26591	Inch Nut Drivers: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	lbs. 47
-------	--	---------



In canvas storage pouch

### 26599 8 Pc. Precision Nut Driver Set - Inch

Blade CVM steel. Hard chrome finished.

Item No. Inch Nut Drivers:


26599	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	lbs. .72
-------	--	----------



Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
10810	17	26107	25	26441	30	26703	27	26923	33	28004	33
16112	22	26108	25	26443	30	26704	27	26924	33	28005	33
18630	22	26109	25	26445	30	26705	27	26925	33	28006	33
18648	22	26110	25	26447	30	26706	27	26926	33	28007	33
18654	22	26113	25	26449	30	26707	27	26927	33	28008	33
18657	22	26114	25	26455	30	26708	27	26928	33	28009	33
18681	22	26115	25	26457	30	26709	27	26929	33	28010	33
20700	22	26130	29	26459	30	26710	27	26932	32	28011	33
20715	22	26132	29	26461	30	26715	27	26935	32	28012	33
20725	22	26135	29	26463	30	26720	27	26936	32	28013	33
20756	22	26136	29	26465	30	26721	29	26937	32	28014	33
20757	22	26140	29	26467	30	26723	29	26938	34	28015	33
20758	22	26142	29	26490	27	26725	29	26939	34	28016	33
20759	22	26145	29	26491	27	26727	29	26940	34	28017	33
20760	22	26190	25	26493	30	26731	29	26941	34	28021	32
20799	22	26192	26	26499	27	26732	30	26942	34	28023	32
21103	13	26193	29	26510	40	26735	30	26943	34	28024	32
21105	13	26194	26	26515	40	26736	30	26944	34	28026	32
26000	25	26197	25	26520	40	26737	30	26945	34	28027	32
26001	25	26199	25	26523	40	26739	30	26946	34	28028	32
26008	25	26205	26	26525	40	26741	30	26947	34	28029	32
26010	25	26210	26	26527	40	26743	30	26948	34	28033	32
26012	25	26307	26	26530	40	26745	30	26949	34	28034	32
26015	25	26309	26	26531	40	26747	30	26950	34	28035	32
26018	25	26313	26	26532	40	26749	30	26951	33	28036	32
26020	25	26315	26	26535	40	26751	30	26952	33	28037	32
26022	25	26316	26	26536	40	26761	28	26953	33	28103	14
26023	25	26320	26	26539	40	26762	28	26954	33	28106	17
26025	25	26323	26	26540	40	26763	28	26955	33	28107	17
26027	25	26325	26	26545	40	26764	28	26956	33	28108	17
26028	25	26327	26	26547	40	26765	28	26957	33	28109	17
26030	25	26330	26	26550	40	26766	28	26958	33	28110	17
26032	25	26331	26	26555	40	26771	31	26959	33	28112	17
26033	25	26333	26	26556	40	26772	31	26960	33	28114	17
26034	25	26336	26	26560	40	26773	31	26961	33	28116	18
26035	25	26340	26	26563	40	26774	31	26962	34	28117	18
26040	25	26341	30	26570	40	26775	31	26963	34	28118	18
26041	25	26343	30	26571	28	26776	31	26964	34	28119	18
26042	25	26345	30	26572	28	26790	27	26965	34	28120	18
26050	29	26347	30	26573	28	26791	27	26966	34	28122	18
26051	29	26349	30	26574	28	26792	27	26968	34	28123	18
26052	29	26351	30	26575	28	26793	30	26969	34	28124	18
26053	29	26353	30	26576	28	26794	28	26970	34	28126	17
26055	29	26363	30	26577	28	26795	31	26971	32	28127	17
26056	29	26367	30	26578	28	26796	30	26972	32	28128	17
26060	29	26369	30	26579	28	26798	29	26973	32	28129	17
26061	29	26371	30	26581	28	26799	27	26974	32	28130	17
26065	29	26390	26	26582	28	26810	25	26975	33	28132	17
26066	29	26391	26	26583	28	26815	30	26976	33	28133	17
26068	29	26392	30	26584	28	26900	32	26977	33	28134	17
26070	29	26393	30	26585	28	26903	32	26978	33	28135	17
26072	29	26399	26	26586	28	26904	32	26979	33	28136	17
26073	29	26413	27	26587	28	26905	32	26980	33	28137	17
26074	29	26415	27	26588	28	26906	33	26981	33	28138	17
26076	29	26416	27	26589	28	26911	32	26982	33	28139	17
26079	29	26419	27	26590	40	26912	32	26983	33	28140	17
26080	29	26420	27	26591	40	26913	33	26984	34	28142	17
26090	25	26423	27	26592	40	26914	33	26985	34	28143	17
26092	26	26425	27	26593	28	26916	33	26987	34	28144	39
26093	29	26427	27	26596	28	26917	33	26994	34	28149	18
26099	25	26430	27	26598	40	26918	33	26997	36	28150	18
26100	25	26431	27	26599	40	26919	33	28000	32	28151	18
26101	25	26436	27	26631	31	26920	33	28001	34	28156	39
26102	25	26439	27	26701	27	26921	33	28002	33	28157	39
26105	25	26440	27	26702	27	26922	32	28003	33	28158	39

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
28159	39	30255	7	33609	38	34476	38	36257	9	36792	13
28160	39	30265	7	33612	38	34478	38	36258	9	36793	12
28161	39	30276	5	33614	38	34480	38	36259	10	36794	12
28162	39	30289	7	33620	38	34482	38	36262	11	37220	37
28163	39	30290	7	33622	38	34712	36	36263	11	37222	37
28164	39	30291	7	33623	38	34715	36	36264	10	37226	37
28168	39	30294	6	33653	38	34718	36	36265	11	37228	37
28169	39	30295	8	33659	38	34721	36	36266	10	37230	37
28170	39	30297	6	33665	38	34724	36	36267	10	37235	37
28171	39	30298	6	33671	38	34727	36	36268	10	37236	37
28172	39	30299	8	33674	38	34730	36	36269	10	37237	37
28173	39	30517	8	33677	38	34753	36	36270	10	37238	37
28174	39	30520	8	33690	38	34759	36	36271	10	37239	37
28175	39	30523	8	33691	38	34765	36	36272	10	37241	37
28176	39	30526	8	34120	35	34771	36	36273	10	37244	37
28177	39	30530	8	34121	35	34774	36	36274	10	37290	37
28187	18	30535	8	34122	35	34777	36	36275	10	37291	37
28188	18	30540	8	34123	35	34791	36	36276	10	38450	14
28189	19	30550	8	34124	35	34792	36	36277	10	38460	14
28191	18	30560	8	34126	35	35800	7	36278	10	38600	14
28194	19	30580	8	34127	35	35801	7	36279	10	40010	31
28196	39	30813	5	34128	35	35802	7	36280	10	44590	34
28197	19	30814	5	34129	35	35803	7	36281	10	45040	15
28198	39	30815	5	34130	35	35894	7	36282	10	45050	15
28199	19	30816	5	34131	35	36201	10	36283	10	45052	15
28474	18	30817	5	34132	35	36202	9	36284	10	45054	15
28476	18	30820	5	34133	35	36203	9	36285	10	45055	15
28477	18	30825	5	34134	35	36205	21	36286	10	45056	15
28479	18	30830	5	34135	35	36207	9	36287	10	45057	15
28483	18	30835	5	34136	35	36210	21	36288	10	45058	15
28485	18	30892	5	34137	35	36211	11	36290	9	45060	15
28486	17	30896	5	34138	35	36212	21	36291	10	45062	15
28487	17	30898	5	34139	35	36214	11	36292	21	45064	15
28488	17	30942	8	34140	35	36215	21	36293	21	45065	15
28489	14	31105	6	34141	35	36220	21	36294	10	45067	15
30202	6	31110	6	34142	35	36223	11	36296	11	45135	15
30203	6	31112	6	34143	35	36225	21	36297	11	45140	15
30204	6	31114	6	34144	35	36228	11	36298	10	45142	15
30205	6	31115	6	34145	35	36229	11	36299	11	45147	15
30206	6	31117	6	34152	35	36230	21	36710	12	45150	15
30208	6	31118	6	34154	35	36231	11	36713	12	45152	15
30210	6	31120	6	34158	35	36232	11	36715	13	45190	15
30211	6	31125	6	34193	35	36233	11	36716	12	45205	15
30212	6	31135	7	34194	35	36234	9	36719	12	45207	15
30215	6	31137	8	34195	35	36235	21	36720	13	45220	15
30216	6	31140	7	34302	36	36238	11	36723	12	45225	15
30217	6	31190	7	34304	36	36239	11	36725	13	45230	15
30218	6	31191	7	34306	36	36240	21	36726	12	45235	15
30219	6	31192	7	34308	36	36241	11	36728	12	45504	14
30220	6	31193	7	34310	36	36242	11	36730	13	45505	21
30221	6	31194	8	34312	36	36243	11	36732	12	45506	21
30222	6	31201	5	34314	36	36244	9	36734	12	45508	14
30223	6	31202	5	34336	37	36245	21	36736	12	45509	14
30225	6	31203	5	34338	37	36246	11	36738	12	45511	21
30226	6	31305	8	34339	37	36247	11	36740	13	45516	21
30227	6	31310	8	34340	37	36248	11	36742	12	45521	21
30230	6	31312	8	34341	37	36249	9	36744	12	45525	14
30232	6	31315	8	34342	37	36250	21	36750	13	45526	21
30235	6	31320	8	34343	37	36252	11	36760	13	45527	14
30236	6	32644	8	34390	37	36253	11	36780	13	45530	14
30237	8	33603	38	34391	36	36254	9	36786	13	45531	21
30238	6	33606	38	34474	38	36255	11	36790	13	45536	21
30239	7	33607	38	34475	38	36256	9	36791	12	45540	14

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
45541	21	52719	20	76032	23	91118	26				
45545	14	52722	20	76033	23	92189	28				
45546	21	52726	20	76034	23	92190	28				
45550	14	52729	20	76035	23	92191	28				
45551	21	52732	20	76036	23	96800	31				
45561	21	52790	20	76037	23						
45589	21	52791	20	76038	23						
45591	21	53010	4	76039	23						
45592	21	53015	4	76040	24						
45593	14	53020	4	76041	23						
45831	14	53025	4	76042	23						
45832	14	53027	4	76043	23						
45833	14	53035	4	76044	23						
45891	14	53040	4	76045	24						
46094	15	53075	4	76046	24						
46097	15	53090	4	76047	24						
46702	16	53096	4	76048	24						
46704	16	53097	5	76049	24						
46706	16	53099	5	76050	24						
46708	16	53110	4	76051	24						
46710	16	53115	4	76052	24						
46712	16	53120	4	76053	24						
46714	16	53310	20	76054	24						
46715	16	53315	20	76056	23						
46716	16	53320	20	76057	23						
46720	16	53325	20	76058	23						
46722	16	53330	20	76059	40						
46724	16	53390	20	76060	40						
46725	16	53398	20	76061	40						
46726	16	53405	20	76062	40						
46728	16	53410	20	76063	40						
46730	16	53425	20	76064	40						
46740	16	62994	30	76065	40						
46750	16	76000	23,39	76066	40						
46760	16	76001	24	76067	40						
46786	16	76002	24	76068	40						
46790	15	76003	24	76069	40						
46793	16	76004	24	76070	40						
46794	16	76005	24	76071	40						
46797	16	76006	24	76072	40						
48400	21	76007	24	76073	40						
48401	14	76008	24	76074	40						
51099	14	76009	24	76075	40						
52005	19	76010	24	76076	40						
52010	19	76011	23	76077	40						
52020	19	76012	23	76078	40						
52025	19	76013	23	76079	24						
52035	19	76014	24	76080	40						
52040	19	76015	24	76084	39						
52050	19	76016	24	76085	39						
52090	19	76017	24	76086	39						
52097	19	76018	24	76087	22						
52098	19	76019	24	76088	23						
52099	19	76021	24	76089	23						
52105	19	76020	24	76090	24						
52110	19	76022	23	76091	23						
52115	19	76023	23	76092	24						
52120	19	76024	23	76093	23						
52125	19	76025	24	76094	23						
52650	20	76026	23	76095	23						
52711	20	76027	24	76096	24						
52713	20	76030	24	76098	24						
52716	20	76031	23	76099	24						

 **Prop65 WARNING:** This product could expose you to chemicals including Vinyl Chloride, Ethylene Glycol, Ni or CrVI, which are known to the state of California to cause cancer or reproductive harm. For more information go to [www.P65warnings.ca.gov/](http://www.P65warnings.ca.gov/)



# PROFESSIONAL SCREWDRIVERS & NUT DRIVERS



(800) 494-6104  
 fax: (800) 494-7456  
 cservice@wihatools.com  
 www.wihatools.com

**Wiha Quality Tools**  
 1348 Dundas Circle  
 Monticello, MN 55362  
 tel: 763.295.6591  
 fax: 763.295.6598

**Wiha Tools Canada Ltd.**  
 www.wihatools.ca  
 Brampton, ONT L6T 4X4  
 tel: 866.494.0096 or 763.295.6591  
 fax: 763.295.6598



To:

Catalog Item No. 99002 .wo  
 version - 3/1/19  
 Subject to change without notice  
 ©2019 Willi Hahn Corporation  
 ®Torx is a registered trademark of  
 Acument Intellectual Properties LLC.



99977.wo - Pliers/Crimpers Catalog

99934.wo - Hex Tools Catalog

99001.wo - TorqueControl Catalog

99951.wo - Bits Catalog

99919.wo - Insulated Catalog

99004.wo - Shop Tools Catalog

99914.wo - TORX Catalog

99006.wo - Tech Tools Catalog

99945.wo - ESD Catalog

99007.wo - Merchandise Catalog