



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER

(1)





NOTES:




MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

			SW REFERENCE NO.: 628 COMBO ASSEMBLY				
	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/2019			
		CHECKED:	DATE:				
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4		
	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-13W3624-1NA		ISSUE		
			PART NUMBER: 628-13W	3624-1NA	1		





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





3W3 / 3WK3

33.30

5W1 Male/Female

7W2 Male/Female





(1)

1


21W4 Male/Female



		33.30 4.86 1.39 4.86 1.39 9.9 4.9 9.9 4.9 9.9 4.9 9.9 4.9 9.9 4.9 9.9 9		63.50 31.75 31.75 31.75 31.75 40 40 40 40 40 40 40 40 40 40	ene
		11W1 Male/Female	27W2 Male/Femal	e	
47.06 23.03 14.48 14.48 8.38 	8W8 Female 31.75 72.83 22.97 4 4 4 4 4 4 4 4				
CURRENT RATING 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	G/ØA	17W2 Male/Female	21W1 Male/Femal	47.05 23.63 40 40 40 40 40 40 40 40 40 40 40 40 40	ŀ
		COMBINATION D-SUB		OMBO ASSEMBLY	
	COMBIN			DATE: JAN. 01/2019 DATE:	
THIS SERIES FULLY CONFORMS TO		IC THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SHEET 3 OF	4
THE EUROPEAN UNION DIRECTIVES		NTARIO SHALL NOT BE REPRODUCED, OR COPIED	DRAWING NUMBER: 628-13W	3624-1NA	ISSUE

5W5 Male


5W5 Female



8W8 Male

2011/65/EU FOR RoHS COMPLIANCY. COMPLIANT

			SW REFE	RENCE NO.:	628 C	OMBO AS	SSEMBL	
	COMBINATION	D-SUB	DRAWN:	C.B		DATE:	JAN. 01	
			CHECKED):		DATE:		
	EDAC INC	OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS	SCALE:	N.T.S		SHEET	3 (
YOUR CONNECTION	TORONTO, ONTARIO CANADA		DRAWING	NUMBER:	628-13W3	628-13W3624-1NA		
YOUR CONNECTION T	O QUALITY & SERVICE		PART NUI	MBER:	628-13W	3624-1N	A	



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25





9W4 Male

47.05 23.53 14.51 9.70 월 명

25W3 Male




47.02 23.53 14,51 9.70 1 82 7.79 김 영



25W3 Female


36W4 Female




13W3 Male



36W4 Male







13W6 Male



43W2 Male






.XX ±0.13 .XXX ±0.05


9W4 Female

13W3 Female






47W1 Female



17W5 Male


COMPLIANT






2.77







		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
		CHECKED:	DATE:		
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 628-13W	3624-1NA	ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 628-13W	3624-1NA	1