

Data sheet | Item number: 811-471

Supply module; 35 mm²; for 811 Series Fuse Terminal Blocks; SCREW CLAMP CONNECTION; 35,00 mm²; light gray



www.wago.com/811-471



Data

Electrical data

Ratings per IEC/EN

Nominal voltage (III/3)	600 V
-------------------------	-------

Ratings per IEC/EN 2

Rated voltage (III/3) 2	1000 V
-------------------------	--------

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



General

Voltage type 1	AC
Voltage type 2	DC

Connection data

Number of levels	1
------------------	---

Connection 1

Connection technology	Screw connection
Actuation type	Operating tool
Connectable conductor materials	Copper
Solid conductor	6 ... 35 mm ² / 10 ... 2 AWG
Stranded conductor	6 ... 35 mm ² / 10 ... 2 AWG
Fine-stranded conductor	4 ... 25 mm ² / 12 ... 4 AWG
Fine-stranded conductor; with insulated ferrule	4 ... 25 mm ² / 12 ... 4 AWG
Strip length	14 mm / 0.55 inches

Mechanical Data

Torque	4 Nm
--------	------

Material Data

Note (material data)	Information on material specifications can be found here
Color	light gray
Weight	20 g

Commercial data

eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	16 (4) pcs
Packaging type	box
Country of origin	DE
GTIN	4050821838654

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.

Customs tariff number

85369010000

Environmental Product Compliance

RoHS Compliance Status

Compliant, No Exemption

Optional accessories

Jumpers

Jumper

	Item no.: 811-479 Jumper; 9-way; insulated; light gray	www.wago.com/811-479
	Item no.: 811-481 Jumper; 11-way; insulated; light gray	www.wago.com/811-481
	Item no.: 811-480 Jumper; 10-way; insulated; light gray	www.wago.com/811-480
	Item no.: 811-474 Jumper; 4-way; insulated; light gray	www.wago.com/811-474
	Item no.: 811-476 Jumper; 6-way; insulated; light gray	www.wago.com/811-476
	Item no.: 811-478 Jumper; 8-way; insulated; light gray	www.wago.com/811-478
	Item no.: 811-477 Jumper; 7-way; insulated; light gray	www.wago.com/811-477
	Item no.: 811-475 Jumper; 5-way; insulated; light gray	www.wago.com/811-475
	Item no.: 811-472 Jumper; 2-way; insulated; light gray	www.wago.com/811-472
	Item no.: 811-473 Jumper; 2-way; insulated; light gray	www.wago.com/811-473
	Item no.: 811-482 Jumper; 12-way; insulated; light gray	www.wago.com/811-482

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



Downloads

Documentation

Bid Text

811-471 X81 - Datei	2019 Feb 19	xml 2.6 kB	Download
------------------------	-------------	---------------	----------

811-471 doc - Datei	2017 Apr 28	doc 23.6 kB	Download
------------------------	-------------	----------------	----------

Additional Information

Technical Section Technical explanations		pdf 2.2 MB	Download
---	--	---------------	----------

CAD/CAE-Data

CAE data

WSCAD Universe 811-471		URL	Download
------------------------	--	-----	----------

EPLAN Data Portal 811-471		URL	Download
---------------------------	--	-----	----------

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 811-471 Supply module; 35 mm ² ; for 811 Series Fuse Terminal Blocks; SCREW CLAMP CONNECTION; 35,00 mm ² ; light gray		URL	Download
---	--	-----	----------

Installation Notes

Subject to changes. Please also observe the further product documentation!