

Würth Elektronik eiSos GmbH & Co. KG

EMC & Inductive Solutions

Max-Eyth-Straße 1 · 74638 Waldenburg · Germany

Tel. +49 (0) 79 42 945-0 · Fax +49 (0) 79 42 945-400

eiSos@we-online.de · www.we-online.de



Product / Process Change Notification (PCN)

- Major change
 Minor change

<p>PCN #: PCN_UtRJ45LAN_20201118</p> <p>Affected Series: WE-UtRJ45LAN; 7498xxx; 7499xxx; S1xxx</p> <p>PCN Date: August 18, 2020</p> <p>Effective Date: November 18, 2020</p>	<p>Change Category:</p> <p><input type="checkbox"/> Equipment / Location</p> <p><input type="checkbox"/> General Data</p> <p><input checked="" type="checkbox"/> Material</p> <p><input type="checkbox"/> Process</p> <p><input checked="" type="checkbox"/> Product Design</p> <p><input type="checkbox"/> Shipping / Packaging</p> <p><input type="checkbox"/> Supplier</p> <p><input type="checkbox"/> Software</p>
<p>Contact: Product Management</p> <p>Phone: +49 (0) 7942 - 945 5001</p> <p>Fax: +49 (0) 7942 - 945 5179</p> <p>E-Mail: pcn.eisos@we-online.com</p>	<p>Data Sheet Change:</p> <p><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>Attachment:</p> <p><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p>



DESCRIPTION AND PURPOSE OF CHANGE:

To improve the processability, Würth Elektronik will change the material of the J insert from PA46 to PA9T and improve the mechanical design.

All products with date code 2020-11-18 or later, will be affected by this change.

There will be no change in fit, function, quality or reliability of the product.

DETAIL OF CHANGE:

Before Change	After Change
Plastic material: PA46	Plastic material: PA9T
	

Affected Partnumbers:

7498010210	7499311614	7499511420	7499511440	74980111211	7498010210A
7499411121A	7499411122A	7499411123A	7499511001A	7499511002A	7499511611A
S13100018	S15100138	S16100024	S16100025	S16100075	S16100137
S17100010	S17100020	S17100091	S18100084	S18100111	7498010212
74993114406	S19100095				

RELIABILITY / QUALIFICATION SUMMARY:

Product approval is according to the specification and is internally released by the Product Management Department.