



NOTES:

- 1) MATERIAL:  
HOUSING: "BLANK" = NYLON 6/6, UL94V-2, COLOR: NATURAL  
"201" = NYLON 6/6, UL94V-0, COLOR: NATURAL  
TERMINAL: C2700W BRASS
- 2) FINISH: 0.000003/(.0000001) MIN. TIN OVERALL OVER  
0.000001/(.00000004) MIN. NICKEL OVERALL
- 3) PRODUCT SPECIFICATION: PS-3191-003
- 4) PACKAGING: PK-5219-002
- 5) MATES WITH: 3191-03R SERIES  
DIFFERENCE OF DIMENSION IS INTENTIONAL TO PREVENT PART RISING FROM P.C.B.
- 7) PARTS CONFORM TO CLASS 'B' REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.

ENG. NO.	ORDER NO.	PIN STYLE	HSG. MATERIAL	PIN PLATING
5219-03A	I5-31-I036	SOLID	94V-2 NYLON	TIN
5219-03B	I5-31-3036	HOLLOW	94V-2 NYLON	TIN
5219-03A-201	39-28-7038	SOLID	94V-0 NYLON	TIN

ADD P/N 15-31-3036 EC NO: UCP2014-1950 DRW:ALHAG 2013/12/16 CHKD:JBELL 2013/12/16 APPR:FSMTH 2013/12/19	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION			
				MM/IN		4:1	METRIC				
				DRAWN BY DATE		TASAKAWA 1995/11/18		NEW INTERNATIONAL CONN. HEADER AND ASSY.			
				CHECKED BY DATE		HHIRAMOT 1995/11/18					
		APPROVED BY DATE		FUKUSHIM 1995/11/18		MOLEX INCORPORATED SD-5219-03A-*					
		MATERIAL NO.		SEE CHART						SHEET NO. 1 OF 1	
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					