


NOTES:

- ① MAT'L: COPPER (STOCK TKN. $\frac{1.02}{040}$)
 - ② TIN-PLATED BRASS FUNNEL FERRULE
 - ③ NYLON INSULATION (COLOR CODED YELLOW)
- STUD SIZES: ($\pm .005$)
- 02 = .094
 04 = .119
 06 = .146
 08 = .173
 10 = .198
 14 = .265
 56 = .328
 38 = .390
- "UL" LISTING #E32244
 "CSA" LISTING #18689
- WIRE SIZE: 12 - 10 AWG²
 4.0 - 6.0 MM

ALL DIMENSIONS = $\frac{\text{INCHES}}{\text{MM}}$

(MWID) = DENOTES MAXIMUM WIRE INSULATION DIAMETER



FILE NO.

C-CD-503-02

PART NUMBER	"W" ±.010	"C" MIN.	"L" MAX.	AVAILABLE STUD SIZES
C-541-	$\frac{.375}{9.53}$	$\frac{.301}{7.65}$	$\frac{1.232}{31.29}$	06, 08, 10
C-568-	$\frac{.533}{13.54}$	$\frac{.393}{9.98}$	$\frac{1.385}{35.18}$	10, 14, 56
DIMENSIONAL TOLERANCES UNLESS OTHERWISE SPECIFIED REF A DCA/1030 REV 11/6/94 SCALE: NTS DRAWN BY: JJ DATE: 11-15-84 CHKD. BY: GZ DATE: 11-26-84 APPRD. BY: TITLE: SPADE TONGUE TERMINAL AVIKRIMP 500-SERIES DWG. NO. A CUSTOMER DWG				

