




Ender-3 V2

Promised Evolution Toward The Future of Printing



Integrated compact design



Multiple improved upgrades



Ultra silent printing

Create Reality
Achieve Dreams

Product parameters

Machine size	475*470*620mm	Layer thickness	0.1-0.4mm
Print size	220*220*250mm	Filament	PLA/TPU/PETG
Molding technology	FDM	Supported OS	MAC/WindowsXP/7/8/10
Product weight	7.8kg	Slicer software	Simplify3d/Cura
Package weight	9.6kg	Print precision	±0.1mm
Hotbed temperature	≤100°	Filament diameter	1.75mm

Product advantages



Exquisite Appearance Design

Classic appearance in integrated all-metal body inherited from its predecessor Ender-3, firm and stable



Integrated Structure Design

With Integrated structure and modular design, the power supply is concealed in the machine, making it much safer



Carborundum Glass Platform

The Carborundum glass platform enables the hotbed heat up quicker and prints adhere better Ultra smoothness even on the first layer



Self-developed Silent Motherboard

The self-developed silent motherboard always ensures smooth movement under 50dB, no noise during printing



New Injection Tensioner

The XY-axis tensioner supports adjusting the belt tension in a quick and more convenient way



Resume printing function

The machine can automatically record the printing process. One key to resume printing after power-on again. Less worries on print failure



New User Interface

User experience greatly upgrades with the newly designed operation UI system, simple and quick to operate



Effortless Filament Feed-in

Rotary knob added on the extruder makes it easier to load and feed filament



Smart add-ons

With the tool box integrated to the machine body, it is more convenient and quicker for tools organization and storage

