



i Picture differs from the item.



Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.

Item description

- M12 sensor/actuator box, 4-way
- 5-pole (2 signals per contact)
- Cable length: 5 and 10 m
- Green LED operating indicator
- Yellow LED status indicator
- incl. markers (10 pcs)
- incl. M12 protective caps (2 pcs)

Data

Technical data

Contact resistance (max.)	0.01 Ω
Supply voltage	10 ... 30 VDC; Rated voltage: 32 V ~ rms
Indicators	LED (A, B) yellow: Signal status (2 x per contact); LED (U) green: Sensor/actuator box status

Connection data

Length of connection cable	5 m
Strip length	100 mm / 3.94 inches
Cable design	Wire cross-section: 0.34 mm ² ; Wire cross-section (2): 1 mm ²

Physical data

Width	60 mm / 2.362 inches
Height	26 mm / 1.024 inches
Depth	117 mm / 4.606 inches

Mechanical Data

Weight	690 g
--------	-------

Material Data

Halogen-free	Yes
Sheathed cable diameter	8.2 mm
Sheathed cable color	black

Subject to changes. Please also observe the further product documentation!

Environmental requirements

Ambient temperature (operation) -25 ... +80 °C

Commercial data


ETIM 8.0	EC002585
ETIM 7.0	EC002585
PU (SPU)	1 pcs
Packaging type	box

Environmental Product Compliance

CAS-No.	7439-92-1
REACH Candidate List Substance	Lead
RoHS Compliance Status	Compliant,With Exemption
RoHS Exemption	6(c)
SCIP notification number (Bulgaria)	1657d199-7e68-436b-917b-948d8ea7e50a
SCIP notification number (Czech Republic)	fc33be25-a73b-4d41-9360-031ffa2cd7e1

Approvals / Certificates

General approvals

Logo	Approval	Additional Approval Text	Certificate name
	UL UL International Germany GmbH (ORDINARY LOCATIONS)	UL 508	E175199 Sec.5

Optional accessories

Cover

Cover

	Item no.: 756-8102 M12 protective cap; for unused sockets	www.wago.com/756-8102
--	--	--

Marking accessories

Marking strip

	Item no.: 757-011 Marker card; not stretchable; snap-on type	www.wago.com/757-011
--	---	--

Marking devices

Subject to changes. Please also observe the further product documentation!



Item no.: 210-110
Fiber-tip pen

www.wago.com/210-110

Mounting

Intermediate plate



Item no.: 757-040
Spacer module for sensor/actuator box; 4-way

www.wago.com/757-040

Downloads

Documentation

Additional Information

Disposal and Recycling Electrical and electronic equipment, Batteries, Packaging	V 1.1.0 2022 Aug 18	pdf 2.2 MB	Download
---	------------------------	---------------	----------

System Description

Sensor/Actuator Boxes – General Product Information	pdf 438.6 kB	Download
---	-----------------	----------

CAD/CAE-Data

CAD data

2D/3D Models 757-245/000-005	URL	Download
------------------------------	-----	----------

CAE data

ZUKEN Portal 757-245/000-005	URL	Download
------------------------------	-----	----------

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 757-245/000-005 M12 sensor/actuator box	URL	Download
---	-----	----------

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.