



P/N	MATERIAL/COLOR
94090-4090	NYLON 6.6 V2 NATURAL
94090-4091	NYLON 6.6 V2 BLACK
94090-4092	NYLON 6.6 V2 RED
94090-4094	NYLON 6.6 GWT 750 °C sec.IEC 60335-1 TEST METHOD IEC 60695-2-11 NATURAL

IMBALLO: BOX 5.000 Pz (SPQ)

STD DESCR: HSG FOR 6.3 M TERM 2 CKT

ENTER DESCRIPTION EC NO: Z2006-0163 TDRWN:FGOTTARDO 2006/03/30 CHKD:RSANDANO 2006/03/30 APPR:GZUINI 2006/04/03	DESCRIPTION REV	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE	SCALE	DESIGN UNITS	FIRST ANGLE PROJECTION		
		$\nabla=0$ $\sphericalangle=0$	mm	INCH	MM ONLY	2:1	METRIC			
		4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.1 ± --- 1 PLACE ± 0.2 ± ---	ANGULAR ± 3 °		DRAWN BY A.MONTIN	DATE 1998/10/14	TITLE BLOCCHETTO A 2 VIE PER MASCHI DA 6.3X0.8			
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		CHECKED BY S.SORATO	DATE 1998/10/14					
				APPROVED BY F.GOTTARDO	DATE 1998/10/14	MOLEX INCORPORATED		MATERIAL NO. SEE CHART	DOCUMENT NO. SD-94090-015	SHEET NO. 1 OF 1
				SIZE 	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					