




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
AF	50				
		K1 ECR-13-017177	05NOV13	PKS	RRP



- 1 SLOT ACCEPTS 0.91-1.15mm [#19-#17] AWG COPPER MAGNET WIRE. 2 WIRES OF THE SAME SIZE MAX PER SLOT.
- 2 CONTINUOUS STRIP ON REELS WITH TERMINALS LOCATED ON 8.38±0.08[.330±.003] CENTERS.
- 3 VARNISH RESIST OVER TIN PLATE.
- 4 PRELIMINARY - NOT FOR PRODUCTION.



PHOS BRONZE	BOX DOWN, TAB FORWARD	62923-4
BRASS	BOX UP, TAB BACK	62923-3
BRASS	BOX UP, TAB FORWARD	62923-2
BRASS	BOX DOWN, TAB FORWARD	62923-1
MATERIAL	REELING, LEFT TO RIGHT	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN SCOTT URICH 08JUL98	TE Connectivity	
DIMENSIONS: mm [INCHES]		CHK MICHAEL S. FEHER 10AUG98	NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD NELSON E. NEFF 08SEP98	PRODUCT SPEC	
0 PLC ± -		108-2053	APPLICATION SPEC	
1 PLC ± -		114-2066	WEIGHT	
2 PLC ± 0.25[.010]			SCALE 6:1	
3 PLC ± -			SHEET 1 OF 1	
4 PLC ± -			REV K1	
ANGLES ± -			CUSTOMER DRAWING	
FINISH 3			SCALE 6:1	
MATERIAL SEE TABLE			SHEET 1 OF 1	
			REV K1	