


HC-B 6-TFL-72/O1M25S

Order No.: 1604736

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1604736>

HEAVYCON sleeve housing B6, for single locking latch, height 72 mm,
with support 1x M25, lateral conductor exit

Commercial data

| | |
|--------------------------|---|
| GTIN (EAN) |  4 017918 881658 |
| sales group | D002 |
| Pack | 10 pcs. |
| Customs tariff | 85389099 |
| Catalog page information | Page 480 (PC-2009) |

Product notes

WEEE/RoHS-compliant since:
03/01/2006



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General data

| | |
|--------|---|
| Note | For contact inserts HC-B6, BB10, DD24, M Tall housings for extra large wiring space |
| Design | B6 |
| Height | 72 mm |
| Width | 53 mm |

| | |
|---------------------------------|--------------------------|
| Length | 60 mm |
| Housing type | Sleeve housings |
| Locking type | for single locking latch |
| Cable exit | Lateral |
| Type of the screw connection | 1x M25 |
| Degree of protection | IP65 |
| Ambient temperature (operation) | -40 °C ... 125 °C |
| Housing material | Aluminum, die-cast |
| Housing surface material | Powder-coated, gray |

Certificates / Approvals



Certification GOST

Accessories


| Item | Designation | Description |
|-----------------|-------------|--|
| Assembly | | |
| 1686533 | HC-B-AF | Panel mounting flange for HEAVYCON ADVANCE sleeve housing |
| 1604638 | HC-B-AF-SET | Panel mounting flange for screw locking, set comprising 2 panel mounting flanges with 4 self-tapping Torx head screws and 4 fan-type washers |

Marking

| | | |
|---------|----------|---|
| 5031171 | SS-ZB WH | Marking labels, unprinted, 5-section, for snapping into devices and components with special marker groove, labeling with M PEN or CMS system, lettering field size: 20 x 8 mm, white, for SAB boxes |
|---------|----------|---|

Diagrams/Drawings

Dimensioned drawing



Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2010 Phoenix Contact
Technical modifications reserved;