



MOLD COVER	51237-2005	2	51237-3005	2
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-2000	1	56382-3000	1
SHELL COVER	56385-2028	1	56385-3028	1
SHELL BODY	56384-2028	1	56384-3028	1
RECEPTACLE SHELL	56377-2002	1	56377-3002	1
REC. PIN HS'G ASS'Y	51233-2011	1	51233-3011	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	20		30	
セット型番 SET NO.	55837-2070		55837-3070	
タイプ TYPE	STANDARD TYPE			

55837-2074	55837-**74
55837-2073	55837-**73
55837-2072	55837-**72
55837-2071	55837-**71
55837-3070	55837-**70
55837-2070	
MATERIAL NO.	MODEL NO.

NOTES.

1. ELV及びRoHS適合品。
ELV AND RoHS COMPLIANT.
2. 本製品は 55837-**0* の鉛フリー品である。
THIS PRODUCT IS LEAD FREE VERSION OF 55837-**0*.


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC: OBSOLETE PART NUMBERS											
mm		NTS		 COMPACT ROBOT CONN. WW TYPE PIN SET											
GENERAL TOLERANCES (UNLESS SPECIFIED)															
		MM		INCH		EC NO: 650268 DRWN: SUGEEB 2020/10/16 CHK'D: GGA 2020/12/18 APPR: GGA 2020/12/18 INITIAL REVISION: DRWN: Y. AOYAGI 2007/03/27 APPR: N. UKITA 2007/03/29									
4 PLACES	±	±	±	±											
3 PLACES	±	±	±	±											
2 PLACES	±	±	±	±											
1 PLACE	±	±	±	±											
0 PLACES	±	±	±	±	DOCUMENT NUMBER SD-55837-006		DOC TYPE PSD		DOC PART 001		REVISION A				
ANGULAR TOL ± °				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						A3-SIZE		55837		SEE TABLE		GENERAL MARKET		1 OF 5	

MOLD COVER	51237-2005	2
CROSS RECESSED HEAD SCREW	58203-0020	2
CABLE CLAMP	56382-2000	1
SHELL COVER	56385-2028	1
SHELL BODY	56384-2028	1
RECEPTACLE SHELL	56377-2002	1
REC. PIN HS'G ASS'Y	51233-2012	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	20	
セット型番 SET NO.	55837-2071	
タイプ TYPE	A TYPE	

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC: OBSOLETE PART NUMBERS				molex	
mm		NTS							
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 650268		2020/10/16		COMPACT ROBOT CONN. WW TYPE PIN SET	
				DRWN: SUGEEB		2020/12/18			
				CHK'D: GGA		2020/12/18			
				APPR: GGA		2020/12/18		PRODUCT CUSTOMER DRAWING	
4 PLACES ±				INITIAL REVISION:		DOCUMENT NUMBER		DOC TYPE DOC PART REVISION	
3 PLACES ±				DRWN: Y. AOYAGI		SD-55837-006		PSD 001 A	
2 PLACES ±				APPR: N. UKITA		2007/03/27			
1 PLACE ±				ANGULAR TOL ± °		2007/03/29			
0 PLACES ±				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING SERIES MATERIAL NUMBER CUSTOMER SHEET NUMBER	
						A3-SIZE		55837 SEE TABLE GENERAL MARKET 2 OF 5	

DOCUMENT STATUS	P1	RELEASE DATE	2020/12/18	11:23:19
-----------------	----	--------------	------------	----------

MOLD COVER	51237-2005	2
CROSS RECESSED HEAD SCREW	58203-0020	2
CABLE CLAMP	56382-2000	1
SHELL COVER	56385-2028	1
SHELL BODY	56384-2028	1
RECEPTACLE SHELL	56377-2002	1
REC. PIN HS'G ASS'Y	51233-2013	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	20	
セット型番 SET NO.	55837-2072	
タイプ TYPE	B TYPE	

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC: OBSOLETE PART NUMBERS				molex	
mm		NTS							
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 650268		2020/10/16		COMPACT ROBOT CONN. WW TYPE PIN SET	
				DRWN: SUGEEB		2020/12/18			
				CHK'D: GGA		2020/12/18		PRODUCT CUSTOMER DRAWING	
				APPR: GGA		2020/12/18			
				INITIAL REVISION:				DOCUMENT NUMBER	
				DRWN: Y. AOYAGI		2007/03/27		SD-55837-006	
				APPR: N. UKITA		2007/03/29		PSD 001 A	
				ANGULAR TOL ± °				DOC TYPE DOC PART REVISION	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION 		DRAWING A3-SIZE		SERIES 55837	
				MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
				SEE TABLE		GENERAL MARKET		3 OF 5	

DOCUMENT STATUS	P1	RELEASE DATE	2020/12/18	11:23:19
-----------------	----	--------------	------------	----------

MOLD COVER	51237-2005	2
CROSS RECESSED HEAD SCREW	58203-0020	2
CABLE CLAMP	56382-2000	1
SHELL COVER	56385-2028	1
SHELL BODY	56384-2028	1
RECEPTACLE SHELL	56377-2002	1
REC. PIN HS'G ASS'Y	51233-2014	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	20	
セット型番 SET NO.	55837-2073	
タイプ TYPE	C TYPE	

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
DIMENSION UNITS		SCALE		CURRENT REV DESC: OBSOLETE PART NUMBERS				molex					
mm		NTS											
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 650268 DRWN: SUGEEB 2020/10/16 CHK'D: GGA 2020/12/18 APPR: GGA 2020/12/18 INITIAL REVISION: DRWN: YAoyagi 2007/03/29 APPR: NUKITA 2007/04/03				COMPACT ROBOT CONN. WW TYPE PIN SET					
								PRODUCT CUSTOMER DRAWING					
4 PLACES ±		±						DOCUMENT NUMBER		DOC TYPE		DOC PART	REVISION
3 PLACES ±		±						SD-55837-006		PSD	001	A	
2 PLACES ±		±						MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
1 PLACE ±		±		SEE TABLE		GENERAL MARKET		4 OF 5					
0 PLACES ±		±											
ANGULAR TOL ± °		°		DRAWING		SERIES							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		A3-SIZE		55837							

DOCUMENT STATUS	P1	RELEASE DATE	2020/12/18	11:23:19
-----------------	----	--------------	------------	----------

MOLD COVER	51237-2005	2
CROSS RECESSED HEAD SCREW	58203-0020	2
CABLE CLAMP	56382-2000	1
SHELL COVER	56385-2028	1
SHELL BODY	56384-2028	1
RECEPTACLE SHELL	56377-2002	1
REC. PIN HS'G ASS'Y	51233-2015	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	20	
セット型番 SET NO.	55837-2074	
タイプ TYPE	D TYPE	

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC: OBSOLETE PART NUMBERS				molex	
mm		NTS							
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 650268		2020/10/16		COMPACT ROBOT CONN. WW TYPE PIN SET	
				DRWN: SUGEEB		2020/12/18			
				CHK'D: GGA		2020/12/18		PRODUCT CUSTOMER DRAWING	
				APPR: GGA		2020/12/18			
				INITIAL REVISION:				DOCUMENT NUMBER	
4 PLACES ±				DRWN: Y. AOYAGI		2007/03/27		SD-55837-006	
3 PLACES ±				APPR: N. UKITA		2007/03/29		PSD 001 A	
2 PLACES ±								DOC TYPE DOC PART REVISION	
1 PLACE ±									
0 PLACES ±									
ANGULAR TOL ± °									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER	
				A3-SIZE		55837		SEE TABLE	
								CUSTOMER	
								GENERAL MARKET	
								SHEET NUMBER	
								5 OF 5	

DOCUMENT STATUS	P1	RELEASE DATE	2020/12/18	11:23:19
-----------------	----	--------------	------------	----------

F

E


D

C

B

A

MOLD COVER	51237-1205	2	51237-2005	2	51237-3005	2
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
SHELL COVER	56385-1228	1	56385-2028	1	56385-3028	1
SHELL BODY	56384-1228	1	56384-2028	1	56384-3028	1
RECEPTACLE SHELL	56377-1202	1	56377-2002	1	56377-3002	1
REC. PIN HS'G ASS'Y	51233-1212	1	51233-2012	1	51233-3012	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	55837-1271		55837-2071		55837-3071	
タイプ TYPE	A TYPE					

RELEASED EC NO: J2007-2693 DRWN: AOYAGI 2007/03/29 CHKD: TOYODA 2007/03/30 APPR: NUKITA 2007/04/03	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
	10 UNDER	± ---	DRAWN BY Y. AOYAGI		DATE 2007/03/27	TITLE COMPACT ROBOT CONN. W/W TYPE PIN SET			
	10 OVER 30 UNDER	± ---	CHECKED BY K. TOYODA		DATE 2007/03/29				
	30 OVER	± ---	APPROVED BY N. UKITA		DATE 2007/03/29	 MOLEX INCORPORATED DOCUMENT NO. SD-55837-006 SHEET NO. 2 OF 5			
	ANGULAR	± --- °	MATERIAL NO.		SEE TABLE				
0	REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

F

E

D

C

B

A

MOLD COVER	51237-1205	2	51237-2005	2	51237-3005	2
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
SHELL COVER	56385-1228	1	56385-2028	1	56385-3028	1
SHELL BODY	56384-1228	1	56384-2028	1	56384-3028	1
RECEPTACLE SHELL	56377-1202	1	56377-2002	1	56377-3002	1
REC. PIN HS'G ASS'Y	51233-1213	1	51233-2013	1	51233-3013	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	55837-1272		55837-2072		55837-3072	
タイプ TYPE	B TYPE					

F


E

D

C

B

A

RELEASED EC NO: J2007-2693 DRWN: AOYAGI 2007/03/29 CHKD: TOYODA 2007/03/30 APPR: NUKITA 2007/04/03	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
	10 UNDER	± ---	DRAWN BY Y. AOYAGI		DATE 2007/03/27	TITLE COMPACT ROBOT CONN. W/W TYPE PIN SET			
	10 OVER 30 UNDER	± ---	CHECKED BY K. TOYODA		DATE 2007/03/29				
	30 OVER	± ---	APPROVED BY N. UKITA		DATE 2007/03/29	 MOLEX INCORPORATED DOCUMENT NO. SD-55837-006 SHEET NO. 3 OF 5			
	ANGULAR	± --- °	MATERIAL NO.		SEE TABLE				
0	REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

F

E


D

C

B

A

MOLD COVER	51237-1205	2	51237-2005	2	51237-3005	2
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
SHELL COVER	56385-1228	1	56385-2028	1	56385-3028	1
SHELL BODY	56384-1228	1	56384-2028	1	56384-3028	1
RECEPTACLE SHELL	56377-1202	1	56377-2002	1	56377-3002	1
REC. PIN HS'G ASS'Y	51233-1214	1	51233-2014	1	51233-3014	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	55837-1273		55837-2073		55837-3073	
タイプ TYPE	C TYPE					

RELEASED EC NO: J2007-2693 DRWN: AOYAGI 2007/03/29 CHKD: TOYODA 2007/03/30 APPR: NUKITA 2007/04/03	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
	10 UNDER	± ---	DRAWN BY Y. AOYAGI		DATE 2007/03/27	TITLE COMPACT ROBOT CONN. W/W TYPE PIN SET			
	10 OVER 30 UNDER	± ---	CHECKED BY K. TOYODA		DATE 2007/03/29				
	30 OVER	± ---	APPROVED BY N. UKITA		DATE 2007/03/29	 MOLEX INCORPORATED DOCUMENT NO. SD-55837-006 SHEET NO. 4 OF 5			
	ANGULAR	± --- °	MATERIAL NO.		SEE TABLE				
0	REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

F

E


D

C

B

A

MOLD COVER	51237-1205	2	51237-2005	2	51237-3005	2
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
SHELL COVER	56385-1228	1	56385-2028	1	56385-3028	1
SHELL BODY	56384-1228	1	56384-2028	1	56384-3028	1
RECEPTACLE SHELL	56377-1202	1	56377-2002	1	56377-3002	1
REC. PIN HS'G ASS'Y	51233-1215	1	51233-2015	1	51233-3015	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	55837-1274		55837-2074		55837-3074	
タイプ TYPE	D TYPE					

RELEASED EC NO: J2007-2693 DRWN: AOYAGI 2007/03/29 CHKD: TOYODA 2007/03/30 APPR: NUKITA 2007/04/03	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
	10 UNDER	± ---	DRAWN BY Y. AOYAGI		DATE 2007/03/27	TITLE COMPACT ROBOT CONN. W/W TYPE PIN SET			
	10 OVER 30 UNDER	± ---	CHECKED BY K. TOYODA		DATE 2007/03/29				
	30 OVER	± ---	APPROVED BY N. UKITA		DATE 2007/03/29	 MOLEX INCORPORATED DOCUMENT NO. SD-55837-006 SHEET NO. 5 OF 5			
	ANGULAR	± --- °	MATERIAL NO.		SEE CHART				
0	REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				