

## Specification Sheet

Part Number: T120RSM0HIRK2



Stud Mount Tie for .25", 120lb Tensile, 16.0" Long, PA66HIRHSUV, Black, 50/pkg

<b>Article Number</b>	157-01300
<b>Type</b>	T120RSM
<b>Color</b>	Black (BK)
<b>Features &amp; Benefits</b>	<ul style="list-style-type: none"><li>•Covers top of stud for protection from stud end.</li><li>•Four-pawl, three-tooth design delivers outstanding stud retention to keep bundles secure.</li><li>•PA46 material option allows use in high-heat applications.</li></ul>
<b>Quantity Per</b>	bag
<b>Product Description</b>	HellermannTyton stud mount tie designed for use on a 1/4" threaded stud or exposed threads of a machine screw.
<b>Short Description</b>	Stud Mount Tie for .25", 120lb Tensile, 16.0" Long, PA66HIRHSUV, Black, 50/pkg

Global Part Name

T120RSM-PA66HIRHSUV-BK

Minimum Tensile Strength (Imperial)

120.0

Minimum Tensile Strength (Metric)

535

Length L (Imperial)

16.0

Length L (Metric)

405.0

Fixation Method

Weld Stud Fixing

Identification Plate Position

none

Releasable Closure

No

Tie Closure

plastic pawl

Variant

Inside Serrated

Width W (Imperial)

0.3

Width W (Metric)

7.6

Bundle Diameter Min (Imperial)

0.2

Bundle Diameter Min (Metric)

5.0

Bundle Diameter Max (Imperial)

4.0

Bundle Diameter Max (Metric)

101.0

Height H (Imperial)

.77

<b>Height H (Metric)</b>	19.50
--------------------------	-------

**Stud Diameter (Metric)** 6.3 mm

<b>Stud Diameter (Imperial)</b>	0.25
---------------------------------	------

<b>Material</b>	Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)
-----------------	--

**Material Shortcut** PA66HIRHSUV

<b>Flammability</b>	UL 94 HB
---------------------	----------

**Operating Temperature (Metric)** -40°F to +230°F (-40°C to +110°C)

<b>ROHS Complaint</b>	Yes
-----------------------	-----

<b>Package Quantity(Imperial)</b>	50
-----------------------------------	----

**Package Quantity (Metric)** 50

<b>Customs Number</b>	3926909988
-----------------------	------------

**Content Unit(BMEcat)** bag

