


REVISIONS				
P	LTN	DESCRIPTION	DATE	OWN APVD
K		REVISED PER ECO-19-002462	28FEB2019	AP GF
L		REVISED PER ECO-19-012453	13AUG2019	AP GF
M		REVISED AS PER ECN-21-132059	22DEC2021	KK AK
N		REVISED AS PER ECN-23-197955	08FEB2023	MT GL



1 LABEL INFORMATION: -1 SHOWN.

	TE LOGO
QSFP - 25 GIG	TE PART NUMBER
2231368-1	LENGTH - CABLE GAGE
M - 30AWG	SERIAL NUMBER: PPPPPP=6-DIGIT, BASE 34, ALPHANUMERIC CHARACTERS (EXCLUDES I AND O) L=MANUFACTURING LOCATION CODE. YYWW=DATE CODE, 2-DIGIT YEAR, 2-DIGIT WEEK R = 0 OR 1 FOR PCB TRACEABILITY SSS=3-DIGIT, BASE 34, SERIAL ALPHANUMERIC CHARACTERS (EXCLUDES I AND O)
PPPPPLYWWRSSS	BAR CODE
	COUNTRY OF ORIGIN
MADE IN	

- SEE SHEET 2 FOR WIRING SCHEMATIC.
- PRODUCT AND PROCESSING MUST MEET THE REQUIREMENTS OF TE SPECIFICATION TEC-138-702. (CONTAINS NO BANNED OR RESTRICTED SUBSTANCES)
- EEPROM DOES NOT INCLUDE PAGE SWAPPING.
- TEST IN ACCORDANCE WITH IEEE802.3bj.

6 DUE TO SHORT CABLE LENGTH, THE PART NUMBERS INDICATED MAY NOT MEET IEEE802.3bj. RETURN LOSS AND MINIMUM INSERTION LOSS LIMITS

7 CE MARKING LABEL INFORMATION (EXAMPLE SHOWS CHINA AND MEXICO MANUFACTURING ADDRESS):


TE Connectivity Ltd No.1 Taike Road Houjie Industry Zone, Houjie Town, Dongguan City Guangdong China 523958				CE UKCA AND WEEE MARKING (5MM MINIMUM CHARACTER HEIGHT FOR CE MARKING) (5MM MINIMUM CHARACTER HEIGHT FOR UKCA MARKING) (7MM MINIMUM CHARACTER HEIGHT FOR WEEE MARKING)
MANUFACTURING LOCATION ADDRESS (ADDRESS SHOWN FOR REFERENCE ONLY. DETAILS DEPENDING ON MANUFACTURING LOCATION)				

STATUS	LENGTH	DIAMETER	PART NO
OBSOLETE	30	3500 +80/-0	3-2231368-5
	30	2500 +80/-0	3-2231368-4
SUPERSEDED BY 2333842-5	26	2500 +80/-0	3-2231368-3
	30	500 +50/-0	2-2231368-3
SUPERSEDED BY 2336313-1	33	500 +50/-0	2-2231368-2
SUPERSEDED BY 2333841-8	28	4000 +80/-0	2-2231368-1
SUPERSEDED BY 2333841-4	28	2000 +80/-0	2-2231368-0
OBSOLETE	24	7000 +100/-0	1-2231368-9
SUPERSEDED BY 2336313-4	33	2000 +80/-0	1-2231368-8
SUPERSEDED BY 2336313-3	33	1500 +50/-0	1-2231368-7
SUPERSEDED BY 2336313-2	33	1000 +50/-0	1-2231368-6
SUPERSEDED BY 2333842-3	26	1500 +50/-0	1-2231368-5
SUPERSEDED BY 2333842-4	26	2000 +80/-0	1-2231368-4
OBSOLETE	30	4000 +80/-0	1-2231368-3
SUPERSEDED BY 1-2333842-0	26	5000 +80/-0	1-2231368-2
OBSOLETE	24	4000 +80/-0	1-2231368-1
OBSOLETE	24	3000 +80/-0	1-2231368-0
	30	1500 +50/-0	2231368-9
	30	3000 +80/-0	2231368-8
SUPERSEDED BY 2333842-6	26	3000 +80/-0	2231368-7
OBSOLETE	24	6000 +80/-0	2231368-6
OBSOLETE	24	5000 +80/-0	2231368-5
SUPERSEDED BY 2333842-8	26	4000 +80/-0	2231368-4
SUPERSEDED BY 2333841-6	28	3000 +80/-0	2231368-3
	30	2000 +80/-0	2231368-2
	30	1000 +50/-0	2231368-1
	GAGE	"L" mm	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN T. SMITH 08FEB2017	TE Connectivity NAME CABLE ASSEMBLY, DIRECT ATTACH QSFP 25GIG
DIMENSIONS: mm		CHK E. CUESTA 08FEB2017	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD E. CUESTA 08FEB2017	SIZE A1
0 PLC ±	1 PLC ±	APPLICATION SPEC	RESTRICTED TO
2 PLC ±	3 PLC ±	WEIGHT	SCALE 7:5
4 PLC ±	ANGLES ±	CUSTOMER DRAWING	SHEET 1 OF 2
FINISH			REV N

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION. ALL RIGHTS RESERVED.

REVISIONS				
P	LTN	DESCRIPTION	DATE	APVD
-	-	SEE SHEET 1	-	-



WIRING PATTERN

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN T. SMITH 08FEB2017	TE Connectivity	
DIMENSIONS:		CHK E. CUESTA 08FEB2017	NAME CABLE ASSEMBLY, DIRECT ATTACH QSFP 25G1G	
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD E. CUESTA 08FEB2017	PRODUCT SPEC	RESTRICTED TO
0 PLC	±	APPLICATION SPEC	SIZE	CAGE CODE
1 PLC	±	WEIGHT	A1	-
2 PLC	±	CUSTOMER DRAWING	SCALE	6:5
3 PLC	±		SHEET	2 OF 2
4 PLC	±		REV	N
ANGLES	±			
FINISH	±			