



201208950 EFR32ZG14 Datasheet Release v1.1

PCN Issue Date: 12/8/2020

Effective Date: 3/12/2021

PCN Type: Datasheet

Description of Change

Silicon Labs is pleased to announce the release of datasheet version 1.1 for the EFR32ZG14 devices.

SOFTWARE IMPACT DESCRIPTION:

GSDK version 3.1 will support the changes mentioned in the Change Reason section, including the support for the new Z-Wave Long Range. Please refer to the GSDK version 3.1 release notes for details.

Reason for Change

Revision 1.1

- In Section 1 "Feature List", updated MCU peripherals and GPIO.
 - Updated maximum TX power to 14 dBm.
 - Updated list of modulation formats. Removed 4 (G)FSK, added DSSS O-QPSK.
- In Section 2 "Ordering Information", updated GPIO and maximum TX power to 14 dBm.
- In Section 3.3 "Radio Interface" updated Figure 3.2 "Radio Interface with IPD" on page 6 and added Figure 3.3 "Radio Interface with Balun for Z-Wave Long Range" on page 6.
- In Section 3.4 "Embedded Interface" updated active-low SUSPENDn signal and PTI interface signals, updated Figure 3.4 "Host Interface Connections" on page 7.
- In Section 4.1.5 "Current Consumption" updated current consumptions for 912 MHz O-QPSK.
- In Section 4.1.7.1 "Sub-GHz RF Transmitter characteristics for 915 MHz Band":
 - Corrected FCC reference for non-restricted bands in:
 - SPURHARM_FCC_14
 - SPUROOB_FCC_14
 - Corrected FCC reference for PSD
- Added Section 4.1.7.2 "Sub-GHz RF Transmitter characteristics for 915 MHz Band, +14 dBm".
- In Section 4.1.7.3 "Sub-GHz RF Receiver Characteristics for 915 MHz Band", updated the maximum specification for SPURRX_ARIB, 930-1000 MHz, RBW=100 kHz. Added sensitivity, image rejection and blocking sensitivity for 912 MHz OQPSK PHY.
- In Section 5 "Typical Connection Diagrams", updated figure and added another connection diagram for Z-Wave Long Range.
- In Section 6 "EFR32ZG14 Device Pinout" updated figure and Table 6.1 "EFR32ZG14 Device Pinout" on page 27 for pin 20 and pin 21.

Impact on Form, Fit, Function, Quality, Reliability

No impact on form, fit, quality or reliability. Function is impacted as described in the Change Reason section.

Product Identification

Existing Part #
EFR32ZG14P231F256GM32-B
EFR32ZG14P231F256GM32-BR
EFR32ZG14P231P*GM32-B
EFR32ZG14P231P*GM32-BR
EFR32ZG14P*31F256GM32-B
EFR32ZG14P*31F256GM32-BR

Last Date of Unchanged Product: 3/12/2021

Qualification Samples

N/A

Customer Response

Lack of acknowledgment of the PCN within 30 days constitutes acceptance of the change, Ref. JEDEC-J-STD-046.

To request further data or inquire about this notification, please contact your Silicon Labs sales representative. A list of Silicon Labs sales representatives is available at <http://www.silabs.com>.

Customers may approve early PCN acceptance by emailing approval, along with PCN # to PCNEarlyAcceptance@silabs.com

User Registration

Register today to create your account on Silabs.com. Your personalized profile allows you to receive technical document updates, new product announcements, “how-to” and design documents, product change notices (PCN) and other valuable content available only to registered users. <http://www.silabs.com/profile>

Qualification Data

N/A



Disclaimer

Silicon Labs intends to provide customers with the latest, accurate, and in-depth documentation of all peripherals and modules available for system and software implementers using or intending to use the Silicon Labs products. Characterization data, available modules and peripherals, memory sizes and memory addresses refer to each specific device, and "Typical" parameters provided can and do vary in different applications. Application examples described herein are for illustrative purposes only. Silicon Labs reserves the right to make changes without further notice and limitation to product information, specifications, and descriptions herein, and does not give warranties as to the accuracy or completeness of the included information. Silicon Labs shall have no liability for the consequences of use of the information supplied herein. This document does not imply or express copyright licenses granted hereunder to design or fabricate any integrated circuits. The products are not designed or authorized to be used within any Life Support System without the specific written consent of Silicon Labs. A "Life Support System" is any product or system intended to support or sustain life and/or health, which, if it fails, can be reasonably expected to result in significant personal injury or death. Silicon Labs products are not designed or authorized for military applications. Silicon Labs products shall under no circumstances be used in weapons of mass destruction including (but not limited to) nuclear, biological or chemical weapons, or missiles capable of delivering such weapons.

Trademark Information

Silicon Laboratories Inc.®, Silicon Laboratories®, Silicon Labs®, SiLabs® and the Silicon Labs logo®, Bluegiga®, Bluegiga Logo®, Clockbuilder®, CMEMS®, DSPLL®, EFM®, EFM32®, EFR, Ember®, Energy Micro, Energy Micro logo and combinations thereof, "the world's most energy friendly microcontrollers", Ember®, EZLink®, EZRadio®, EZRadioPRO®, Gecko®, ISOModem®, Micrium, Precision32®, ProSLIC®, Simplicity Studio®, SiPHY®, Telegesis, the Telegesis Logo®, USBXpress®, Zentri and others are trademarks or registered trademarks of Silicon Labs. ARM, CORTEX, Cortex-M3 and THUMB are trademarks or registered trademarks of ARM Holdings. Keil is a registered trademark of ARM Limited. All other products or brand names mentioned herein are trademarks of their respective holders.



Silicon Laboratories Inc.
400 West Cesar Chavez
Austin, TX 78701

<http://www.silabs.com>