

Specification Sheet

Part Number: 151-00775



Connector Clip w/Arrowhead, 1.7 - 2.3 mm Panel Thickness, 6.3 - 6.7 mm Hole Dia, PA66HIRHS, Black, 5000/box

Article Number	151-00775
Type	CCSFT6.5
Color	Black (BK)
Features & Benefits	<ul style="list-style-type: none">•Head design contains clamping rails to provide full circumferential compression around bundles.•Bent tail allows for quick insertion into head.
Quantity Per	bag

Product Description

Connector Clips feature various attachment point configurations to accommodate the many connectors on the market. They are first mated with a connector on a wire harness or cable assembly, then secured to a surface using the integrated mount. With so many configurations available, attachment surfaces can be a hole, edge, stud or even another harness assembly.

Short Description	Connector Clip w/Arrowhead, 1.7 - 2.3 mm Panel Thickness, 6.3 - 6.7 mm Hole Dia, PA66HIRHS, Black, 5000/box
Global Part Name	CCSFT6.5-PA66HIRHS-BK
Technical Description	Connector Clip, Black
Length L (Imperial)	0.9
Length L (Metric)	23.0
Fixation Method	Arrowhead (Small Mount)
Height H (Imperial)	0.48
Height H (Metric)	12.1
Panel Thickness Min(Imperial)	0.07
Panel Thickness Max(Imperial)	0.09
Panel Thickness Min (Metric)	1.7
Panel Thickness Max (Metric)	2.3
Mounting Hole Diameter D (Imperial)	0.25 - 0.26
Mounting Hole Diameter D (Metric)	6.3 - 6.7 mm
Mounting Hole Diameter D Min (Imperial)	0.25
Mounting Hole Diameter D Max (Imperial)	0.26

Mounting Hole Diameter D Max (Metric) 6.7

Disc Diameter(Metric) 16.0

Disc Diameter (Imperial) 0.63

Material Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS)

Material Shortcut PA66HIRHS

Flammability UL 94 HB

Operating Temperature (Metric) -40°F to +221°F (-40°C to +105°C)

Reach Complaint(Article 33) Yes

ROHS Complaint Yes

Package Quantity(Imperial) 5000

Package Quantity (Metric) 5000

Customs Number 3926909988

Content Unit(BMEcat) pcs.

Weight (Metric) 0.575

© 2019 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)