THIS IS A C.A.D. GENERATED DRAWING
DO NOT MAKE MANUAL REVISIONS TO MASTER.

ISSUE NUMBER
ORIGINAL   ①

Mounting Option
04-.156 (3.96) Dia. Mounting Holes

0.370 [9.40]

Card Slot Accepts
.054 [1.37] to .070 [1.78]
Thick P.C. Board

Contact Detail
521-P.C. Tail .025 Sq.(0.64 Sq.) - Tail LG=.150(3.81)
.156 [3.96] Contact Spacing x .200 [5.08] Row Spacing

0.156 [3.96]
2.036 [51.71]
2.182 [55.42]

A

EDAC

A

0.600 [15.24]
0.420 [10.67]
0.170 [4.32]

0.330 [8.38] Card Slot
0.160 [4.06] Point of Contact

SECTION A-A

See Accompanying Pages for:
- **Contact Bend Details**
- **Mounting Options**

337 / 387 Series Card Edge Connector	ACAD REFERENCE NO.	337 ENG MASTER
Part Number: 387-012-521-604	DRAWN: J.LEE	DATE: OCT. 06/09
	CHECKED:	DATE:

SCALE: NTS	SHEET 1 OF 3
DRAWING NUMBER	ISSUE
337 Assembly	1

THIS IS A C.A.D. GENERATED DRAWING
DO NOT MAKE MANUAL REVISIONS TO MASTER.

ISSUE NUMBER
ORIGINAL　①

0.635 [16.13]
0.235 [5.97]

0.635 [16.13]
0.285 [7.24]

0.120 [3.05]
0.245 [6.22]

0.095 [2.41]
0.170 [4.32]

0.165 [4.19]
0.375 [9.53]

.125 [3.18] to .210 [5.33]
Outside Tails

.045 [1.14] to .060 [1.52]
Between Tails

.125 [3.18] to .185 [4.70]
Outside Tails

.045 [1.14] to .060 [1.52]
Between Tails

0.200 [5.08]
0.060 [1.52]

0.150 [3.81]
0.060 [1.52]

.125 [3.18] to .210 [5.33]
Outside Tails

.045 [1.14] to .060 [1.52]
Between Tails

555 Contact Code　　**556 Contact Code**　　**558 Contact Code**　　**559 Contact Code**　　**560 Contact Code**

337 / 387 Series Card Edge Connector
Contact Bend Detail

ACAD REFERENCE NO.	337 ENG MASTER
DRAWN: J.LEE	DATE: OCT. 06/09
CHECKED:	DATE:
SCALE: NTS	SHEET 2 OF 3

EDAC INC
TORONTO, ONTARIO
CANADA
YOUR CONNECTION TO QUALITY & SERVICE

DRAWING NUMBER	ISSUE
337 Assembly	1

THIS IS A C.A.D. GENERATED DRAWING
DO NOT MAKE MANUAL REVISIONS TO MASTER.

ISSUE NUMBER
ORIGINAL   ①

Code x01

Code x12

0.125[3.18]

.128 [3.25] Dia Through Holes

Code x02

.128 [3.25] Dia Through Holes

0.250[6.35]

Code x03

0.116[2.95] I.D. Floating Eyelets
0.250[6.35] Dia.
.010 [0.25] Radial Float
0.328[8.33]
0.005[0.13]

Code x04

.156 [3.96] Dia Through Holes

0.250[6.35]

Code x07

M3-0.5 Metric Threaded Insert

Code x08

#4-40 UNC Threaded Insert

Code x58

0.468[11.89]
0.125[3.18]
2.755[69.98]
0.250[6.35]
0.423[10.74]

Code x68

0.344[8.74]
0.060[1.52]
2.505[63.63]
0.250[6.35]
0.242[6.15]

Code x78

0.090[2.29]
1.550[39.37]
0.250[6.35]