

# Product/Process Change Notice (PCN)



- Major change  
 Minor change

PCN #:  
PCN\_FeStarFix/FixLFS/Gap/Bueno\_20150130\_Packaging-Change

Product Affected: 74271633, 74271633S,  
74271733, 74271733S, 74272733, 74275813,  
74275813S

PCN Date: 30.01.2015  
Effective Date: 30.04.2015

- Product Mark  
 Date Code  
 Packaging  
 Others

Contact: Product Management  
Phone: +49 (0) 7942 - 945 5001  
Fax: +49 (0) 7942 - 945 5179  
E-mail: pcn.eisos@we-online.de

Attachment:  Yes  No

Samples:

## DESCRIPTION AND PURPOSE OF CHANGE:

Tray design and size change for improved handling and transport.  
Dimensions change as detailed in the tables below.

## DETAIL OF CHANGE:


Due to size and design change of the tray, the packing size and packing quantity will change as detailed in the tables below. Carton box material will remain double wall corrugated cardboard.

## Changes for PN: 74271633(S) / 74271733(S) / 74272733

### New Packaging



### Old Packaging



| PN: 74271633(S) / 74271733(S) / 74272733 |     | New Packaging   | Old Packaging   |
|--|-----|-----------------|-----------------|
| Standard Packaging Quantity (SPQ)        | pcs | 228             | 270             |
| Quantity of a full tray                  | pcs | 38              | 30              |
| Number of trays                          | pcs | 6               | 9               |
| Moisture Impermeable Bag (MIB)           | pcs | yes             | yes             |
| Dimensions of the carton (LxWxH)         | mm  | 385 x 305 x 135 | 335 x 230 x 180 |
| Dimensions of a tray (LxWxH)             | mm  | 370 x 280 x 12  | 315 x 215 x 3   |
| Weight of a SPQ                          | g   | 8300            | 8720            |
| Weight of a full tray                    | g   | 1230            | 920             |

## Changes for PN: 74275813(S)

### New Packaging



### Old Packaging



| PN: 74275813(S)                   |     | New Packing     | Old Packing     |
|-----------------------------------|-----|-----------------|-----------------|
| Standard Packaging Quantity (SPQ) | pcs | 190             | 200             |
| Quantity of a full tray           | pcs | 38              | 40              |
| Number of trays                   | pcs | 5               | 5               |
| Moisture Impermeable Bag (MIB)    | pcs | yes             | no              |
| Dimensions of the carton (LxWxH)  | mm  | 385 x 305 x 135 | 385 x 305 x 135 |
| Dimensions of a tray (LxWxH)      | mm  | 370 x 280 x 12  | 370 x 280 x 7   |
| Weight of a SPQ                   | g   | 6500            | 6400            |
| Weight of a full tray             | g   | 1110            | 1200            |


**RELIABILITY / QUALIFICATION SUMMARY:**

1. Drop test according to *DIN EN 22248 "Packaging; complete, filled transport packages; vertical impact test by dropping (ISO 2248:1985)"* has been done.
2. Vibrations test according to *MIL-STD-202 Method 204* has been done under the following test conditions:  
 Acceleration: 10G  
 Frequency range: 15-2000Hz  
 Duration: 4 hours at Z axis

**Vibrations test setup**



**Vibrations test graphical evaluation**



**DATA SHEET CHANGE:**

Yes

No

**Würth Elektronik eiSos GmbH & Co. KG**

D-74638 Waldenburg · Max-Eyth-Strasse 1 - 3 Germany · Telefon (+49) (0) 7942 - 945 - 0 Telefax (+49) (0) 7942 - 945 - 5000