



THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

23.25  
[590.6]  
18.31  
[465.1]  
HOLE TO HOLE

41.5  
[1054]



PANDUIT P/N	WEIGHT
R4P42	112 LBS/EACH 50.9 Kg/EACH
R4P42CN	103 LBS/EACH 46.8 Kg/EACH
R4P42WH	112 LBS/EACH 50.9 Kg/EACH
R4P42CNWH	103 LBS/EACH 46.8 Kg/EACH

NOTES:

- VISIT OUR ON-LINE CATALOG AT WWW.PANDUIT.COM FOR A LIST OF CURRENT PARTS APPLICABLE FOR USE WITH THIS PRODUCT.
- DIMENSIONS IN PARENTHESIS ARE METRIC.
- INDEPENDENT ADJUSTABLE FRONT & REAR MOUNTING RAILS (EIA) ADJUST FROM 3.25" TO 42" DEPTH.
- CAN BE USED WITH ANY EIA STANDARD COMPONENT IN ADDITION TO ALL PANDUIT HORIZONTAL CABLE MANAGEMENT AND PATCH PANEL PRODUCTS.
- 45 AVAILABLE RACK SPACES.
- EIA UNIVERSAL STANDARD HOLE PROGRESSION ON FRONT CHANNELS AND REAR MOUNT RAILS .625", .625", .500", .625", .625", .500"...ETC.
- ALL RACKS WILL HAVE NUMBERS UP ORIENTATION (RU "01" ON BOTTOM, RU "45" ON TOP). INSTRUCTIONS WILL BE PROVIDED ON HOW TO GET NUMBERS DOWN ORIENTATION.
- RU SPACING NUMBERS ARE CLEARLY PRINTED ON MOUNTING RAILS.
- ALL ASSEMBLY HARDWARE INCLUDED:
  - (16) 3/8-16 X 1" BLACK HEX BOLT
  - (16) 3/8" PAINT PIERCING GROUNDING WASHER
  - (1) TUBE OF ANTI-OXIDIZING PASTE
  - (25) 12-24 X .5" SLOTTED PAN HEAD STEEL SCREW
  - (25) #12-24 CAGE NUTS (ONLY PROVIDED FOR R4P42CN)
- EASY ASSEMBLY, ONE WRENCH NEEDED TO INSTALL BOLTS INTO WELDNUTS IN ALL 8 CORNERS.
- FULLY BONDED STRUCTURE WHEN ASSEMBLED PER INSTRUCTIONS.
- LOAD RATING - 2500 LBS.
- BLACK RACKS HAVE WHITE LETTERING; WHITE RACKS HAVE BLACK LETTERING.

TITLE		<b>42" DEEP 4 POST RACK [R4P42(WH)/R4P42CN(WH)]</b>	
ITEM REVISION NAME		CUSTOMER DRAWING	
DATASET FILE NAME		<b>PANDUIT</b>	
UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [ mm ]		MATERIAL:	
.X ±		STEEL	
.XX ±		DRAWING NUMBER:	
.XXX ±		V10679AS-DC	
ANGLES ±		SHT 1 OF 3	
THIRD ANGLE PROJECTION		SIZE	
DRAWN BY		A	
DATE		4-1-09	
CHK		DSI	
SCALE		NONE	

REV	DATE	BY	CHK	APR	DESCRIPTION	ECN
07B	10-4-19	BAME	KRKE	JEFK	ADDED FINISHED GOOD P/N R4P42WH AND R4P42CNWH	M09000KJ
07A	1-8-18	BAME	JCO	JEFK	REALIGNED HOLES FOR PATCHRUNNER 2	M09000HB
06A	7-13-16	AMF	BAME	KRKE	ADDED NOTE TO PAGE 3	M09000EF
05A	11-11-13	PM	BAME	CMK	C. REPLACED PANDUIT LABEL B. REPLACED DRAWING BORDER	V10670AS-DC

D10100DA/16



