

PRODUCT CHANGE NOTIFICATION

PCN Number: 438

Date of Issue: 09/29/2017

PCN Effective Date: 09/29/2017

Last Time Buy Date: -

Last Time Ship Date: -

Type of Change: DESIGN

Title of Change: PCN 438 Datasheet Update for T-3 1/4 Miniature Bayonet and Screw Base

Reason of Change: Specifications for several Miniature Lamps T-3 1/4 Bayonet Base and Screw Base are updated.

Some Part Numbers were also corrected on datasheet, removing the 'CM' that was in front of a valid part number.

Updated datasheet is available on the website.

The last page of this Product Change Notification shows change between old and new datasheet.

Sannah Vinding

Director of Product Development & Marketing: _____ 

VCC Contact Name: customerservice@vcclite.com Phone Number: (800)5225546


Form 7.2.3-1 Product Change Notification Rev 02/11/2016

AFFECTED PART NUMBER		
Part Number	Description	Suggested Alternative Part Number(s)
757	LMP T-3 1/4 INC Mini Bayonet Base	-
CM1819	LMP T-3 1/4 INC Mini Bayonet Base	-
1822	LMP T-3 1/4 INC Mini Bayonet .1A 36V	-
8-3995	LMP T-3 1/4 INC Mini Bayonet Base	-
40	LMP T-3 1/4 Miniature Screw 6.3V	-
1821	LMP T-3 1/4 Miniature Screw .17A 28V	-

T-3 ¼ Miniature Bayonet Base

Old Datasheet


T-3 1/4 Miniature Bayonet Base



Part Number	Design Voltage	Amps	MSCP	Life Hours	Filament Type
CM1826	18.0	.15	1.8	250	C-2V
CM1437	24.0	.06	.90	20	C-2F
CM1818	24.0	.17	3.3	250	C-2V
CM313	28.0	.17	3.5	500	C-2F
CM757	28.0	.08	.62	7,500	C-2F
CM1819	28.0	.04	.34	2,500	C-2F
CM1820	28.0	.10	1.6	1,000	C-2F
CM1829	28.0	.07	1.0	1,000	C-2F
CM1843	28.0	.02	.20	3,000	C-2F
CM1864	28.0	.17	3.0	1,500	C-2F
CM1873	28.0	.20	3.0	7,000	C-2F
CM1822	36.0	.10	2.1	1,000	C-2F
CM1828	37.5	.05	.65	3,000	C-2F
CM1835	55.0	.05	1.1	5,000	C-5
CM8-3995	130.0	.02	.20	2,000	C-5
CM949	130.0	.022	.40	2,000	2CC-2F

New Datasheet

T-3 1/4 Miniature Bayonet Base



Dimensions in inches (mm)

Part Number	Design Voltage	Amps	MSCP	Life Hours	Filament Type
1818	24.0	.17	3.3	250	C-2V
CM313	28.0	.17	3.5	500	C-2F
757	28.0	.08	.62	15,000	C-2F
CM1819	28.0	.04	.34	3,000	C-2F
1820	28.0	.10	1.6	1,000	C-2F
CM1829	28.0	.07	1.0	1,000	C-2F
CM1864	28.0	.17	3.0	1,500	C-2F
1822	36.0	.10	2.5	1,000	C-2F
1828	37.5	.05	.65	3,000	C-2F
CM1835	55.0	.05	1.1	5,000	C-5
8-3995	130.0	.02	.20	2,000	CC-3A
949	130.0	.022	.40	2,000	2CC-2F


VCC Contact Name: customerservice@vcclite.com Phone Number: (800)5225546

Form 7.2.3-1 Product Change Notification Rev 02/11/2016

T-3 ¼ Miniature Screw Base

Old Datasheet


T-3 1/4 Miniature Screw Base



Part Number	Design Voltage	Amps	MSCP	Life Hours	Filament Type
CM1800	1.35	.06	.07	500	S-2
CM48	2.00	.06	.04	1000	S-2
CM41	2.50	.50	.50	3000	C-2R
CM42	3.20	.35	.50	3000	C-2R
CM40	6.30	.15	.50	3000	C-2R
CM46	6.30	.25	.90	3000	C-2R
CM1481	14.0	.15	1.5	200	C-2V
CM1487	14.0	.20	1.4	3000	C-2V
CM1821	28.0	.17	3.4	500	C-2F
CM1832	37.5	.05	.65	3000	C-2F
CM1823	48.0	.10	3.2	1000	C-2F
CM750	55.0	.05	.72	7500	C-13
CM8-3994	130.0	.02	.20	2000	C-5

New Datasheet

T-3 1/4 Miniature Screw Base



Part Number	Design Voltage	Amps	MSCP	Life Hours	Filament Type
41	2.50	.50	.50	3,000	C-2R
40	6.30	.15	.52	3,000	C-2R
46	6.30	.25	.90	3,000	C-2R
1821	28.0	.17	3.5	500	C-2F