

# TENSILITY

## Product Change Notification

January 3, 2020

PCN issue number: 00109

Product Type: Bio-compatible wire

Change type: Packaging change

Products affected by change:

Part Number	Part Description
30-00445	Wire, 4C TS, 32 AWG, 150V, 70C, 2.5 mm, spiral shield, TPU, gray, WBL
30-00446	Wire, 4C TS, 32 AWG, 150V, 70C, 2.5 mm, spiral shield, TPU, white, WBL
30-00447	Wire, 4C TS, 28 AWG, 150V, 70C, 2.8 mm, spiral shield, TPU, gray, WBL
30-00448	Wire, 4C TS, 28 AWG, 150V, 70C, 2.8 mm, spiral shield, TPU, white, WBL
30-00449	Wire, 4C TS, 26 AWG, 150V, 70C, 3.4 mm, spiral shield, TPU, gray, WBL
30-00450	Wire, 4C TS, 26 AWG, 150V, 70C, 3.4 mm, spiral shield, TPU, white, WBL
30-00451	Wire, 4C TS, 24 AWG, 150V, 70C, 3.8 mm, spiral shield, TPU, gray, WBL
30-00452	Wire, 4C TS, 24 AWG, 150V, 70C, 3.8 mm, spiral shield, TPU, white, WBL
30-00453	Wire, 3C TS, 32 AWG, 150V, 70C, 2.5 mm, spiral shield, TPU, gray, WBL
30-00454	Wire, 3C TS, 32 AWG, 150V, 70C, 2.5 mm, spiral shield, TPU, white, WBL
30-00455	Wire, 3C TS, 28 AWG, 150V, 70C, 2.8 mm, spiral shield, TPU, gray, WBL
30-00456	Wire, 3C TS, 28 AWG, 150V, 70C, 2.8 mm, spiral shield, TPU, white, WBL
30-00457	Wire, 3C TS, 26 AWG, 150V, 70C, 3.2 mm, spiral shield, TPU, gray, WBL
30-00458	Wire, 3C TS, 26 AWG, 150V, 70C, 3.2 mm, spiral shield, TPU, white, WBL
30-00459	Wire, 3C TS, 24 AWG, 150V, 70C, 3.5 mm, spiral shield, TPU, gray, WBL
30-00460	Wire, 3C TS, 24 AWG, 150V, 70C, 3.5 mm, spiral shield, TPU, white, WBL
30-00490	Wire, 4C TS, 32 AWG, 150V, 70C, 2.5 mm, spiral shield, TPU, WBL
30-00491	Wire, 4C TS, 28 AWG, 150V, 70C, 2.8 mm, spiral shield, TPU, WBL
30-00492	Wire, 4C TS, 26 AWG, 150V, 70C, 3.4 mm, spiral shield, TPU, WBL
30-00493	Wire, 4C TS, 24 AWG, 150V, 70C, 3.8 mm, spiral shield, TPU, WBL
30-00494	Wire, 3C TS, 32 AWG, 150V, 70C, 2.5 mm, spiral shield, TPU, WBL
30-00495	Wire, 3C TS, 28 AWG, 150V, 70C, 2.8 mm, spiral shield, TPU, WBL
30-00496	Wire, 3C TS, 26 AWG, 150V, 70C, 3.2 mm, spiral shield, TPU, WBL
30-00497	Wire, 3C TS, 24 AWG, 150V, 70C, 3.5 mm, spiral shield, TPU, WBL
30-00650	Wire, 2C TS, 32 AWG, 150V, 70C, 2.4 mm, spiral shield, TPU, WBL
30-00651	Wire, 2C TS, 32 AWG, 150V, 70C, 2.4 mm, spiral shield, TPU, white, WBL
30-00652	Wire, 2C TS, 32 AWG, 150V, 70C, 2.4 mm, spiral shield, TPU, gray, WBL
30-00653	Wire, 2C TS, 28 AWG, 150V, 70C, 2.6 mm, spiral shield, TPU, WBL
30-00654	Wire, 2C TS, 28 AWG, 150V, 70C, 2.6 mm, spiral shield, TPU, white, WBL
30-00655	Wire, 2C TS, 28 AWG, 150V, 70C, 2.6 mm, spiral shield, TPU, gray, WBL

# TENSILITY

30-00656	Wire, 2C TS, 26 AWG, 150V, 70C, 3.1 mm, spiral shield, TPU
30-00657	Wire, 2C TS, 26 AWG, 150V, 70C, 3.1 mm, spiral shield, TPU, white, WBL
30-00658	Wire, 2C TS, 26 AWG, 150V, 70C, 3.1 mm, spiral shield, TPU, gray, WBL
30-00659	Wire, 2C TS, 24 AWG, 150V, 70C, 3.4 mm, spiral shield, TPU, WBL
30-00660	Wire, 2C TS, 24 AWG, 150V, 70C, 3.4 mm, spiral shield, TPU, white, WBL
30-00661	Wire, 2C TS, 24 AWG, 150V, 70C, 3.4 mm, spiral shield, TPU, gray, WBL

Product specification change: None

Packaging change:

Tensility has changed the packaging from the existing plastic spools to a more eco-friendly, recyclable cardboard spool. As part of this change, the total length of wire on the spool will also change from the current 305 meters to 153 meters per spool.



Old Version of Spool



New Version of Spool

# TENSILITY

Reason for change:

To utilize a recyclable solution for packaging.

Anticipated impact on fit, form, function and reliability:

There will be no change to the fit or function of these products.

Please direct all questions regarding this PCN to:

[info@tensility.com](mailto:info@tensility.com)

541-323-3228