










Cables: Max 5 X 12 AWG

30180-V-MAG 70© Magnetic Temporary Cable Rail CSCR 125

Cables/Hoses: Max 5 X Ø1/2"



**ENGISO®**  
ENGINEERED SOLUTIONS

Phone: (+45) 70 23 00 75  
E-mail: info@Engiso.com

	Linear tolerance	0-10	10-50	50-500	500-1000	1000-
		± 0.1	± 0.2	± 0.5	± 0.8	± 1

Created: 9. maj 2022      Ini: ANO      Updated: 13. november 2022      Ini: ANO

Surface treatment: \_\_\_\_\_      Approver: B.Ø.

Material: Material <not specified>      Weight: 1.5 Kg

Material Cert. EN10204: \_\_\_\_\_      Item: Cablerail-CSCR-125-1

Unit: Metric

A3	Sheet : 1 of 2	SCALE 1:2	Drawing no.: 30180_000	Rev:
----	----------------	-----------	------------------------	------









This drawing belongs Engiso, and may not be disclosed to third parties or used otherwise.

All sharp edges deburred.

Cables: Max 5 X 12 AWG

30180-V-MAG 70© Magnetic Temporary Cable Rail CSCR 125

Cables/Hoses: Max 5 X Ø1/2"



**ENGISO**<sup>®</sup>  
ENGINEERED SOLUTIONS

Phone: (+45) 70 23 00 75  
E-mail: info@Engiso.com

	Linear tolerance	0-10	10-50	50-500	500-1000	1000-
		± 0.1	± 0.2	± 0.5	± 0.8	± 1
Created: 9. maj 2022	Ini: ANO	Updated: 13. november 2022			Ini: ANO	
Surface treatment:				Approver: B.Ø.		
Material: Material <not specified>		Weight: 1.5 Kg				
Material Cert. EN10204:		Item: Cablerail-CSCR-125-1				
Unit: Metric						
A3	Sheet : 2 of 2	SCALE 1:2	Drawing no.: 30180_000			Rev:

This drawing belongs Engiso, and may not be disclosed to third parties or used otherwise.

All sharp edges deburred.