

Specification Sheet

Part Number: 150-28140



Mount design applies quickly and easily to .2" (5mm) studs.
Unique latch style allows for easy re-entry to bundles.

Design gives low insertion force and high extraction force.

Ladder Stud Mount, 4.3" Length, Stud Diameter .2", Max Bundle Diameter 0.91", PA66, Black, 500/pkg

Article Number 150-28140

Type FBB140

Color Black (BK)

Quantity Per bag

Product Description Ladder Stud Mounts can be used in a wide variety of applications where .2" diameter bolts are used, and cables need to be bundled and secured. The unique latch style allows for easy re-entry to bundles.

Short Description Ladder Stud Mount, 4.3" Length, Stud Diameter .2", Max Bundle Diameter 0.91", PA66, Black, 500/pkg

Global Part Name FBB140-PA66HS-BK

Length L (Imperial)	5.7
Length L (Metric)	142
Fixation Method	Weld Stud Fixing
Identification Plate Position	none
Releasable Closure	Yes
Tie Closure	ladder style
Variant	Not Serrated
Width W (Imperial)	0.4
Width W (Metric)	10.0
Bundle Diameter Min (Imperial)	0.24
Bundle Diameter Min (Metric)	6.0
Bundle Diameter Max (Imperial)	1.5
Bundle Diameter Max (Metric)	38.0
Height H (Imperial)	0.06
Height H (Metric)	1.4
Stud Diameter (Metric)	5.0 mm

Stud Diameter (Imperial)	0.2
Material	Polyamide 6.6 heat stabilized (PA66HS)
Material Shortcut	PA66HS
Flammability	UL 94 V-2
UV Resistant (Yes/No)	No
Operating Temperature	-40°F to +185°F (-40°C to +85°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	500
Package Quantity (Metric)	500
Customs Number	3926909988