



REVISIONS				
P	LTN	DESCRIPTION	DATE	APVD
A		INITIAL REVISION	22FEB2022	KR RM

TCPN	TE Product Type (Entrelec)	M EN 60423	TL	H	∅D	SW 1	SW 2	SW 3	Clamping Range ∅ min - max
1SNG625021R0000	EM-SGL-M25-MET-E	M25x1.5	8.0	28.0	30.0	24	27	30	10.0 - 14.0
1SNG625022R0000	EM-SGL-M25-MET-F	M25x1.5	12.0	28.0	30.0	24	27	30	10.0 - 14.0
1SNG625023R0000	EM-SGL-M25-MET-G	M25x1.5	8.0	30.6	30.0	27	27	30	11.0 - 17.0
1SNG625024R0000	EM-SGL-M25-MET-H	M25x1.5	12.0	30.6	30.0	27	27	30	11.0 - 17.0
1SNG625025R0000	EM-SGL-M25-MET-I	M25x1.5	8.0	32.8	33.0	30	30	30	13.0 - 18.0
1SNG625026R0000	EM-SGL-M25-MET-J	M25x1.5	12.0	32.8	33.0	30	30	30	13.0 - 18.0
1SNG625027R0000	EM-SGL-M32-MET-A	M32x1.5	9.0	32.8	37.5	30	34	36	9.0 - 16.0
1SNG625028R0000	EM-SGL-M32-MET-B	M32x1.5	15.0	32.8	37.5	30	34	36	9.0 - 16.0
1SNG625029R0000	EM-SGL-M32-MET-C	M32x1.5	9.0	44.1	44.5	40	40	36	12.0 - 20.0
1SNG625030R0000	EM-SGL-M32-MET-D	M32x1.5	15.0	44.1	44.5	40	40	36	12.0 - 20.0
1SNG625031R0000	EM-SGL-M32-MET-E	M32x1.5	9.0	32.8	37.5	30	34	36	13.0 - 18.0
1SNG625032R0000	EM-SGL-M32-MET-F	M32x1.5	15.0	32.8	37.5	30	34	36	13.0 - 18.0
1SNG625033R0000	EM-SGL-M32-MET-G	M32x1.5	8.0	36.2	37.5	34	34	36	15.0 - 21.0
1SNG625034R0000	EM-SGL-M32-MET-H	M32x1.5	15.0	36.2	37.5	34	34	36	15.0 - 21.0
1SNG625035R0000	EM-SGL-M32-MET-I	M32x1.5	9.0	44.2	44.5	40	40	36	18.0 - 25.0
1SNG625036R0000	EM-SGL-M32-MET-J	M32x1.5	15.0	44.1	44.5	40	40	36	18.0 - 25.0
1SNG625037R0000	EM-SGL-M40-MET-A	M40x1.5	9.0	38.6	48.5	40	43	46	12.0 - 20.0
1SNG625038R0000	EM-SGL-M40-MET-B	M40x1.5	15.0	38.6	48.5	40	43	46	12.0 - 20.0
1SNG625039R0000	EM-SGL-M40-MET-C	M40x1.5	9.0	38.6	48.5	40	43	46	18.0 - 25.0
1SNG625040R0000	EM-SGL-M40-MET-D	M40x1.5	15.0	38.7	48.5	40	43	46	18.0 - 25.0
1SNG625041R0000	EM-SGL-M40-MET-E	M40x1.5	9.0	43.3	48.5	43	43	46	16.0 - 23.0
1SNG625042R0000	EM-SGL-M40-MET-F	M40x1.5	15.0	43.3	48.5	43	43	46	16.0 - 23.0
1SNG625043R0000	EM-SGL-M40-MET-G	M40x1.5	9.0	43.3	48.5	43	43	46	19.0 - 28.0
1SNG625044R0000	EM-SGL-M40-MET-H	M40x1.5	15.0	43.3	48.5	43	43	46	19.0 - 28.0
1SNG625045R0000	EM-SGL-M40-MET-I	M40x1.5	9.0	52.5	55.5	50	50	46	22.0 - 32.0
1SNG625046R0000	EM-SGL-M40-MET-J	M40x1.5	15.0	52.5	55.5	50	50	46	22.0 - 32.0

6	1	LOCK NUT	-	Brass (Nickel plated)	-
5	1	O-RING	-	NBR	-
4	1	METAL GLAND CAP	-	Brass (Nickel plated)	-
3	1	SEAL	-	CR	-
2	1	PLASTIC INSERT	-	PA6 V2	-
1	1	METAL GLAND BODY	-	Brass (Nickel plated)	-
RPT	QTY	DOC TITLE	DRAWING NUMBER	MATERIAL	COMMENTS
THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: Rajan, N. Kasli	22FEB2022	TE Connectivity	
DIMENSIONS: mm		CHK: Rafeeq, Mohd	22FEB2022	NAME: M-STD-GLAND-BRASS-LN	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: Rafeeq, Mohd	22FEB2022	PRODUCT SPEC: M-STD-GLAND-BRASS-LN	
0 PLC ±		APPROVED: Rafeeq, Mohd		APPLICATION SPEC: -	
1 PLC ±		SIZE: A		CAGE CODE: 00779	
2 PLC ±		DRAWING NO: 1SNP061341-0100		RESTRICTED TO: -	
3 PLC ±		WEIGHT: -		SCALE: 5:1	
4 PLC ±		CUSTOMER DRAWING		SHEET 2 OF 2	
ANGLES		REV: A1			
FINISH					
REF. TABLE					