



Data sheet | Item number: 788-122

Accessories for relay modules; Operation status indicator: red; Nominal operating voltage: 110 VDC



www.wago.com/788-122



Data Notes

Note Only required when using relays without integrated status indicator!

Technical data

Control Circuit

Nominal input current at U_N 0

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Operating Data

Nominal operating voltage	DC 110 V
Current consumption at U_N	1.9 mA

Signaling

Status indicator	Red LED
------------------	---------

Safety and protection

Protection type	IP20
-----------------	------

Mechanical data

Mounting type	Pluggable module
---------------	------------------

Material Data

Fire load	0.033 MJ
Weight	1.5 g

Commercial data

Product Group	6 (INTERFACE ELECTRONIC)
eCl@ss 10.0	27-37-16-92
eCl@ss 9.0	27-37-16-92
ETIM 8.0	EC002586
ETIM 7.0	EC002586
PU (SPU)	50 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4045454520656
Customs tariff number	85318070000

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------


Approvals / Certificates

General approvals

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.

Logo	Approval	Additional Approval Text	Certificate name
	EAC Brjansker Zertifizierungsstelle	TP TC 004/2011	EAC RU C-DE.AM02.B.00122/19

Downloads Documentation

Bid Text

788-122 docx - Datei	2019 Feb 20	docx 15.4 kB	Download
788-122 X81 - Datei	2019 Feb 19	xml 2.6 kB	Download

Additional Information

Disposal and Recycling Electrical and electronic equipment, Batteries, Packaging	V 1.1.0 2022 Aug 18	pdf 2.2 MB	Download
---	------------------------	---------------	----------

CAD/CAE-Data

CAD data

2D/3D Models 788-122	URL	Download
----------------------	-----	----------

CAE data

ZUKEN Portal 788-122	URL	Download
WSCAD Universe 788-122	URL	Download
EPLAN Data Portal 788-122	URL	Download

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 788-122	URL	Download
--	-----	----------

Subject to changes. Please also observe the further product documentation!

Data sheet | Item number: 788-122

www.wago.com/788-122



Accessories for relay modules; Operation status indicator: red; Nominal operating voltage: 110 VDC

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.