

ITEM	PART#	DESCRIPTION	QTY	UOM
A	334824001	MX150 ASSY 1.5 BLD 2X2 BLK A/4	1	PC
C	330001001	MX150 BLD TERM TIN 14AWG D WIND	4	PC
D	884260070	PAPER PRINTED PAPER WHITE (S100X150YAJ)	1	PC

FROM	TO	CABLE PART#	DESCRIPTION	COLOR
A1	--	100027101	14AWG DISC PVC BK OD 2.4 TXL BALAJI	BLACK
A2	--	100027101	14AWG DISC PVC BK OD 2.4 TXL BALAJI	BLACK
A3	--	100027101	14AWG DISC PVC BK OD 2.4 TXL BALAJI	BLACK
A4	--	100027101	14AWG DISC PVC BK OD 2.4 TXL BALAJI	BLACK




TABLE			
PART NUMBER	L1	L2	TITLE
2162881041	150±8	63 REF	MX150 P-S DR 4ckt 150mm Sn sealed cable
2162881042	300±10	138 REF	MX150 P-S DR 4ckt 300mm Sn sealed cable
2162881043	600±10	288 REF	MX150 P-S DR 4ckt 600mm Sn sealed cable

**NOTES**

1. Connector view shown is from mating side.
2. Label text must be 2mm max. in height with Arial font.
3. Label must be wrapped in flag type on a single cable.
4. The free ends to be stripped twisted and tinned to the length of 5±1. the tinning dia must be 2.2mm max
5. Sealing should pass the IP67 rating as defined by product spec.

MOLEX P/N  
MOLEX  
BATCH WK/YR

DETAIL A

FUNCTIONAL SYMBOLS E=0 F=0 P=0	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		<p>REFER THE TABLE</p> <p>PRODUCT CUSTOMER DRAWING</p>					
	DIMENSION UNITS	SCALE				CURRENT REV DESC:		
	mm	NTS				EC NO: 643544		
	GENERAL TOLERANCES (UNLESS SPECIFIED)					DRWN: NNANKOLA 2020/06/29		
ANGULAR TOL ± °		CHK'D: SD 2020/08/31						
4 PLACES ±		APPR: SD 2020/08/31						
3 PLACES ±		INITIAL REVISION:						
2 PLACES ±		DRWN: NNANKOLA 2020/06/29						
1 PLACE ±		APPR: SD 2020/08/31						
0 PLACES ±		MATERIAL NUMBER						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION
			A4-SIZE	216288	2162881041	PSD	000	A
					SEE TABLE	GENERAL MARKET		1 OF 1

DOCUMENT STATUS	P1	RELEASE DATE	2020/08/31	05:14:15
-----------------	----	--------------	------------	----------