


Data sheet | Item number: 706-5030/501-100

System cable; for Gefanuc 9030; 8 analog outputs (voltage); Length: 1 m;

Conductor cross-section: 0.25 mm²



www.wago.com/706-5030/501-100



Color coding acc. to DIN VDE 47100	25 poles Sub-D connector		PLC connector	
	Pin number	Wiring	Pin number	Signal
White	1	0+	2	CH0+V
Brown	2	0-	18	CH0-V
Green	3	1+	4	CH1+V
Yellow	4	1-	18	CH1-V
Grey	5	2+	6	CH2+V
Pink	6	2-	18	CH2-V
Blue	7	3+	8	CH3+V
Red	8	3-	18	CH3-V
Black	9	4+	10	CH4+V
Violet	10	4-	18	CH4-V
Grey-Pink	11	5+	12	CH5+V
Red-Blue	12	5-	18	CH5-V
White-Green	13	6+	14	CH6+V
Brown-Green	14	6-	18	CH6-V
White-Yellow	15	7+	16	CH7+V
Yellow-Brown	16	7-	18	CH7-V
White-Grey	17	nc	nc	nc
Grey-Brown	18	nc	nc	nc
White-Pink	19	+24V	1	+24V
Pink-Brown	20	0V	19	0V
White-Blue	21	nc	nc	nc
Brown-Blue	22	nc	nc	nc
White-Red	23	nc	nc	nc
Brown-Red	24	nc	nc	nc
White-Black	25	nc	nc	nc
Shield	Connected to Sub-D			

Data
Notes

Note When using more than 10 wires, the maximum current per wire must be reduced to 1 A.

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.



Electrical data

Inputs/outputs	8 analog outputs; voltage
Operating voltage	≤ AC/DC 35 V
Current per wire (max.)	2 A

Compatibility

GE Fanuc

GE Fanuc 9030	IC693 ALG392 IC694 ALG392
---------------	------------------------------

Connection data

Cable type	LIYCY
Color code	per DIN VDE 47100

Connection 1

Connector	D-subminiature female connector
Pole number 1	25
Connection type 1	System
Wire cross-section	0.25 mm ²

Connection 2

Connector 2	GeFanuc IC 693 ACC 311
Pole number 2	20
Connection type 2	System

Physical data

Cable length	1 m
--------------	-----

Material Data

Weight	295 g
--------	-------

Environmental requirements

Ambient temperature (operation)	-20 ... +50 °C
---------------------------------	----------------

Subject to changes. Please also observe the further product documentation!



Commercial data

ETIM 8.0	EC000237
ETIM 7.0	EC000237
PU (SPU)	1 pcs
Packaging type	bag
Country of origin	FR
GTIN	4055143984614
Customs tariff number	85444290900

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Documentation

System Description

WAGO System Wiring, Selection Guide	pdf	Download
This guide will help you select the appropriate interface modules and system cables for the controller you are using.	545.9 kB	

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 706-5030/501-100	URL	Download
System cable; for Gefanuc 9030; 8 analog outputs (voltage); Length: 1 m; Conductor cross-section: 0.25 mm ²		

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.