

THIS DOCUMENT IS THE PROPERTY OF KEYSTONE ELECTRONICS CORP. AND SHALL NOT BE REPRODUCED, DISTRIBUTED OR USED AS A BASIS FOR MANUFACTURE WITHOUT PRIOR WRITTEN PERMISSION FROM KEYSTONE ELECTRONICS CORP.



8-32 THREAD STANDOFF ENGINEERING KIT CAT. NO. STR-832				
HEX. =	Threaded Female		Threaded Male/Female	
.250 [6.35]	Aluminum	Nylon	Aluminum	Nylon
Length	Cat. No.	Cat. No.	Cat. No.	Cat. No.
.375 [9.53]	2216	1904B	8426	4829
.500 [12.70]	2217	1904C	8427	4830
.750 [19.05]	2218	1904D	8429	4832
1.00 [25.40]	2219	1904E	8431	4834
Cat. No. 9906 8-32 x 3/8" Phillips Drive Machine Screw				



NOTES:

1. A KIT HAS 25 PIECES OF EACH CAT.NO. FOR A TOTAL QUANTITY OF 425 PIECES AND IS HOUSED IN A 16 TRAY, LABELED ENCLOSURE.
2. MAT'L - ALUMINUM, CLEAR IRIDITE
MAT'L - NYLON 6/6
3. DRAWS WILL BE ASSEMBLED WITH PLASTIC DIVIDER INSTALLED AND PRODUCT PLACED IN THE FRONT PORTION OF EACH DRAW.
4. SCREWS TO BE PLACED IN THE BACK PORTION OF THE UPPER LEFT MOST DRAW BEHIND THE 1/4" OR 3/8" L. ALUMINUM STANDOFFS.

KEYSTONE ELECTRONICS CORP.			
www.keyelco.com • NEW HYDE PARK, NY 11040 • Tel (516) 328-7500			
PART NAME			
8-32 THREAD , .250 HEX STANDOFF KIT			
MATERIAL			
AS NOTED			
FINISH		DRN BY	DATE
AS NOTED		NT	2.22.19
		APP'D	SCALE
		LN	-
TOLERANCES	INCH	[MM]	CODE
DECIMAL	±	[±]	C
ANGULAR	±		
UNLESS OTHERWISE SPECIFIED			DWG NO.
			CTR-832

DATE	DESCRIPTION	REV.