Phoenix Contact Inc. P.O. BOX 4100 Harrisburg, PA 17111-0100 Phone: 717-944-1300

Product Change Notification

PCN-IFC-7033-2021

Business Unit	Product Line Code	Type of Change	Action	Date of Issue
IFC - Industrial	BF7	Product Change	Notify Distributors and	8/20/2021
Field Connectivity		Notification	Field	


The following Phoenix Contact products have been modified. Existing specifications will be met or exceeded. Please review and acknowledge this document and inform your personnel as needed.

Description for Product Change Notification

As part of the ongoing improvement process, the panel-mount flange developed for our HEAVYCON ADV bayonet housing has been upgraded. Now including an additional integrated thread, this new panel-mount flange allows for the option to use a protective cover with screw locking mechanism (among other covers), in addition to the version with bayonet interlock. The improved ADV bayonet panel-mount flange is made of die-cast aluminum instead of die-cast zinc, and is fully compatible with the previous version.

Stock Status		
Can existing stock still be used?	Yes	
Is mixture of stock acceptable?	No	

Transaction Dates				
Date modification goes into effect from Germany:	2/15/2022			
Expected first shipment (from Phoenix Contact) of the modified products(s):	2/15/2022			





Phoenix Contact Inc.
P.O. BOX 4100
Harrisburg, PA 17111-0100
Phone: 717-944-1300

Product Change Notification

Should you have any issues with the timeline or content of this product change, please contact Phoenix Contact using the information below. Customers should acknowledge receipt of the PCN within 30 days of delivery of the PCN; provided, however, that the failure to acknowledge receipt does not affect the product change or the effective date thereof.

Contact Info:

Dean W Smith dwsmith@phoenixcontact.com

Thank you,

Nathan Owens

Product Marketing Manager - IFC



Phoenix Contact Inc.
P.O. BOX 4100
Harrisburg, PA 17111-0100
Phone: 717-944-1300

Product Change Notification

Part #	Type Description
1604641	HC-B-BF
1604654	HC-B-BF-SET