





10 9 8 7 6 5 4 3 2 1



SECTION W-W




CCT SIZE	ENG. NUMBER	A	B (+0.25 / -0.010)	E (+0.25 / -0.010)	COLOUR I. D
20	90649-7420	(47.5) / 1.870	(52.7) / 2.075	(55.0) / 2.165	PURPLE



CIRCUIT No. 1
I.D. MARK

RECOMMENDED P.C.B. HOLE LAYOUT
SEEN FROM SOLDER SIDE OF P.C.B.
PCB THICKNESS 1.5 TO 1.6.



NOTES :
I. MATERIAL; HEADER: POLYESTER, GLASS FILLED, UL 94V-0, COLOR: WHITE
PINS: BRASS, PLATING: (3um)/.118uin MIN. TIN
OVER (2um)/.078uin MIN. COPPER OR NICKEL.

REV	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
			mm	INCH	MM ONLY				
4	PLACES	± ---	± ---						
3	PLACES	± ---	± .006						
2	PLACES	± 0.15	± .008						
1	PLACE	± 0.25	± ---						
			ANGULAR ± ---°						
LEAD OPTION DELETED			DRAWN: PSHEAHAN 2004/10/08		DRAWN BY: HL		DATE: 97/10/07		TITLE: 2.50 R/A PCB HEADER ASSY WITHOUT LATCH
EC NO: E2005-0199			CHKD: APPR: BMAGUIRE 2004/10/11		CHECKED BY: DATE:		APPROVED BY: DATE:		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			MATERIAL NO. SEE CHART		DOCUMENT NO. SD-90649-001		SHEET NO. 1 OF 1		MOLEX INCORPORATED
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			SIZE A3						

9 8 7 6 5 4 3 2 1