

CKT	A	B
4	18.80 .740	4.20 .165
6	23.00 .906	8.40 .331
8	27.20 1.071	12.60 .496
10	31.40 1.237	16.80 .661
12	35.60 1.402	21.00 .827
14	39.80 1.567	25.20 .992
16	44.00 1.733	29.40 1.157
18	48.20 1.898	33.60 1.323
20	52.40 2.063	37.80 1.488
22	56.60 2.229	42.00 1.654
24	60.80 2.394	46.20 1.819

- NOTES:**
- MATERIAL: HOUSING: GLASS FILLED NYLON, UL94 V-0, BLACK
TERMINAL: PHOSPHOR BRONZE
BOARD RETENTION CLIP: BRASS
 - TERMINAL FINISH:
1 = 0.00254/.000100 MIN. BRIGHT TIN OVER 0.00127/.000050 MIN. NICKEL OVERALL
4 = 0.00076/.000030 MIN. GOLD IN CONTACT AREA, 0.00254/.000100 MIN. MATTE TIN IN TAIL AREA OVER 0.00127/.000050 MIN. NICKEL OVERALL
5 = 0.00254/.000100 MIN. MATTE TIN OVER 0.00127/.000050 MIN. NICKEL OVERALL
 - PRODUCT SPECIFICATION: PS-43879-001
 - PARTS ARE TRAY PACKED PER PK-43879-001
 - THIS PART MATES WITH RECEPTACLE NUMBERS 5557, 42474, 44516 AND HEADER NUMBER 42385.
 - PART ALLOWS FOR 1.27/.050 MAX. MIS-ALIGNMENT WITH MATING HOUSING IN ANY DIRECTION.
 - CONNECTOR ASSEMBLIES ARE NOT DESIGNED TO BE MATED AND UNMATED WHILE CIRCUITS ARE LIVE.
 - PART IS NOT DESIGNED FOR CURRENT SHARING.
 - DRILLED HOLE DIAMETER IS EQUIVALENT TO 5/64 STANDARD DRILL BIT.
 - PART CONFORMS TO CLASS "B" REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.
 - THIS HEADER REQUIRES A MOLEX INSERTION TOOL (62200-9400) TO PROPERLY INSTALL IT TO THE PCB.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

CHG DIM 5.82 TO 6.25 EC NO: 104170 DRWN: C-SLAFTER CHK'D: FSMITH APPR: FSMITH	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS	SCALE				
			MM/IN	2:1				
	4 PLACES	±	±	DRWN BY		DATE		
	3 PLACES	±	± 0.01	POLGAR		2002/12/10		
		2 PLACES	± 0.25	± 0.014	CHK'D BY	DATE		
		1 PLACES	± 0.38	±	MARGULIS	2002/12/17		
		0 PLACES	±	±	APPR BY	DATE		
		ANGULAR TOL ± 2.0		DRAWING SIZE	THIRD ANGLE PROJECTION	FSMITH	2011/05/02	
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		B		PRODUCT CUSTOMER DRAWING		
RELEASE STATUS		P1	RELEASE DATE	2016/05/17	21:36:32	SERIES	MATERIAL NUMBER	CUSTOMER
G15		REV	SD-43879-061		PSD	43879	SEE CHART	GENERAL MARKET
			DOC NUMBER	DOC TYPE	DOC PART	SHEET NUMBER		
			SD-43879-061	PSD	000	1 OF 4		

ITEM NO.	CKT. SIZE	TERMINAL VERSION REQUIRED AT EACH CIRCUIT LOCATION: SEE LEGEND BELOW																							
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
43879-6001	10	MI	MI	SI	MI	MI	MI	MI	MI	MI	MI	-	-	-	-	-	-	-	-	-	-	-	-	-	
43879-6004	14	SI	SI	SI	SI	SI	SI	SI	SI	MI	MI	MI	MI	MI	SI	-	-	-	-	-	-	-	-	-	
43879-6005	18	SI	SI	SI	SI	SI	SI	SI	SI	SI	MI	MI	SI	SI	SI	SI	SI	SI	SI	SI	-	-	-	-	
43879-6006	14	SI	SI	MI	SI	MI	SI	MI	SI	SI	SI	SI	SI	SI	SI	-	-	-	-	-	-	-	-	-	
43879-6008	14	SI	SI	MI	MI	SI	MI	SI	SI	SI	MI	MI	SI	SI	SI	-	-	-	-	-	-	-	-	-	
43879-6009	18	MI	MI	MI	MI	SI	MI	MI	MI	MI	MI	MI	MI	MI	MI	MI	MI	MI	MI	MI	-	-	-	-	
43879-6010	6	SI	MI	MI	SI	MI	MI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
43879-6012	18	M4	M4	M4	M4	S4	M4	M4	M4	M4	M4	M4	M4	M4	M4	M4	M4	M4	M4	M4	-	-	-	-	
43879-6013	10	M4	S4	S4	S4	S4	M4	M4	S4	S4	M4	-	-	-	-	-	-	-	-	-	-	-	-	-	
43879-6014	10	S4	S4	M4	S4	S4	M4	M4	M4	S4	S4	-	-	-	-	-	-	-	-	-	-	-	-	-	
43879-6015	10	S4	S4	S4	S4	M4	S4	M4	S4	S4	M4	-	-	-	-	-	-	-	-	-	-	-	-	-	
43879-6016	10	S4	S4	M4	S4	M4	S4	M4	S4	S4	M4	-	-	-	-	-	-	-	-	-	-	-	-	-	
43879-6020	14	S4	S4	S4	M4	M4	M4	S4	S4	S4	S4	S4	S4	S4	S4	-	-	-	-	-	-	-	-	-	
43879-6022	24	M4	M4	M4	S4	S4	S4	M4	S4	S4	S4	S4	S4	M4	M4	M4	S4	S4	S4	S4	S4	S4	S4	S4	
43879-6025	18	M4	S4	S4	S4	S4	S4	S4	S4	S4	S4	S4	S4	M4	M4	M4	S4	S4	M4	-	-	-	-	-	
43879-6026	14	S1	S1	S1	M1	M1	S1	S1	S1	S1	S1	M1	M1	S1	S1	-	-	-	-	-	-	-	-	-	
43879-6027	14	M1	M1	M1	M1	M1	M1	S1	M1	M1	M1	M1	M1	M1	S1	-	-	-	-	-	-	-	-	-	
43879-6029	4	M1	M1	M1	M1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
43879-6030	14	M5	M5	M5	M5	M5	M5	M5	M5	M5	M5	M5	M5	M5	M5	-	-	-	-	-	-	-	-	-	

LEGEND

* *
 M = MAKE-FIRST/BREAK-LAST
 S = STANDARD LENGTH

1 = BRIGHT TIN OVER NICKEL
 4 = GOLD & TIN OVER NICKEL
 5 = MATTE TIN OVER NICKEL

RELEASE STATUS: P1 | RELEASE DATE: 2016/05/17 21:36:32

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

CHG DIM 5.82 TO 6.25 EC NO: 104170 DRWN: C-SLAFTER CHKD: FSMITH APPR: FSMITH REV:	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS	SCALE		
			MM/IN	2:1		
	4 PLACES	±	±	DRWN BY		DATE
	3 PLACES	±	± 0.01	POLGAR		2002/12/10
	2 PLACES	± 0.25	± 0.014	CHK'D BY		DATE
	1 PLACES	± 0.38	±	MARGULIS		2002/12/17
0 PLACES	±	±	APPR BY	DATE		
ANGULAR TOL ± 2.0		DRAWING SIZE		THIRD ANGLE PROJECTION	PRODUCT CUSTOMER DRAWING SERIES: 43879 MATERIAL NUMBER: SEE CHART CUSTOMER: GENERAL MARKET DOCUMENT NUMBER: SD-43879-061 DOC TYPE: PSD DOC PART: 000 SHEET NUMBER: 2 OF 4	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		B				



ITEM NO.	CKT. SIZE	TERMINAL VERSION REQUIRED AT EACH CIRCUIT LOCATION: SEE LEGEND BELOW																							
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
43879-6031	18	M1	M1	M1	M1	M1	M1	M1	M1	M1	M1	M1	M1	M1	M1	M1	M1	M1	M1	-	-	-	-	-	-
43879-6032	24	M5	M5	M5	M5	M5	M5	M5	M5	M5	M5	M5	M5	M5	M5	M5	M5	M5	M5	M5	M5	M5	M5	M5	M5
43879-6033	10	M4	M4	M4	M4	M4	M4	M4	M4	M4	M4	-	-	-	-	-	-	-	-	-	-	-	-	-	
43879-6034	14	S1	S1	S1	S1	S1	S1	S1	M1	M1	M1	S1	S1	S1	S1	-	-	-	-	-	-	-	-	-	
43879-6035	18	S1	S1	M1	S1	S1	S1	M1	S1	S1	S1	S1	M1	S1	S1	S1	M1	S1	S1	-	-	-	-	-	
43879-6036	14	M4	M4	M4	M4	S4	M4	S4	M4	M4	M4	M4	M4	M4	S4	-	-	-	-	-	-	-	-	-	
43879-6037	14	S4	S4	S4	S4	S4	S4	S4	M4	M4	M4	M4	M4	M4	S4	-	-	-	-	-	-	-	-	-	
43879-6038	24	M1	M1	M1	M1	M1	M1	M1	M1	M1	M1	M1	M1	M1	M1	M1	S1	M1	M1	M1	M1	S1	M1	M1	S1
43879-6039	10	M5	M5	M5	M5	M5	M5	M5	M5	M5	M5														
43879-6041	24	M1	M1	M1	M1	M1	M1	M1	M1	M1	M1	M1	M1	M1	M1	M1	M1	M1	M1	M1	M1	M1	M1	M1	M1
43879-6042	18	S4	M4	M4	M4	M4	M4	M4	M4	M4	M4	M4	M4	M4	M4	M4	M4	M4	M4	M4	-	-	-	-	-
43879-6043	14	S4	S4	M4	M4	S4	M4	S4	S4	S4	M4	M4	S4	S4	S4	-	-	-	-	-	-	-	-	-	
43879-6044	10	M4	M4	M4	M4	M4	M4	M4	M4	V	V	-	-	-	-	-	-	-	-	-	-	-	-	-	
43879-6045	24	S4	S4	M4	M4	M4	M4	M4	M4	M4	M4	M4	M4	S4	S4	M4	M4	M4	M4	M4	M4	M4	M4	M4	S4
43879-6046	06	M4	M4	M4	S4	M4	M4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
43879-6047	10	M1	S1	S1	M1	S1	M1	S1	S1	S1	S1	-	-	-	-	-	-	-	-	-	-	-	-	-	
43879-6048	14	M1	M1	M1	M1	S1	M1	M1	M1	M1	M1	M1	S1	M1	M1	-	-	-	-	-	-	-	-	-	
43879-6049	18	M1	S1	S1	S1	S1	S1	S1	S1	M1	M1	S1	S1	S1	S1	S1	S1	S1	M1	-	-	-	-	-	
43879-6054	18	M1	M1	S1	S1	S1	S1	S1	M1	M1	M1	M1	S1	M1	S1	S1	M1	M1	M1	-	-	-	-	-	

LEGEND

M = MAKE-FIRST/BREAK-LAST
S = STANDARD LENGTH

1 = BRIGHT TIN OVER NICKEL
4 = GOLD & TIN OVER NICKEL
5 = MATTE TIN OVER NICKEL

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

EC NO: 104170 DRWN: C-SLAFTER CHK'D: FSMITH APPR: FSMITH	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS	SCALE		
	4 PLACES	±	MM	MM/IN		2:1
	3 PLACES	±	INCH			
	2 PLACES	± 0.25				
1 PLACES	± 0.38					
0 PLACES	±					
ANGULAR TOL ± 2.0		DRAWN BY		DATE		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		POLGAR		2002/12/10		
		CHK'D BY		DATE		
		MARGULIS		2002/12/17		
		APPR BY		DATE		
		FSMITH		2011/05/02		
		DRAWING SIZE	THIRD ANGLE PROJECTION			
		B				
CHG DIM 5.82 TO 6.25 2016/04/08 2016/05/17 2016/05/17		SERIES		MATERIAL NUMBER	CUSTOMER	
G15		43879		SEE CHART	GENERAL MARKET	
		DOCUMENT NUMBER		DOC TYPE	DOC PART	
		SD-43879-061		PSD	000	
		SHEET NUMBER		3 OF 4		

