



SS Stainless Steel

Metric table

Dimensions in: millimeters - inches

d ₁	d ₂ Thread	Length l ≈ GN 6336.4						Length l ≈ GN 6336.5						d ₄	h ₁	h ₂
		16	20	25	30	35	45	-	-	-	-	-	-			
32 1.26	M 6	.63	.79	.98	1.18	1.38	1.77	-	-	-	-	-	-	12 .47	20 .79	9 .35
40 1.57	M 8	.63	.79	.98	1.18	1.57	2.17	20 .79	25 .98	30 1.18	40 1.57	-	14 .55	25 .98	12 .47	
50 1.97	M 10	.98	1.18	1.38	1.77	2.17	-	20 .79	25 .98	30 1.18	45 1.77	55 2.17	18 .71	32 1.26	15 .59	
63 2.48	M 12	1.18	1.38	1.57	1.97	2.36	-	30 1.18	40 1.57	50 1.97	-	-	20 .79	40 1.57	19 .75	
80 3.15	M 16	1.18	1.57	1.97	2.36	2.76	-	-	-	-	-	-	25 .98	50 1.97	23 .91	

Specification

- **GN 6336.4**
 - Threaded stud
Steel, blackened finish
 - Star knob
Cast iron, fettled and tumbled **SG**
- **GN 6336.5**
 - Threaded stud
Stainless steel
European Standard No. 1.4305 (AISI 303)
 - Star knob
Stainless steel precision casting **ES**
European Standard No. 1.4308 (AISI CF-8)
Matte shot-blasted finish
 - Star knob
Aluminum, forged
Matte, tumbled finish **AM**
Polished finish **AP**

• For all types the threaded stud is screwed in and secured by a cross-dowel pin.

• RoHS compliant

On request

- Special inch and metric stud lengths and various stud tips

Information

GN 6336.4 cast iron star knobs extend the range of clamping applications and are perfect for medium to heavy duty clamping applications. GN 6336.5 star knobs have very good corrosion resistant properties.

see also...

- Star Knobs GN 6336.4 (Plastic, with Steel Threaded Stud)
- Star Knobs GN 6336.5 (Plastic, with Stainless Steel Threaded Stud)
- Star Knobs GN 5334 / GN 5334.4 (Stainless Steel, with Threaded Stud)

How to order (Steel threaded stud)	1 Material
	2 Handle diameter d ₁
	3 Thread d ₂
	4 Length l

How to order (Stainless steel threaded stud)	1 Finish (Material)
	2 Handle diameter d ₁
	3 Thread d ₂
	4 Length l