

Data sheet | Item number: 280-404

Test plug adapter; 5 mm wide; for test plug (2.3 mm Ø); suitable for 1.5 mm² - 4 mm² tbs; gray

www.wago.com/280-404



Data

Physical data

Width

5 mm / 0.197 inch

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Material data

Color	gray
Fire load	0.016 MJ
Weight	1.5 g

Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
PU (SPU)	100 (25) Stück
Packaging type	box
Country of origin	DE
GTIN	4044918255219
Customs tariff number	85366990990

Downloads

Documentation

Bid Text

280-404 doc - Datei	May 2, 2017	doc 24.1 kB	Download
------------------------	-------------	----------------	----------

280-404 X81 - Datei	Feb 19, 2019	xml 2.9 kB	Download
------------------------	--------------	---------------	----------

Additional Information

Technical explanations	Apr 3, 2019	pdf 2.2 MB	Download
------------------------	-------------	---------------	----------

CAD/CAE-Data

CAD data

2D/3D Models 280-404	URL	Download
----------------------	-----	----------

CAE data

WSCAD Universe 280-404	URL	Download
------------------------	-----	----------

ZUKEN Portal 280-404	URL	Download
----------------------	-----	----------

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.



Environmental Product Compliance

Compliance Search

Environmental Product Compliance 280-404

URL

Download

Test plug adapter; 5 mm wide; for test plug (2.3 mm Ø); suitable for 1.5 mm² - 4 mm²
tbs; gray

Installation Notes

Subject to changes. Please also observe the further product documentation!