



(images/product/es92570.jpg)

## EMAX ES9257 2.5kg/ .05 sec Micro Digital 3D Tail Servo

SKU: 108090002



**WIO LINK is LIVE at Kickstarter!**

([https://www.kickstarter.com/projects/seeed/wio-link-3-steps-5-minutes-build-your-iot-applicat/description?ref=banner\\_depot](https://www.kickstarter.com/projects/seeed/wio-link-3-steps-5-minutes-build-your-iot-applicat/description?ref=banner_depot))

Description

<b>SERVO (ES9257) SERIES</b>	
<b>SERVO ES9257 SPECIFICATIONS</b>	
<b>Operating Voltage:</b>	<b>4.8V</b>
<b>STD Direction:</b>	Counter Clockwise / Pulse Traveling 1500 to 1900usec
<b>Stall Torque:</b>	<b>4.8V</b> 2.5Kgf.cm
<b>Operating Speed:</b>	<b>4.8V</b> 0.08 Sec/60° at no load
<b>Size:</b>	34.95X30.1X14.9 mm
<b>Weight:</b>	20 g
<b>Plug Available</b>	FUT ;JR
<b>Other</b>	Bearing Digital

Note: This servo is recommended to use at 4.8V. (damage under higher voltage is not covered by warranty)

**Kit Include:** 1 x digital servo with servo horns

## Overview



(<http://www.seedstudio.com/depot/Robotics-t-4.html?ref=pinfo>)

Designer:

Others

Other Products



(<http://www.seeedstudio.com/depot/Shenzhen-2U-t-11.html?ref=pinfo>)

From This  
Designer



(<http://www.seeedstudio.com/depot/Maker-Pro-t-1672.html?ref=pinfo>)

(<http://www.seeedstudio.com/depot/Others-m-24.html?ref=pinfo>)

Weight: 25 g